

OFFICE OF THE DIRECTOR FOR PHYSICAL PLANT

Visca, Baybay City, Leyte, PHILIPPINES Telefax: 1041(LOCAL) Email: www.ppo.@vsu.edu.ph Website: www.vsu.edu.ph

PHYSICAL PLANT SERVICE REQUEST FORM

Filled in by requesting	party	Filled in by PPO
Date filed :	December 6, 2021	Date received :
Building/Facility/ House No/ . Apartment No./ Department _ Location :	DLABS ERROEC	Received by Name & Signature Designation/ Position Maintenance
Requesting party Coesignation/	FERNANDEZ Chair, Physical Facilities	control number
Position	Committee	
To be accomplished	in three (3) copies	
NAME OF THE PARTY	ecify the nature of service requ	uest
	plifier, speakers and	Tent installation/s
microphones) With Lights? Yes Setup Location: Date & Time Nes	eded:	Setup Location: No. of tent: Tent size:
	ion (hrs):	Fabrication/s (new cabinets, furniture, metal works
	plowing & harrowing	and other fabrications not considered as repair and
		maintenance) _ Installation/s (tarpaulin, signage, new lock & knobs
	vered:	& other installation not considered as repair and
	ng trip:	maintenance)
Site development, backfilling	levelling, scrapping &	Machining works (lathe, shaper, drill press & etc.)
Dackilling		Others (enseith), Installation of alastrical authors in
Location:	J	Others (specify): Installation of electrical outlets in
	tion materials, office	DLABS faculty room 12
Hauling (Construct equipment & etc.)	tion materials, office	
Hauling (Construct equipment & etc.)	tion materials, office	
Hauling (Construct equipment & etc.)	tion materials, office	DLABS faculty room 12
Hauling (Construct equipment & etc.) From: DLABS Faculty room	To:Brief Description 12 has no active power outlet	
Hauling (Construct equipment & etc.) From: DLABS Faculty room fluorescent lamp switch	Brief Description 12 has no active power outletch which is unsafe for the use	To be filled by the requesting party after service request conducted
Hauling (Construct equipment & etc.) From: DLABS Faculty room fluorescent lamp switch ervice Conducted by	To:Brief Description 12 has no active power outlet	n of Service Request t. The one currently in use is connected to the ers and to the connected devices. To be filled by the requesting party after service request conducted
Hauling (Construct equipment & etc.) From: DLABS Faculty room fluorescent lamp switch ervice Conducted by	Brief Description 12 has no active power outletch which is unsafe for the use	To be filled by the requesting party after service request conducted
Hauling (Construct equipment & etc.) From: DLABS Faculty room fluorescent lamp switch ervice Conducted by PO Unit	Brief Description 12 has no active power outletch which is unsafe for the use	To be filled by the requesting party after service request conducted Overall Service Satisfaction
Hauling (Construct equipment & etc.) From: DLABS Faculty room fluorescent lamp switch ervice Conducted by PO Unit onformed by	Brief Description 12 has no active power outletch which is unsafe for the use	To be filled by the requesting party after service request conducted Overall Service Satisfaction 1. Not Satisfied 2. Slightly Satisfied
Hauling (Construct equipment & etc.) From: DLABS Faculty room fluorescent lamp switch ervice Conducted by PO Unit Conformed by Requesting Party)	Brief Description 12 has no active power outletch which is unsafe for the use Name & Signatur :	To be filled by the requesting party after service request conducted Overall Service Satisfaction 1. Not Satisfied 2. Slightly Satisfied
Hauling (Construct equipment & etc.) From: DLABS Faculty room fluorescent lamp switch ervice Conducted by PO Unit conformed by Requesting Party)	Brief Description 12 has no active power outletch which is unsafe for the use Name & Signatur :	To be filled by the requesting party after service request conducted Overall Service Satisfaction 1. Not Satisfied 2. Slightly Satisfied 3. Moderately Satisfied 4. Very Satisfied