



## OFFICE OF THE DIRECTOR FOR **PHYSICAL PLANT**

Visca, Baybay City, Leyte, PHILIPPINES Telefax: 1041 (LOCAL) Email: www.ppo.@vsu.edu.ph

Website: www.vsu.edu.ph

## REPAIR AND MAINTENANCE REQUEST

	Filled in by requesting party	FIII	ed in by PPO			
Date filed Building/Facilit House No/			te received			
Apartment No. Department	Dept. of Ec	onomics		1	Name & Signature	
Location : Upper Campus			signation/ sition	:		
Requesting pa	arty : MARIA HAZEL Name & Si	BELLEZAS	intenance ntrol number			
Designation/ Position		d, DoE				
Please check ar	nd specify the nature of work req	uested				
☐ Vehicle Re	epair	☐ Carpentry & Furniture	Works	☐ Electrical	Works	
☐ Welding W	Vorks	Plumbing Works	Plumbing Works		<ul><li>☐ Heating, Ventilating, Air conditioning &amp; Refrigeration</li><li>☐ Others (specify):</li></ul>	
Machining (lathe, sha	aper, drill press, etc.)	& Laboratory instrume	trumentation equipment aboratory instrument		— Others (specify).	
Materials/Sup	oplies/Parts:	Available		Not Av	ailable	
111111111111111111111111111111111111111	Brief	Description of Repair ar	d Maintenan	ce		
Filled in by PF	air of comfort room (leaking flo	Manpower Requireme	ent	Estimate	d hours/days to finished	
					7	
		Filled in by the reque	sting party after	r the conduct of i	repair and maintenance	
	PPO Personnel	Filled in by the reque				
Conducted by:	PPO Personnel (Name & Signature)	Service Satisf	action		repair and maintenance	
by: PPO Unit Checked &		Service Satisf  1. Not Satisf  2. Slightly S	action fied atisfied	ov □ 1 Poor □ 3 Good	epair and maintenance  ER-ALL RATING  2 Fair 4 Very Good	
by: PPO Unit Checked &	(Name & Signature)	Service Satisf  1. Not Satisf  2. Slightly S  3. Moderate	action fied atisfied ly Satisfied	OV  ☐ 1 Poor  ☐ 3 Good  ☐ 5 Excelle	repair and maintenance  ER-ALL RATING  □ 2 Fair □ 4 Very Good	
		Service Satisf  1. Not Satisf 2. Slightly S 3. Moderate 4. Very Satisf	action fied atisfied ly Satisfied	OV  ☐ 1 Poor  ☐ 3 Good  ☐ 5 Excelle	epair and maintenance  ER-ALL RATING  2 Fair 4 Very Good	