

OFFICE OF THE DIRECTOR FOR QUALITY ASSURANCE

Visca, Baybay City, Leyte, PHILIPPINES Telefax: +63 53 563 7534; Local 1076

Email: qac@vsu.edu.ph Website: <u>www.vsu.edu.ph</u>

REQUEST FOR CORRECTIVE ACTION (RFCA)

Reference Control No: DOP-NC-21-01

Necessary Actions:								
Corr	ection: Applicable only to NCs)	RFCA No.						
		Target Completion Date for Correction: October 2021						
	organization fails to take appropriate in to deal with nonconforming outputs	Risk Level for NCs: (1-10) 1-3 (Resolved at unit level) 4-6 (Resolved at dean/director level) 7-9 (Resolved at the VP level) 10 Resolved at the President's level						
Root	Cause Analysis:	<u> </u>						
1. The Department of Physics received the document last September 25, 2021 from OP (thru email) as								
endo	orsed by QAC.							
Analyzed by: Reviewed by:								
REV RHIZZA L. AURE			LUZ O. MORENO					
Process Owner			Lead Auditor /Member					
	Describe the m		A _ Li					
NI	Describe the n	ecessary Corrective	Actions:					
No	Action Description		Target Implementation Date					
1	During the 3 rd Internal Audit dated October 8, 2021 (Friday), the Department of Physics informed the auditor of the error of the document.		October 2021					
2	The Department of Physics sent a lette		October 2021					
	them of the error on the appointment of t							
3								
5								
6								
7								
8								
Approved by:			Target Completion Date:					
REV RHIZZA L. AURE								
	NEV IXI IIZZA L. AUNE		October 2021					
	Office / Unit Head							
<u> </u>								
	REVI	EW / MONITORING						

Vision: Mission:

#	Remarks	Date	Reviewed/ Monitored by	Status