



REPAIR AND MAINTENANCE REQUEST

Filled in by requesting party	
Date filed	: August 17, 2022
Building/Facility/ House No/ Apartment No./ Department	: Department of Pure and Applied Chemistry
Location	: DoPAC
Requesting party	: ELIZABETH S. QUEVEDO Name & Signature
Designation/ Position	: DoPAC, Dept. Head

Filled in by PPO	
Date received	:
Received by	: Name & Signature
Designation/ Position	:
Maintenance control number	:

Please check and specify the nature of work requested		
<input type="checkbox"/> Vehicle Repair	<input checked="" type="checkbox"/> Carpentry & Furniture Works	<input type="checkbox"/> Electrical Works
<input type="checkbox"/> Welding Works	<input type="checkbox"/> Plumbing Works	<input type="checkbox"/> Heating, Ventilating, Air conditioning & Refrigeration
<input type="checkbox"/> Machining works (lathe, shaper, drill press, etc.)	<input type="checkbox"/> Instrumentation equipment & Laboratory instrument	<input type="checkbox"/> Others (specify):

Materials/Supplies/Parts:

☒ Available

☐ Not Available

Brief Description of Repair and Maintenance

Put cabinet door cam lock/ desk drawer lock in all cabinets of laboratory rooms in the department (AC-105, AC-106, AC-108, AC-206, AC-208).

Filled in by PPO personnel		
Part/Supplies/Materials Required	Manpower Requirement	Estimated hours/days to finished

Conducted by: _____
PPO Personnel
(Name & Signature)

PPO Unit: _____

Checked & Verified by: _____
PPO Head
(Name & Signature)

Filled in by the requesting party after the conduct of repair and maintenance	
Service Satisfaction	OVER-ALL RATING
<input type="checkbox"/> 1. Not Satisfied	<input type="checkbox"/> 1. - Poor <input type="checkbox"/> 2. - Fair
<input type="checkbox"/> 2. Slightly Satisfied	<input type="checkbox"/> 3. - Good <input type="checkbox"/> 4. - Very Good
<input type="checkbox"/> 3. Moderately Satisfied	<input type="checkbox"/> 5. - Excellent
<input type="checkbox"/> 4. Very Satisfied	Comments & Suggestion
<input type="checkbox"/> 5. Extremely Satisfied	
Name and Signature	