

Republic of the Philippines VISAYAS STATE UNIVERSITY

Visca, Baybay City, Leyte

PURCHASE REQUEST

PR No.: **GF-2022-04-00481** Date: **04-22-2022**

Dept./Office: ODPP

Section/End-User: Rafael Rosario A. Juntilla

Category: Construction
and Electrical Supplies

Funding Source: **General Fund - MOOE** Project Title/Code: **PPO-PPES-2022**

#	Item Description	Unit	Qty	Unit Cost	PAR/ICS	Total Cost
1	10 Watts LED Single-Surface mounted Downlights	set	12	1,200.00		14,400.00
	Specification:					
	LED Single-Surface Mounted downlight	s Square	Head spotligh	ts Ceiling		
2	15 Watts LED Double-Surface Mounted Downlights	set	25	2,500.00		62,500.00
	Specification:			•		·
	LED Double-Surface Mounted Downligh	ts Square	e Head Spotlig	ght Ceiling		
3	50 watts LED spotlight RGB flood light multicolor	set	30	2,000.00		60,000.00
	Specification:			•		·
	LED spotlight RGB flood light					
	Multicolor with changing color di	mmina lia	hts outdoor			
		99				
	 Round type 					
	Round type230V AC supply					
4	•••	pcs	50	120.00		6,000.00
4	230V AC supply Electrical (PVC) Long Sweep	pcs	50	120.00		6,000.00
4	230V AC supply Electrical (PVC) Long Sweep Elbow, 1" x 90deg	'		120.00		6,000.00
5	230V AC supply Electrical (PVC) Long Sweep Elbow, 1" x 90deg Specification:	'		75.00		
	230V AC supply Electrical (PVC) Long Sweep Elbow, 1" x 90deg Specification: PVC Pipe Long Elbow, 1 1/4 (32 mm)D Electrical (PVC) Long Sweep	iameter E	Electrical			3,750.00
5	• 230V AC supply Electrical (PVC) Long Sweep Elbow, 1" x 90deg Specification: PVC Pipe Long Elbow, 1 1/4 (32 mm)D Electrical (PVC) Long Sweep Elbow, 3/4" x 90deg Electrical (PVC), Long Sweep	iameter E	Electrical	75.00		3,750.00 5,000.00 600.00

?Flame retardant and compatible with plastic cable and wire harness insulations

?Flexible PVC with aggressive rubber adhesive

?Primary electrical insulation for all wire ?19mm x 16m x 0.155mm	and cabl	e splices rate	d up to 600 volts.	
?Heavy Duty				
?ASTM approved				
Electrical Wire, THHN / THWN, AWG 10 (5.5mm2), Stranded, 150 meters/box	box	8	6,200.00	49,600.00
Specification:				•
?Building Wire				
•				
?UL listed				
Electrical Wire, THHN / THWN, AWG 12 (3.5mm2), Stranded, 150 meters/box	box	8	6,000.00	48,000.00
Specification:				
?Building Wire				
?Stranded with Nylon Insulation				
?Gauge 12				
?UL listed				
Electrical Wire, THHN/THW AWG 14 (2.0 mm2), Stranded Wire	meters	6	95.00	570.00
Electrical Wire, THHN/THWN, AWG 6(14 mm2), Stranded Wire 600 volts	rolls	2	18,000.00	36,000.00
Electrical Wire, THHN/THWN, AWG 8 (8mm2), Stranded, 150 meters/box	box	2	9,750.00	19,500.00
Specification:				·
?Building Wire				
?Stranded with Nylon Insulation				
?Gauge 8				
?UL listed				
Electrical, 2 gang convenience outlet with ground (flush type)	set	12	300.00	3,600.00
Electrical, Junction box with cover, 4" x 4"	pcs	40	50.00	2,000.00
Specification:				
Material: Electrical PVC Orange Color				
Heat resistant				
?Waterproof				
?UL certified				
Electrical, Pipe, (PVC) Orange, 1"(32mm) x 3m	length	100	75.00	7,500.00
	?19mm x 16m x 0.155mm ?Heavy Duty ?ASTM approved Electrical Wire, THHN / THWN, AWG 10 (5.5mm2), Stranded, 150 meters/box Specification: ?Building Wire ?Stranded with Nylon Insulation ?Gauge 10 ?UL listed Electrical Wire, THHN / THWN, AWG 12 (3.5mm2), Stranded, 150 meters/box Specification: ?Building Wire ?Stranded with Nylon Insulation ?Gauge 12 ?UL listed Electrical Wire, THHN/THW AWG 14 (2.0 mm2), Stranded Wire Electrical Wire, THHN/THWN, AWG 6(14 mm2), Stranded Wire 600 volts Electrical Wire, THHN/THWN, AWG 8 (8mm2), Stranded, 150 meters/box Specification: ?Building Wire ?Stranded with Nylon Insulation ?Gauge 8 ?UL listed Electrical, 2 gang convenience outlet with ground (flush type) Electrical, Junction box with cover, 4" x 4" Specification: Material: Electrical PVC Orange Color Heat resistant ?Waterproof ?UL certified Electrical, Pipe, (PVC) Orange,	Planm x 16m x 0.155mm Pleavy Duty PASTM approved Electrical Wire, THHN / THWN, AWG 10 (5.5mm2), Stranded, 150 meters/box Specification: PBuilding Wire PStranded with Nylon Insulation PGauge 10 PUL listed Electrical Wire, THHN / THWN, AWG 12 (3.5mm2), Stranded, 150 meters/box Specification: PBuilding Wire PStranded with Nylon Insulation PGauge 12 PUL listed Electrical Wire, THHN/THW AWG PStranded with Nylon Insulation PGauge 12 PUL listed Electrical Wire, THHN/THWN, AWG 6(14 mm2), Stranded Wire Electrical Wire, THHN/THWN, AWG 6(14 mm2), Stranded, 150 meters/box Specification: PBuilding Wire PStranded with Nylon Insulation PGauge 8 PUL listed Electrical, 2 gang convenience outlet with ground (flush type) Electrical, Junction box with cover, 4" x 4" Specification: Material: Electrical PVC Orange Color Heat resistant PWaterproof PUL certified Electrical, Pipe, (PVC) Orange, Length	?19mm x 16m x 0.155mm ?Heavy Duty ?ASTM approved Electrical Wire, THHN / THWN, AWG 10 (5.5mm2), Stranded, 150 meters/box Specification: ?Building Wire ?Stranded with Nylon Insulation ?Gauge 10 ?UL listed Electrical Wire, THHN / THWN, AWG 12 (3.5mm2), Stranded, 150 meters/box Specification: ?Building Wire ?Stranded with Nylon Insulation ?Gauge 12 ?UL listed Electrical Wire, THHN/THW AWG 14 (2.0 mm2), Stranded Wire Electrical Wire, THHN/THWN, AWG 6(14 mm2), Stranded Wire 600 volts Electrical Wire, THHN/THWN, AWG 8 (8mm2), Stranded, 150 meters/box Specification: ?Building Wire ?Stranded with Nylon Insulation ?Gauge 8 ?UL listed Electrical, 2 gang convenience outlet with ground (flush type) Electrical, Junction box with cover, 4" x 4" Specification: Material: Electrical PVC Orange Color Heat resistant ?Waterproof ?UL certified Electrical, Pipe, (PVC) Orange, Locath Locat	PHeavy Duty PASTM approved Electrical Wire, THHN / THWN, AWG 10 (5.5mm2), Stranded, 150 box 8 6,200.00 meters/box Specification: PBuilding Wire PStranded with Nylon Insulation PGauge 10 PUL listed Electrical Wire, THHN / THWN, AWG 12 (3.5mm2), Stranded, 150 box 8 6,000.00 meters/box Specification: PBuilding Wire PStranded with Nylon Insulation PGauge 12 PUL listed Electrical Wire, THHN/THW AWG meters 6 95.00 Electrical Wire, THHN/THWN, AWG 6(14 mm2), Stranded Wire folls 2 18,000.00 600 volts Electrical Wire, THHN/THWN, AWG 8 (8mm2), Stranded, 150 box 2 9,750.00 Electrical Wire, THHN/THWN, AWG 8 (8mm2), Stranded, 150 box 2 9,750.00 Specification: PBuilding Wire PStranded with Nylon Insulation PBuilding Wire PStranded with Nylon Insulation PGauge 8 PUL listed Electrical, 2 gang convenience outlet with ground (flush type) Electrical, Junction box with cover, 4" x 4" Specification: Material: Electrical PVC Orange Color Heat resistant PWaterproof PUL Certified Electrical, Pipe, (PVC) Orange, length 100 756.00

	Specification:					
17	Sched 40, Durable, Good Quality Electrical, Pipe, (PVC) Orange, 1/2" x 3m	length	200	90.00		18,000.00
18	Electrical, Pipe, (PVC) Orange, 3/4"(25mm) x 3m	length	100	160.00		16,000.00
	Specification: Sched 40, Durable, Good Quality					•
19	Electrical, Utility Box, 2" x 4", Orange	piece	20	30.00		600.00
	Specification: PVC					
20	Panel Board Dead Front, Single Phase, Copper Busbar with Metal Enclosure	unit	1	12,000.00		12,000.00
	 1 pc. Molded Circuit Breaker, Ce 1 pc. Molded circuit breaker, Bree 4 pcs. Molded circuit breaker, Bree 1 pc. Molded circuit breaker, Bree 	anch 15 ai ranch 20 a	mps 2 poles, l amps, 2 poles	bolt on , bolt on	on type	
21	Weather proof/liquid tight, 2 gang Universal Convenience outlet, with ground (flush type)	set	6	300.00		1,800.00
	TOTAL					202 202 2
						368,820.00
Pur	rpose: Guard Post Wiring					368,820.00
	rpose: Guard Post Wiring ecked by:			Funds Avail	able:	368,820.00
	ecked by: MARLON G. BURL			Funds Avail	ALICIA M.	FLORES
	ecked by: MARLON G. BURL TWG - Construction and Elect					FLORES BET OFFICE
Che	ecked by: MARLON G. BURL		oplies Noted		ALICIA M.	FLORES
Che Sign	MARLON G. BURL TWG - Construction and Elect Requested by:	rical Sup	Noted Noted		ALICIA M. HEAD, BUDG	FLORES BET OFFICE