

Republic of the Philippines Professional Regulation Commission Regional Office No. 08 Tacloban City



CERTIFICATION OF PASSING

	tify that according to the reco	rds of this	
Commission,	REGULATIO		
	VAN VIANEN GAYAS BOLECHE		
	(Name of Examinee)		
Contract of the contract of th		"Op	
PASSED the	PROFESSIONAL TEACHER (SEC	ONDARY) - Science	
(Remarks)	(Examination Taken)		
Li			
licensure examination	given by the Board of/forProfe	ssional Teachers	
		Name of Board)	
Property Control of		63	
on March, 2025	with a general average of	85.40%	
(mm/yyyy)		(Rating Obtained)	
	n is issued upon his/her request	for whatever legal	
purpose it may serve			
Robinsons Ormoc			
June 16, 2025			
		11/2	
BUWIS	By Authority of the Commission	n: /	
Disk2025		A	
30 5 2 8 30	MARK KRISTOFE		
PISO CHIETTAP PISO	Professional Regula	duons Officer III	

ANY ERASURE OR ALTERATION HEREON NULLIFIES THIS CERTIFICATION.
NOT VALID WITHOUT DRY SEAL AND DOCUMENTARY STAMP.

O.R. No.: E2025-06-29616271

Verified and typed by: MARY JOY R.

DATE : 06/13/2025

RMD - 03 Rev. 00 February 25, 2015 Page 1 of 1



Republic of the Philippines Professional Regulation Commission Regional Office No. 08 Tacloban City



CERTIFICATION REPORT OF RATING

This is to certify that according to the records of this Commission, the following appear:

Name of Examinee

VAN VIANEN GAYAS BOLECHE

Examination Taken

PROFESSIONAL TEACHER (SECONDARY)

Name of Board

Professional Teachers

Date of Examination

March, 2025

Application No.

: 994994

SUBJECTS	RATINGS
General Education	85.00
Professional Education	
Specialization (Science)	95
GENERAL AVERAGE RATING	85.40%
Remarks	PASSED

Robinsons Ormoc June 16, 2025



By Authority of the Commission

MARK KRISTOFER L. AGUCAY Professional Regulations Officer III

O.R. No.: E2025-06-29616301

DATE : 06/13/2025

Verified and typed by: MARY JOYR. JUNTILLA

NOTE: The minimum passing general rating required for the above-named examination is 75% with no rating below 50% in any subject.

ANY ERASURE OR ALTERATION HEREON NULLIFIES THIS CERTIFICATION.
NOT VALID WITHOUT DRY SEAL AND DOCUMENTARY STAMP.



