

Republic of the Philippines
VISAYAS STATE UNIVERSITY
Visca, Baybay City, Leyte
SUPPLY & PROPERTY MANAGEMENT

INSPECTION & ACCEPTANCE REPORT

Supplier: **LEYTE PAPERWORLD** IAR No: 25-11-1442
P.O No.: **VSU-GOODS-25-34-366 (GF)** Date: 2025-10-13
Office/Dept: **Assorted Depts/Offices** **440,198.00** Assorted PR's

No.	UNIT	DESCRIPTION	Quantity		Date Received	Balance	Remarks
			Per P.O	Actual			
1	pcs	2.5" Internal Solid State Drive (SSD), SAMSUNG 500GB Distribution ITEEM c/o Shaira B. Manapsal (GF-2024-10-02411) - 2	2	0		2	Undelivered

Specification:

- Specifications:
- at least 500 GB, SATA III, sequential read speed up to 560 MB/s, sequential write speed up to 530 MB/s

2	pc	Apple Mac Mini, M2 Chip , APPLE Distribution IAO c/o Mark Florence L. Ygaña (GF-2024-10-02246) - 1	1	0		1	Undelivered
---	----	---	---	---	--	---	-------------

Specification:

Chip:

- Model: M2 chip
- CPU: 8-core (4 performance cores + 4 efficiency cores)
- GPU: 10-core
- Neural Engine: 16-core
- Memory Bandwidth: 100GB/s

Media Engine:

- Hardware-accelerated H.264, HEVC, ProRes, and ProRes RAW
- Video Decode Engine
- Video Encode Engine
- ProRes Encode and Decode Engine

Memory:

- Capacity: 8GB

Storage:

- Type: SSD
- Capacity: 256GB

Compatibility:

- Compatible with existing Apple Devices

3	unit	Automatic Paper Shredder Machine Paper Cutter 16 Sheet Capacity, DELI- E14400 Distribution IAS c/o Raul Anthony S. Valenzona (GF-2025-05-00579) - 1	1	0		1	Undelivered
---	------	---	---	---	--	---	-------------

Specification:

Heavy Duty, Paper Shredder

Size & Specifications

Shred Capacity: 16 sheets; Shred size: 4x40mm; Security level:4

Specs 1: Can shred: CD/DVD, Paper, Card, Paper Clip, Staple

Specs 2: Continous run time: 30min

Specs 3: Bin capacity: 31L

Specs 4: Machine noise: 58dB

Specs 5: Machine power: 240W

Specs 6: 390x302x615mm

Sales Point 1: German level 4 confidentiality

Sales Point 2: Nitride steel knife, sharp and durable

Sales Point 3: Intelligent induction, Overheat protection, Stop protection, Auto reverse

Sales Point 4: 31L Visible Paper Bucket

Warranty: 1 year



4	unit	Computer Printer, All-in-One/Multifunction Colored-Ink Tank, EPSON L3210 Distribution <i>FVM c/o Joel M. Israel (GF-2025-03-00427) - 1</i> <i>PO c/o Arjanery B. Antofina (GF-2025-02-00202) - 1</i>	2	2	2025-10-10 #: DR 22847, 22831	0	Completed
---	------	---	---	---	--	---	-----------

Specification:

- **Type:** All-in-One/Multifunction Colored-Ink Tank
- **Functions:** Print, Copy, Scan
- **Printing Technology:** Dye Ink
- **Print Resolution:** 5,760 x 1,440 DPI
- **Nozzle Configuration:** 180 Nozzles Black, 59 Nozzles per Color
- **Minimum Droplet Size:** 3 pl with Variable-Sized Droplet Technology
- **Ink Technology:** Dye Ink
- **Ultra-Low-Cost Printing:**
 - **Black:** Up to 4,500 pages
 - **Color:** Up to 7,500 pages
- **Ink Filling System:** Next-generation ink bottles for hassle and mess-free refills
- **Connectivity:**
 - **Wi-Fi**
 - **Wi-Fi Direct**
 - **Mobile Printing Apps**

Projection System:**Technology:**

- RGB Liquid Crystal Shutter Projection System (3LCD), 3-Chip Technology

Light Output:

- White Light Output (Normal/Eco): 3,600 lm
- Colour Light Output: 3,600 lm

Resolution:

- XGA, at least 1024 x 768

Aspect Ratio:

- 4:3

LCD:

- Native Resolution: XGA (1024 x 768)
- Size: 0.55" (C2fine)

Lightsource:

- Type: 210W UHE
- Life (Normal / Eco): 6,000 / 12,000 hours

Inputs:

- Analog Input: D-Sub 15pin: 1
- Digital Input: HDMI: 1

USB Interface:

- USB Type B: 1 (For Firmware Update, Copy OSD Settings)

9	unit	Laptop, ACER Distribution QAC c/o Daisy E. Pantorilla (GF-2024-10-02296) - 2	2	0		2	Undelivered
---	------	---	---	---	--	---	-------------

Specification:**Operating System:**

- OS: Windows 11 Home Single Language
- Architecture: 64-bit

Processor:

- Manufacturer: Intel®
- Type: Core™ i5
- Model: i5-12500H
- Speed: 2.50 GHz
- Core Count: Dodeca-core (12 Core™)

- **Generation:** 12th Gen

Display & Graphics:

- **Graphics Controller Manufacturer:** NVIDIA®
- **Graphics Controller Model:** GeForce® RTX™ 3050
- **Graphics Memory Capacity:** 4 GB
- **Graphics Memory Technology:** GDDR6
- **Graphics Memory Accessibility:** Dedicated
- **GPU Boost Clock:** Up to 1600 MHz
- **Maximum Graphics Power:** Up to 95 W
- **Screen Size:** 39.6 cm (15.6")
- **Display Screen Type:** LCD
- **Backlight Technology:** LED
- **Screen Resolution:** 1920 x 1080
- **Standard Refresh Rate:** 144 Hz

Memory:

- **Total Installed System Memory:** 8 GB
- **System Memory Technology:** DDR4 SDRAM
- **Memory Card Reader:** No

Storage:

- **Total Solid State Drive Capacity:** 512 GB
- **Solid State Drive Interface:** PCI Express
- **Optical Drive Type:** No

Network & Communication:

- **Wireless LAN Standard:** IEEE 802.11 a/b/g/n/ac/ax
- **Wireless LAN Model:** Wi-Fi 6 AX 1650i
- **Ethernet Technology:** Gigabit Ethernet
- **Bluetooth Standard:** Bluetooth 5.1 or above

Built-in Devices:

- **Microphone:** Yes
- **Finger Print Reader:** No

Interfaces/Ports:

- **HDMI:** Yes
- **Number of HDMI Outputs:** 1
- **Number of USB 3.2 Gen 1 Type-A Ports:** 1
- **Number of USB 3.2 Gen 2 Type-A Ports:** 2
- **Number of USB 3.2 Gen 2 Type-C Ports:** 1
- **Total Number of USB Ports:** 4
- **USB Type-C:** Yes
- **USB Type-C Detail:** USB 3.2 Gen 2 (up to 10 Gbps), DisplayPort over USB-C, Thunderbolt 4, USB charging 5 V; 3 A, DC-in port 20 V; 65 W

- **Network (RJ-45):** Yes

Input Devices:

- **Pointing Device Type:** TouchPad
- **Keyboard:** Yes
- **Keyboard Backlight:** Yes
- **TouchPad Features:** Multi-touch Gesture

Battery Information:

- **Number of Cells:** 4-cell
- **Battery Chemistry:** Lithium Ion (Li-Ion)
- **Battery Energy:** 57.50 Wh

Power Description:

- **Maximum Power Supply Wattage:** 180 W

Physical Characteristics:

- **Height:** 26.90 mm
- **Height (Front):** 25.90 mm
- **Height (Rear):** 26.90 mm
- **Width:** 360.4 mm
- **Depth:** 271.1 mm
- **Weight (Approximate):** 2.50 kg
- **Product Color:** Obsidian Black

Miscellaneous:

- **Package Contents:**
 - Nitro 5 AN515-58-50YE Gaming Notebook
 - Lithium Ion Battery
 - AC Adapter
 - Free Backpack
- **Security Features:**
 - Firmware Trusted Platform Module (TPM) solution
 - Kensington lock slot
 - BIOS Passwords: User, Supervisor

10	unit	Laptop, Intel Core i5 10th Gen , 15.6" FHD, THUNDERBOT Distribution _____ BuO c/o Mona Nena B. Geraldo (GF-2024-10-01947) - 1	1	0		1	Undelivered
----	------	---	---	---	--	---	-------------

Specification:

Processor:

- **Model:** Intel Core i5 10th Gen or higher

Memory:

- **Capacity:** 16GB DDR4 2400MHz or higher

Display:

- **Size:** 15.6 inches
- **Resolution:** Full HD (1920 x 1080)
- **Panel Type:** IPS

Graphics Card:

- **Model:** NVIDIA GeForce MX350 2GB (GDDR5) or higher

Storage:

- **Type:** SSD
- **Capacity:** 512GB NVMe M.2

Network:

- **Wireless:** Dual-band dual-antenna 802.11.ax (supports 5G network)
- **Bluetooth:** 5.0

Operating System:

- **Type:** Genuine Windows 10

Extras:

- **Free Backpack:** Included

11	pc	Portable SSD, 1TB, SANDISK Distribution CET c/o Michelle A. Borleo (GF-2024-10-02079) - 1	1	0		1	Undelivered
----	----	---	---	---	--	---	-------------

Specification:

- **Product:** Portable SSD
- **Capacity:** 1TB
- **Connector:** USB-C
- **Sequential Read Performance:** 800MB/s
- **Interface:** USB 3.2 Gen 2
- **Warranty:** 3-Year Limited Warranty
- **Dimensions (L x W x H):** 9.91mm x 46.9mm x 96.9mm
- **Weight:** 40g

12	pcs	Projector Screen 100-inch pull up projector screen with stand, XVV PROJECTOR SCREEN 100" Distribution DMath c/o Genalyn M. Apas (GF-2024-10-02006) - 1	1	0		1	Undelivered
----	-----	--	---	---	--	---	-------------

Specification:

100-inch Pull up projector screen with stand

- **Networking Interface:** (1) 10/100/1000 Ethernet Port
- **Buttons:** Reset
- **Power Method:** 802.3af PoE
- **Power Supply:** UniFi Switch (PoE)
- **Power Save:** Supported
- **Beamforming:** Supported
- **Maximum Power Consumption:** 10.5W
- **Supported Voltage Range:** 44 to 57VDC

TX Power:

- **2.4 GHz:** 23 dBm
- **5 GHz:** 26 dBm

MIMO:

- **2.4 GHz:** 2x2
- **5 GHz:** 4x4

Radio Rates:

- **2.4 GHz:** 300 Mbps
- **5 GHz:** 1733 Mbps

Antennas:

- **2.4 GHz:** (2) Single-Port, Single-Polarity Antennas, 2.8 dBi each
- **5 GHz:** (2) Single-Port, Dual-Polarity Antennas, 3 dBi each

Wi-Fi Standards: 802.11 a/b/g/n/r/k/v/ac/ac-wave2

Wireless Security: WEP, WPA-PSK, WPA-Enterprise (WPA/WPA2, TKIP/AES), 802.11w/PMF

BSSID: 8 per Radio

Mounting: Wall/Ceiling (Kits Included)

Operating Temperature: -10 to 70°C (14 to 158°F)

Operating Humidity: 5 to 95% Non-condensing

Certifications: CE, FCC, IC

Advanced Traffic Management:


- **VLAN:** 802.1Q
- **Advanced QoS:** Per-User Rate Limiting
- **Guest Traffic Isolation:** Supported
- **WMM:** Voice, Video, Best Effort, and Background
- **Concurrent Clients:** 200+

Supported Data Rates (Mbps):

- **802.11a:** 6, 9, 12, 18, 24, 36, 48, 54 Mbps
- **802.11b:** 1, 2, 5.5, 11 Mbps

- **802.11g:** 6, 9, 12, 18, 24, 36, 48, 54 Mbps
- **802.11n:** 6.5 Mbps to 300 Mbps (MCS0-MCS15, HT 20/40)
- **802.11ac:**
 - 6.5 Mbps to 1.7 Gbps (MCS0-MCS9 NSS1/2/3/4, VHT 20/40/80)
 - 58 Mbps to 1.7 Gbps (MCS0-MCS9 NSS1/2, VHT 160)

Should be compatible with the existing fleet of Unifi AP and Existing Unifi Controller

INSPECTION	ACCEPTANCE
Date Inspected: <u>10/13/15</u> ☒ Inspected, verified and found in order as to quantity and specifications ☐ Others: _____ _____ _____	Date Recieved: <u>10/13/15</u> ☐ Complete ☒ Partial
 JUDE B. ROLA Inspector	 DOREEN B. ALBA Head, Supply & Property Management