

Republic of the Philippines
VISAYAS STATE UNIVERSITY
Visca, Baybay City, Leyte
SUPPLY & PROPERTY MANAGEMENT

INSPECTION & ACCEPTANCE REPORT

Supplier: **BRODETH MARKETING**
P.O No.: **VSU-GOODS-25-28-266-A (STF)**
Office/Dept: **Assorted Depts/Offices**

IAR No: 25-09-1143
Date: 2025-09-15
178,870.91 Assorted PR's

No.	UNIT	DESCRIPTION	Quantity		Date Received	Balance	Remarks
			Per P.O	Actual			
1	pcs	3/4 " Phenolic Board, CROCODILE/SMARTFLEX Distribution <i>CET c/o Michelle A. Borleo (STF-2024-10-02134) - 2</i> <i>DCE c/o Haide B. Cuevas (STF-2024-10-01876) - 28</i>	30	2	2025-09-12 #: CI- 22415,22417,22420	28	Lacking
Specification: 1.2 x 2.4 m							
2	sheet	Abrasive Paper, Sandpaper Grit #100, CROCODILE Distribution <i>DCE c/o Haide B. Cuevas (STF-2024-10-01880) - 20</i>	20	20	2025-09-12 #: CI- 22415,22417,22420	0	Completed
Specification: Medium Coarse, Premium Grade, Waterproof							
3	pc	Bulb Socket, PVC, OMNI E24-040 4" Distribution <i>IHK c/o Marvin B. Bandalan (STF-2025-01-00016) - 20</i>	20	0		20	Undelivered
Specification: • Type: Round • Material: PVC • Size: Standard • Certification: ISO Certified • Quality: Good Quality							
4	pc	Bulb Socket, Porcelain, FIREFLY #4 FEDCRW204 Distribution <i>CME c/o Geecal F. Galvez (STF-2024-10-02550) - 5</i>	5	5	2025-09-12 #: CI- 22415,22417,22420	0	Completed

Specification:

- **Type:** Porcelain
- **Diameter:** At least 3 inches
- **Size:** Standard
- **Certification:** ISO Certified
- **Quality:** Good Quality

5	pieces	Bulb, LED, 15W, OPPLA UIA45DL Distribution <i>IHK c/o Marvin B. Bandalan (STF-2025-01-00016) - 20</i>	20	0		20	Undelivered
---	--------	--	----	---	--	----	-------------

Specification:

- **Wattage:** 15 Watts
- **Lumens:** 1521
- **Color Temperature:** Daylight
- **Beam Angle:** 200 degrees
- **Voltage:** 170-240 V AC, 50/60Hz
- **Bulb Holder:** E27
- **Life Hours:** 15,000 hours
- **Material:** PC cover & Aluminum PCB

6	piece	Bulb, LED, 9W, daylight, OPPLA Distribution <i>DA c/o Millea C. Marsado (STF-2025-03-00409) - 60</i>	60	0		60	Undelivered
---	-------	---	----	---	--	----	-------------

Specification:

None

7	pcs	Bulb, LED, 9W, daylight, OPPLA Distribution <i>CME c/o Geocal F. Galvez (STF-2024-10-02550) - 7</i>	7	7	2025-09-12 #: CI- 22415,22417,22420	0	Completed
---	-----	--	---	---	---	---	-----------

Specification:

None

8	bag	Cement, Portland, TAHEIYO PORTLAND Distribution <i>DFS c/o Erlele Jane P. Manzano (STF-2024-10-02139) - 5</i>	5	5	2025-09-12 #: CI-22420	0	Completed
---	-----	--	---	---	---------------------------	---	-----------

Specification:

?Type 1P, Premium Quality
?ASTM C150

9	btl	Cement, Rubber, Contact adhesive, APOLLO Distribution <i>DCE c/o Haide B. Cuevas (STF-2024-10-01880) - 18</i>	18	18	2025-09-12 #: CI- 22415,22417,22420	0	Completed
---	-----	--	----	----	---	---	-----------

Specification:

Premium Quality, at least 300ml per bottle

10	pcs	Electrical (PVC) Clip, 1/2", OPPO Distribution <i>DOE c/o Carlito O. Suganob (STF-2024-10-02435) - 50</i>	50	50	2025-09-12 #: CI-22415,22417,22420	0	Completed
----	-----	--	----	----	---------------------------------------	---	-----------

Specification:

None

11	pc	Electrical Circuit Breaker, 30A, (Box type), KOTEN KSB-2P-30A Distribution <i>DOE c/o Carlito O. Suganob (STF-2024-10-02435) - 2</i> <i>DFS c/o Ernie Jane P. Manzano (STF-2024-10-02527) - 2</i> <i>IHK c/o Marvin B. Bandalan (STF-2025-01-00016) - 6</i>	10	2 2	2025-09-12 #: CI-22415,22417,22420 2025-09-12 #: CI-22420	8 6	Lacking
----	----	--	----	------------	--	------------	---------

Specification:

- **Type:** Electrical Circuit Breaker
- **Current Rating:** 30A
- **Type:** Box Type
- **Features:**
 - Heavy Duty
 - Good Quality
 - Durable
- **Voltage Rating:** 220-240V

12	pc	Electrical Circuit Breaker, 30A, (Box type), KOTEN KSB-2P-30A Distribution <i>DOE c/o Carlito O. Suganob (STF-2024-10-02435) - 2</i> <i>DFS c/o Ernie Jane P. Manzano (STF-2024-10-02527) - 2</i> <i>IHK c/o Marvin B. Bandalan (STF-2025-01-00016) - 6</i>	10	2 2	2025-09-12 #: CI-22415,22417,22420 2025-09-12 #: CI-22420	8 6	Lacking
----	----	--	----	------------	--	------------	---------

Specification:

- **Type:** Electrical Circuit Breaker
- **Current Rating:** 30A
- **Type:** Box Type
- **Features:**
 - Heavy Duty
 - Good Quality
 - Durable
- **Voltage Rating:** 220-240V

13	pc	Electrical PVC Clip, 20mm/ 1/2" diameter, OPPO Distribution <i>DPBG c/o Noreen Kaye N. Aure (STF-2024-10-02604) - 150</i>	150	0		150	Undelivered
----	----	--	-----	---	--	-----	-------------

Specification:

None

14	pcs	Electrical PVC Pipe, #3/4, 3 meters, POLY Distribution <i>DOE c/o Carlito O. Suganob (STF-2024-10-02435) - 1</i>	1	1	2025-09-12 #: CI-22420	0	Completed
Specification: None							
15	pcs	Electrical Switch, 3-way, flush type, OMNI 3way 1 gang P1-S23 Distribution <i>DFS c/o Erale Jane P. Manzano (STF-2024-10-02527) - 5</i> <i>DFS c/o Erale Jane P. Manzano (STF-2024-10-02527) - 5</i>	10	10	2025-09-12 #: CI-22420	0	Completed
Specification: - Heavy duty - Good quality							
16	boxes	Electrical Wire, THHN/THWN AWG 8 (8.0 mm2), Stranded copper wire 600 volts, 100 meters per box, PHELP DODGE Distribution <i>DPBG c/o Noreen Kaye N. Aure (STF-2024-10-02604) - 2</i>	2	0		2	Undelivered
Specification: None							
17	boxes	Electrical Wire, THHN/THWN, AWG 8 (8mm2), Stranded, 150 meters/box, PHELP DODGE Distribution <i>IHK c/o Marvin B. Bandalen (STF-2025-01-00016) - 1</i>	1	0		1	Undelivered
Specification: Type: THHN/THWN, Building Wire Gauge: AWG 8 (8mm²) Stranding: Stranded with Nylon Insulation Length: 150 meters/box Certification: UL listed							
18	gal	Epoxy Metal Primer (Black), GUILDER Distribution <i>DCE c/o Haide B. Cuevas (STF-2024-10-01876) - 3</i>	3	3	2025-09-12 #: CI-22415,22417,22420	0	Completed
Specification: Epoxy primer for metal with catalyst Color: Black							
19	gallons	Epoxy Metal Primer (Black), GUILDER Distribution <i>DCE c/o Haide B. Cuevas (STF-2024-10-01876) - 5</i>	5	5	2025-09-12 #: CI-22415,22417,22420	0	Complete
Specification:							

Black color epoxy primer with catalyst

20	pc	Extension wire with 4 gang Universal Convenience Outlet, at least 10m long, flatcord #16 + outlet WSO-00K-PK + reg. plug WRP-002-PK (Omni) Distribution DBS c/o Alma Gofredo (STF-2024-11-03191) - 3 DFS c/o Eraie Jane P. Manzano (STF-2024-10-02527) - 4 DFS c/o Eraie Jane P. Manzano (STF-2024-10-02527) - 4 DFS c/o Eraie Jane P. Manzano (STF-2024-10-02527) - 2	13	10	2025-09-12 #: CI-22420	3	Lacking
----	----	--	----	----	---------------------------	---	---------

Specification:

?at least 10 amperes wire capacity

21	piece	Faucet, Brass (Ordinary), SHARK SF 2624 PB Distribution DFS c/o Eraie Jane P. Manzano (STF-2024-10-02066) - 5	5	5	2025-09-12 #: CI-22420	0	Completed
----	-------	--	---	---	---------------------------	---	-----------

Specification:

None

22	length	Good Lumber, 2"x 6" x 12', Good quality, OREGON Distribution IHK c/o Marvin B. Bandalan (STF-2025-01-00016) - 5	5	0		5	Undelivered
----	--------	--	---	---	--	---	-------------

Specification:

None

23	sheet	Marine plywood, heavy-duty, 3/4 inch, 4 x 8 ft, VENTURA 18mm Distribution CET c/o Michelle A. Borleo (STF-2024-10-02134) - 20	20	20	2025-09-12 #: CI-22415,22417,22420	0	Completed
----	-------	--	----	----	---------------------------------------	---	-----------

Specification:

None

24	kl	Nails, Common Wire, 1" Distribution IHK c/o Marvin B. Bandalan (STF-2025-01-00017) - 2	2	0		2	Undelivered
----	----	---	---	---	--	---	-------------

Specification:

Smooth Shank

25	kl	Nails, Common Wire, 2" Distribution IHK c/o Marvin B. Bandalan (STF-2025-01-00017) - 3	3	0		3	Undelivered
----	----	---	---	---	--	---	-------------

Specification:

Smooth Shank

26	kl	Nails, Common Wire, 4" Distribution <i>IHK c/o Marvin B. Bandalan (STF-2025-01-00017) - 3</i>	3	0		3	Undelivered
Specification: Smooth Shank							
27	sets	PVC Hose Coupling connector 1/2", PVC MTC-3053 Distribution <i>DCE c/o Halde B. Cuevas (STF-2024-10-01880) - 5</i>	5	5	2025-09-12 #: CI- 22415,22417,22420	0	Completed
Specification: PVC Garden Hose Connector 1/2"							
28	piece	Paint Brush, Roller with tray, 1-1/4" x 4", paint tray + roller brush HI-TECH #4 Distribution <i>DCE c/o Halde B. Cuevas (STF-2024-10-01880) - 4</i>	4	4	2025-09-12 #: CI- 22415,22417,22420	0	Completed
Specification: Durable, Good Quality							
29	gallon	Paint, Flat Wall Enamel, White, BOYSEN Distribution <i>CAFS c/o Remenita J. Solis (STF-2024-10-02351) - 3</i>	3	3	2025-09-12 #: CI- 22415,22417,22420	0	Completed
Specification: Premium Quality Paint							
30	gallon	Paint, Latex Flat, White, BOYSEN Distribution <i>CAFS c/o Remenita J. Solis (STF-2024-10-02351) - 6</i>	6	6	2025-09-12 #: CI- 22415,22417,22420	0	Completed
Specification: Premium Quality Paint							
31	gallon	Paint, Latex, Semi Gloss, White, BOYSEN Distribution <i>DFS c/o Ersie Jane P. Manzano (STF-2025-01-00032) - 5</i> <i>DFS c/o Ersie Jane P. Manzano (STF-2025-01-00032) - 5</i>	10	0		10	Undelivered
Specification: Premium Quality Paint							
32	pc	Pipe Fittings, (PVC) Elbow, 1"Ø x 90 deg, POLY Blue Plain Distribution <i>DOE c/o Carlito O. Suganob (STF-2024-10-02435) - 5</i>	5	5	2025-09-12 #: CI-22420	0	Completed

Specification:

Good quality

Clean

Clean

Specification:
Standard, Good Quality

Standard, Good Quality

Standard, Good Quality

Specification:	
Standard, Good Quality	

Standard, Good Quality

Standard, Good Quality

Specification: Standard, Good Quality
--

Standard, Good Quality

Standard, Good Quality

Specification:

- **Diameter:** 405 mm
- **Voltage:** 220 volts
- **Features:**
 - Durable, high-performance motor
 - 3-speed push button switch
 - Thermal fuse protection
 - Oscillation
 - Height adjustment

- **Diameter:** 405 mm
- **Voltage:** 220 volts
- **Features:**
 - Durable, high-performance motor
 - 3-speed push button switch
 - Thermal fuse protection
 - Oscillation
 - Height adjustment

- **Diameter:** 405 mm
- **Voltage:** 220 volts
- **Features:**
 - Durable, high-performance motor
 - 3-speed push button switch
 - Thermal fuse protection
 - Oscillation
 - Height adjustment


Specification:

Specification:

None							
38	bag	Tile Grout, White, 2kls/bag, EUROTILES Distribution <i>DFS c/o Ernie Jane P. Manzano (STF-2024-10-02139) - 1</i>	1	1	2025-09-12 #: CI-22420	0	Completed
Specification: Premium Quality							
39	gallon	Varnish, Clear Gloss, solid VALSPAR varnish clear Distribution <i>CET c/o Michelle A. Borleo (STF-2024-10-02135) - 1</i>	1	1	2025-09-12 #: CI-22415,22417,22420	0	Completed
Specification: Premium Quality							
40	gallon	Wood Glue, Good quality, STIKWEL Distribution <i>IHK c/o Marvin B. Bandalan (STF-2025-01-00017) - 1</i>	1	0		1	Undelivered
Specification: Premium Quality							
41	pcs	Wood Molding (1"x2"x8 ft.), carpenters LAUAN CR12B Distribution <i>DBS c/o Alma Gofredo (STF-2024-11-03192) - 12</i>	12	0		12	Undelivered
Specification: None							
42	can	Wood putty/filler, 500grams per can, BOYSEN glazing putty Distribution <i>CET c/o Michelle A. Borleo (STF-2024-10-02134) - 2</i>	2	2	2025-09-12 #: CI-22415,22417,22420	0	Completed
Specification: None							

INSPECTION Date Inspected: <i>9/15/25</i> ☐ Inspected, verified and found in order as to quantity and specifications ☐ Others: _____ _____ _____	ACCEPTANCE Date Recieved: <i>9/15/25</i> ☐ Complete ☒ Partial
---	---


CLINT C. SARVIDA
Inspector


DOREEN B. ALBA
Head, Supply & Property Management