

Republic of the Philippines
VISAYAS STATE UNIVERSITY
Visca, Baybay City, Leyte
SUPPLY & PROPERTY MANAGEMENT

INSPECTION & ACCEPTANCE REPORT

Supplier: **UNI-REAL TRADING CORPORATION**

IAR No: 25-09-1159

P.O No.: **VSU-GOODS-25-28-282 (STF)**

Date: 2025-09-16

Office/Dept: **Assorted Depts/Offices**

133,919.83

Assorted PR's

No.	UNIT	DESCRIPTION	Quantity		Date Received	Balance	Remarks
			Per P.O	Actual			
1	set	Angle Grinder 4"Ø, Cordless, (Rechargeable), STANLEY SCG400 Distribution <i>APARTELLE c/o Junrey L. Ventula (STF-2024-10-01998) - 1</i>	1	0		1	Undelivered

Specification:

- Rechargeable Lithium-Ion Battery
- Heavy Duty and Durable Brushless DC motor
- Wheel Diameter: 100mm (4")
- No speed load: at least 8,500 rpm
- Dimension (mm): at least 362 x 117 x 146
- Carrying case

2	unit	Automatic Voltage Regulator(AVR) 3000WATTS with TIME DELAY, HIMARK Distribution <i>IEO c/o Ma. Rachel Kim L. Aure (STF-2025-01-00001) - 2</i>	2	0		2	Undelivered
---	------	--	---	---	--	---	--------------------

Specification:

Key Features

- With thick and strong handle for easy handling
- Wattage: 3000 Watts with 3 Outlets
- 1.5m cord
- Color: Grey, Beige
- Material: Aluminum casing,
- Copper winding
- Outlets: 1 : 110V Multi-Purpose Outlet
- Outlets: 2 : 220V Multi-Purpose Outlet
- Dimension: 233 x 300 x 216mm
- Plug: N/A, cable wire only for tapping

- Voltage (V): 110 and 220 V
- Power (W): 3000W
- Frequency (Hz): 50/60 Hz
- Circuit Breaker: 16A
- Overload Protection: Circuit Breaker
- Motor: Servo
- Equipped with power on delay



3	length	Cable Duct, Slotted PVC, 25x40mm, MCGILL	1	0		1	Undelivered
		Distribution IEO c/o Ma. Rachel Kim L. Aure (STF-2025-01-00001) - 1					

Specification:

- 25mm x 40mm x 2m (W x H x L)
- Cable management for mechanical wiring, DATA Wiring, and Especially Electrical Panel Wiring

4	length	Cable Duct, Slotted PVC, 60mm x 60mm, MCGILL Distribution IEO c/o Ms. Rachel Kim L. Aure (STF-2025-01-00001) - 8	8	0		8	Undelivered
---	--------	---	---	---	--	---	-------------

Specification:

- 60mm x 60mm x 2 meters
- Used for cable management such as mechanical wiring, DATA Wiring, and Especially Electrical Panel Wiring

5	gallon	Cementitious waterproofing, (acrylic polymer), 4 lit/gal, BOYSEN B-7760 Distribution ULC c/o Maegan Lou A. Aruta (STF-2024-10-02468) - 4	4	0		4	Undelivered
---	--------	---	---	---	--	---	-------------

Specification:

None

6	set	Cordless Circular Saw, Set, STANLEY FMCS500M1S Distribution APARTELLE c/o Junrey L. Ventula (STF-2024-10-01995) - 1	1	0		1	Undelivered
---	-----	--	---	---	--	---	-------------

Specification:

- *Battery voltage, 18.0 v
- *Weight excl. Battery, 2.8 kg
- *Rechargeable
- *Saw Blade Diameter, 165 mm
- *Saw Blade Bore Diameter, 20 mm
- *No-load speed, 5000 rpm
- *Brushless Motor
- *Brake System

7	set	Drill bit set, Sizes Included: 1/16 inch to 1/2 inch, DORMER A19020 Distribution APARTELLE c/o Junrey L. Ventula (STF-2024-10-01995) - 1	1	0		1	Undelivered
---	-----	---	---	---	--	---	-------------

Specification:

- Set consists of: 1/16 inch to 1/2 inch drill bits
- (A19020)

8	set	Electrical Aircon Outlet, 1 gang (flush type) Distribution ULC c/o Maegan Lou A. Aruta (STF-2024-10-02453) - 5	5	5	2025-09-11 #: DR-56473,56474,56475/CI-222985,222986,222987,222986	0	C
---	-----	---	---	---	--	---	---

Specification: None						
9	pcs	Electrical Outlet, 3 gang universal outlet with ground, (surface type), ROYU REDOU503 Distribution IHK c/o Marvin B. Bandalan (STF-2024-10-02971) - 5	5	5	2025-09-11 #: DR-56473,56474,56475/CI-222985,222986,222987,222986	0
Specification: • Current Rating: 10A • Voltage Rating: 250V • Features: ◦ Universal design ◦ Includes ground ◦ Heavy duty ◦ Durable construction • Type: Surface mount						
10	set	Electrical Outlet, Convenience 2 gang, (Flush type), ROYU WH113 Distribution OHIGP c/o Josefina L. Soria (STF-2025-03-00355) - 10	10	10	2025-09-11 #: DR-56473,56474,56475/CI-222985,222986,222987,222986	0
Specification: Good Quality, Durable						
11	pcs	Electrical Tape (Rubber), NITTO Distribution OHIGP c/o Josefina L. Soria (STF-2024-10-02278) - 5	5	5	2025-09-11 #: DR-56473,56474,56475/CI-222985,222986,222987,222986	0
Specification: • Type: Rubber • Dimensions: 0.8 x 19mm x 8m • Color: Any color						
12	rolls	Electrical Tape, Vinyl, 3m Distribution DMath c/o Genalyn M. Apas (STF-2024-12-03284) - 5 OHIGP c/o Josefina L. Soria (STF-2024-10-02278) - 10	15	15	2025-09-11 #: DR-56473,56474,56475/CI-222985,222986,222987,222986	0
Specification: • Material: Flexible PVC with aggressive rubber adhesive • Features: ◦ Flame retardant ◦ Compatible with plastic cable and wire harness insulations ◦ Primary electrical insulation for wire and cable splices rated up to 600 volts • Dimensions: 19mm width x 16m length x 0.155mm thickness • Type: Heavy Duty • Certification: ASTM approved						

13	roll	Electrical Wire, AWG 16, Flat cord, (Stranded), 150 meters per roll, ROYU Distribution IEO c/o Ma. Rachel Kim L. Aure (STF-2025-01-00001) - 2	2	2	2025-09-11 #: DR-56473,56474,56475/CI-222985,222986,222987,222986	0	C
Specification: - Duplex Wire 1.25mm2 x 2c 16/2 60c, 200v 99.9% Pure Copper							
14	meters	Electrical Wire, THHN/THWN, AWG 6 (14 mm2), Stranded, ROYU Distribution OHIGP c/o Josefina L. Soria (STF-2025-03-00348) - 15	15	15	2025-09-11 #: DR-56473,56474,56475/CI-222985,222986,222987,222986	0	C
Specification: - Type: THHN/THWN, Building Wire - Gauge: AWG 6 (14 mm²) - Stranding: Stranded with Nylon Insulation - Certification: UL listed							
15	set	Electrical, 2 gang convenience outlet with ground (flush type), ROYU WD913 Distribution DMath c/o Genalyn M. Apas (STF-2024-12-03284) - 3	3	3	2025-09-11 #: DR-56473,56474,56475/CI-222985,222986,222987,222986	0	C
Specification: None							
16	piece	Electrical, Utility Box, 2" x 4", Orange, POLY Distribution DMath c/o Genalyn M. Apas (STF-2024-12-03284) - 3	3	3	2025-09-11 #: DR-56473,56474,56475/CI-222985,222986,222987,222986	0	C
Specification: PVC							
17	unit	Emergency Lamp, FIREFLY FEL201L Distribution UR c/o Jannet Leslie Evelyn S. Codog (STF-2024-11-03143) - 2 UR c/o Jannet Leslie Evelyn S. Codog (STF-2024-11-03143) - 5	7	7	2025-09-11 #: DR-56473,56474,56475/CI-222985,222986,222987,222986	0	C
Specification: - Rechargeable LED Twin Head Emergency Lamp - Input Voltage: 220-240V AC 50/60Hz - Battery Type: 6V 4.5Ah Lead Acid Battery - Lamp: 24pcs 0.06W LED - Charging Time: 20-24hrs - Usage Duration: 1 Head (32hrs) , 2 Head (17hrs) 3.5 Dome Reflector for wider light distribution							

- Automatically lights up during power failure
- Overcharge and over-discharge protection circuit
- Built-in AC charger
- -10°C to 40°C Environment temperature
- < 90% Relative humidity
- Battery test switch
- External safety fuse 3.5" dome reflector for wider light distribution

18	unit	Fire Extinguisher, Dry Chemical (ABC), 10lbs Distribution <i>IEO c/o Ma. Rachel Kim L. Aure (STF-2025-01-00001) - 1</i>	1	1	2025-09-11 #: DR-56473,56474,56475/CI-222985,222986,222987,222986	0	C
----	------	--	---	---	--	---	---

Specification:

- **Type:** Dry Chemical (ABC)
- **Weight:** 10 lbs
- **Certification:** ISO Certified
- **Recommended For:** All classes of fires
- **Characteristics:**
 - Non-toxic
 - Non-conducting
 - Non-corrosive chemical

19	pc	Grass Cutter Aluminum Trimmer Head Nylon Holder Blade Fits 2 Stroke and 4 Stroke Grass Cutter Distribution <i>DSO c/o Junard C. Gucela (STF-2024-10-03047) - 2</i>	2	0		2	Undelivered
----	----	---	---	---	--	---	-------------

Specification:

Grass Cutter Aluminum Trimmer Head Nylon Holder Blade Fits 2 Stroke and 4 Stroke Grass Cutter

Size: 110mm outside diameter Hole diameter: 16mm material: Aluminum

20	pcs	Heavy Duty Extension Wire 5m, CUSTOM Distribution <i>DFST c/o Pearl P. Vistal (STF-2024-10-02218) - 1</i> <i>DFST c/o Pearl P. Vistal (STF-2024-10-02218) - 1</i>	2	0		2	Undelivered
----	-----	---	---	---	--	---	-------------

Specification:

- **Length:** 5 meters
- **Type:** 5-gang universal extension cord with switch
- **Power Capacity:** 2500W, 10A, 250V
- **Features:**
 - Impact-resistant and highly conductive
 - Built-in safety circuit breaker
 - Lightning protector
- **Safety:** Outlet enclosures made from fire-retardant materials

21	pcs	Lavatory Faucets, Single, SHARK SF2401 Distribution <i>IEO c/o Ma. Rachel Kim L. Aure (STF-2025-01-00001) - 5</i>	5	5	2025-09-11 #: DR-56473,56474,56475/CI-222985,222986,222987,222986	0	C
Specification: None							
22	pc	Male Electrical Plug with Clamp, Heavy Duty, ROYU REDPL202 Distribution <i>IEO c/o Ma. Rachel Kim L. Aure (STF-2025-01-00001) - 50</i>	50	50	2025-09-11 #: DR-56473,56474,56475/CI-222985,222986,222987,222986	0	C
Specification: Rating: 15A, 250V							
23	unit	Medium Size Chainsaw (20"), FUJI PLUS FPCS-50E Distribution <i>OHIGP c/o Josefina L. Soria (STF-2024-10-02280) - 1</i>	1	0		1	Undelivered
Specification: Specifications: • Displacement: 58cc, Gasoline • Chain length: 20-inch chainsaw • Rated output power: 2.4 kw Gasoline / 2-cycle • Oil mixing ratio: 25 : 1 • Fuel tank capacity : at least 550ml • Oil tank Capacity: at least 260ml • Good quality							
24	kl	Nylon, #400, for grass cutter, #300 Distribution <i>DSO c/o Junard C. Gucela (STF-2024-10-03047) - 3</i>	3	3	2025-09-11 #: DR-56473,56474,56475/CI-222985,222986,222987,222986	0	C
Specification: Nylon, #400, for grass cutter							
25	L	PVC PIPE 1-1/4, 40mm, BLUE UNIDEX Distribution <i>DMath c/o Genalyn M. Apas (STF-2024-12-03284) - 30</i>	30	30	2025-09-11 #: DR-56473,56474,56475/CI-222985,222986,222987,222986	0	C
Specification: None							
26	L	PVC PIPE 1/2, 20mm, BLUE UNIDEX (blue striped poly pipe, blue indicaing for potable water) Distribution <i>DMath c/o Genalyn M. Apas (STF-2024-12-03284) - 30</i>	30	30	2025-09-11 #: DR-56473,56474,56475/CI-222985,222986,222987,222986	0	C

Specification: None						
27	length	PVC Pipe, 1 1/4" x 10', Orange, POLY Distribution UR c/o Jannet Leslie Evelyn S. Codog (STF-2024-11-03247) - 15	15	15	2025-09-11 #: DR-56473,56474,56475/CI-222985,222986,222987,222986	0
Specification: • Electrical Use						
28	pcs	Paint Brush, 2", CHAMP Distribution DFS c/o Ernie Jane P. Manzano (STF-2025-01-00032) - 3 DFS c/o Ernie Jane P. Manzano (STF-2025-01-00032) - 2 OHGP c/o Josefina L. Soria (STF-2024-10-02280) - 10 ULC c/o Maegan Lou A. Aruta (STF-2024-10-02468) - 10	25	25	2025-09-11 #: DR-56473,56474,56475/CI-222985,222986,222987,222986	0
Specification: ?Durable bristles ?Heavy duty metal ferrules						
29	piece	Paint Roller Tray Distribution DFS c/o Ernie Jane P. Manzano (STF-2025-01-00031) - 3	3	3	2025-09-11 #: DR-56473,56474,56475/CI-222985,222986,222987,222986	0
Specification: ?Specification: ?6-1/2" Roller Compatible Mini Paint Roller Tray ?1 Pt Capacity, 7" Wide, Plastic						
30	pcs	Paint Roller with handle, 9", CHAMP 7" Distribution DFS c/o Ernie Jane P. Manzano (STF-2025-01-00032) - 3 DFS c/o Ernie Jane P. Manzano (STF-2025-01-00032) - 2	5	5	2025-09-11 #: DR-56473,56474,56475/CI-222985,222986,222987,222986	0
Specification: None						
31	can	Paint, Latex, Burnt Umber, 1/4 liter per can, BOYSEN B-1409 Distribution OHGP c/o Josefina L. Soria (STF-2024-10-02280) - 15	15	15	2025-09-11 #: DR-56473,56474,56475/CI-222985,222986,222987,222986	0
Specification: None						
32	gal	Paint, Quick Dry Enamel, White, NATION NS-950 Distribution DABE c/o Lorbert G. Mazo (STF-2024-10-02256) - 19	19	19	2025-09-11 #: DR-56473,56474,56475/CI-222985,222986,222987,222986	0
Specification: None						

33	cans	Paint, TTC, Lamp Black, Oil-Based, 1/4 liter per can, BOYSEN Distribution OHIGP c/o Josefina L. Soria (STF-2024-10-02278) - 13	13	13	2025-09-11 #: DR-56473,56474,56475/CI-222985,222986,222987,222986	0	C
Specification: None							
34	cans	Paint, TTC, Raw Sienna, Latex, 1/4 liter per can, BOYSEN Distribution OHIGP c/o Josefina L. Soria (STF-2024-10-02278) - 18	18	18	2025-09-11 #: DR-56473,56474,56475/CI-222985,222986,222987,222986	0	C
Specification: None							
35	cans	Paint, TTC, Raw Sienna, Latex, 1/4 liter per can, BOYSEN Distribution DFS c/o Ernie Jane P. Manzano (STF-2025-01-00031) - 4	4	4	2025-09-11 #: DR-56473,56474,56475/CI-222985,222986,222987,222986	0	C
Specification: None							
36	cans	Paint, TTC, Toluidine Red, Latex, 1/4 liter per can, BOYSEN Distribution OHIGP c/o Josefina L. Soria (STF-2024-10-02278) - 10	10	10	2025-09-11 #: DR-56473,56474,56475/CI-222985,222986,222987,222986	0	C
Specification: None							
37	pcs	Safety Breaker 30 amperes single phase, KOTEN Distribution ULC c/o Maegan Lou A. Aruta (STF-2024-10-02453) - 3	3	3	2025-09-11 #: DR-56473,56474,56475/CI-222985,222986,222987,222986	0	C
Specification: None							
38	pcs	Steel Conduit saddle clamp/U clamp 1 1/4" double hole Distribution DMeth c/o Genalyn M. Apas (STF-2024-12-03284) - 50	50	0	50	Undelivered	
Specification: None							
39	sets	Track Light 3 bulbs, ECOSHIFT Distribution IEO c/o Ma. Rachel Kim L. Aure (STF-2025-01-00001) - 1	1	0	1	Undelivered	
Specification: SPECIFICATION Wattage 7 x 1W Luminous Flux 700 lm							

Light Source **High bright LED SMD**

Color Temperature **Daylight | Warm White**

Material **Aluminum Housing + PC Lens**

Body Color **Black**

Beam Angle **30°, 90°Degrees**

Working Voltage **AC 85-265V, 50/60Hz**

IP Rating **IP 40**

40	pcs	Universal Adaptor for Plug Outlet, ROYU REDPL 105 Distribution <i>BuO c/o Mona Nena B. Geraldo (STF-2024-10-01958) - 3</i>	3	3	2025-09-11 #: DR-56473,56474,56475/CI-222985,222986,222987,222986	0	C
----	-----	---	---	---	--	---	---

Specification:

Universal Socket Adaptor Plug Outlet Adaptor-WUA-002

INSPECTION

Date Inspected:

07/11/2025

☒ Inspected, verified and found in order as to quantity and specifications

☐ Others: _____

[Signature]
CLINT C. SARVIDA
Inspector

ACCEPTANCE

Date Recieved:

9/11/25

☐ Complete

☒ Partial

[Signature]
DOREEN B. ALBA
Head, Supply & Property Management