

INSPECTION & ACCEPTANCE REPORT

IAR No: 25-10-1329

Date: 2025-10-06

104,062.02

Assorted PR's

Specification:

- 40mm x 40mm x 2 meters
- Used for cable management such as mechanical wiring, DATA Wiring, and Especially Electrical Panel Wiring

4	pc	Drawer handle, metal, antique color, PERFORMA PY-9110-96 Distribution CET c/o Michelle A. Borleo (STF-2024-10-02134) - 13	13	0		13	Undelivered
Specification: None							
5	pc	Electrical Circuit Breaker, 100A, 2-Pole(Plug-in), KOTEN Distribution DFS c/o Erle Jane P. Manzano (STF-2024-10-02527) - 2	2	2	2025-09-17 #: DR 56466, 56467, 56497, 56487, 56468/ CI 223853, 222978, 223852, 223862, 222980	0	Completed
Specification: • Rating: 100A • Poles: 2-Pole (Plug-in) • Voltage: 220-240V • Quality: Heavy duty and good quality • Durability: Durable							
6	pc	Electrical Outlet, 2 gang universal outlet with ground, (surface type), ROYU REDOU502 Distribution CET c/o Michelle A. Borleo (STF-2024-10-02134) - 3	3	3	2025-09-17 #: DR 56466, 56467, 56497, 56487, 56468/ CI 223853, 222978, 223852, 223862, 222980	0	Completed
Specification: None							
7	pcs	Electrical Outlet, 3 gang universal outlet with ground, (surface type), ROYU REDOU503 Distribution IHK c/o Marvin B. Bandalan (STF-2025-01-00016) - 6	6	6	2025-09-17 #: DR 56466, 56467, 56497, 56487, 56468/ CI 223853, 222978, 223852, 223862, 222980	0	Completed
Specification: • Current Rating: 10A • Voltage Rating: 250V • Features: ◦ Universal design ◦ Includes ground							

- Heavy duty
- Durable construction
- **Type:** Surface mount

8	pcs	Electrical Square Box (PVC), 4" x 4", POLY 5"x5" Distribution <i>DOE c/o Carlito O. Suganob (STF-2024-10-02435) - 2</i>	2	2	2025-09-17 #: DR 56466, 56467, 56497, 56487, 56468/ CI 223853, 222978, 223852, 223862, 222980	0	Completed
---	-----	--	---	---	--	---	-----------

Specification:	None
----------------	------

None

9	rolls	Electrical Tape, Vinyl, 3m Distribution IHK c/o Marvin B. Bandalan (STF-2025-01-00016) - 4	4	4	2025-09-17 #: DR 56466, 56467, 56497, 56487, 56468/ CI 223853, 222978, 223852, 223862, 222980	0	Completed
---	-------	--	---	---	--	---	-----------

Specification:				222900		
----------------	--	--	--	--------	--	--

- **Material:** Flexible PVC with aggressive rubber adhesive
- **Features:**
 - Flame retardant
 - Compatible with plastic cable and wire harness insulations
 - Primary electrical insulation for wire and cable splices rated up to 600 volts
- **Dimensions:** 19mm width x 16mm length x 0.155mm thickness
- **Type:** Heavy Duty
- **Certification:** ASTM approved

10	meters	Electrical Wire, Royal Cord, AWG 10 (3 wire/core), PHILFLEX Distribution <i>CME c/o Geecal F. Galvez (STF-2024-10-02550) - 5</i>	5	5	2025-09-17 #: DR 56466, 56467, 56497, 56487, 56468/ CI 223853, 222978, 223852, 223862, 222980	0	Completed
----	--------	---	---	---	---	---	-----------

Specification:				ZZZ980		
----------------	--	--	--	--------	--	--

- **Type:** Royal Cord, AWG 10 (3 wire/core)
- **Dimensions:** Royal Cord 10/3 (5.5mm x 3c)
- **Material:** Electrical stranded copper wires

• Length: 60 meters							
11	meters	Electrical Wire, THHN / THWN, AWG 12 (3.5mm2), Stranded, ROYU Distribution CET c/o Michelle A. Borleo (STF-2024-10-02134) - 30	30	30	2025-09-17 #: DR 56466, 56467, 56497, 56487, 56468/ CI 223853, 222978, 223852, 223862, 222980	0	Completed
Specification: None							
12	meters	Electrical Wire, THHN/THWN, AWG 6 (14 mm2), Stranded, ROYU Distribution DOE c/o Carlito O. Suanob (STF-2024-10-02435) - 100	100	100	2025-09-17 #: DR 56466, 56467, 56497, 56487, 56468/ CI 223853, 222978, 223852, 223862, 222980	0	Completed
Specification: • Type: THHN/THWN, Building Wire • Gauge: AWG 6 (14 mm²) • Stranding: Stranded with Nylon Insulation • Certification: UL listed							
13	set	Electrical, 2 gang convenience outlet with ground (flush type), ROYU WD913 Distribution DPBG c/o Noreen Kaye N. Aure (STF-2024-10-02604) - 25	25	25	2025-09-17 #: DR 56466, 56467, 56497, 56487, 56468/ CI 223853, 222978, 223852, 223862, 222980	0	Completed
Specification: None							
14	pcs	Electrical, 2 gang convenience outlet, (surface type) universal, ROYU REDOU103 Distribution DFS c/o Eraie Jane P. Manzano (STF-2024-10-02527) - 6 DFS c/o Eraie Jane P. Manzano (STF-2024-10-02527) - 6	12	12	2025-10-03 #: DR 56500/ CI 222979	0	Completed
Specification: Specifications: • Type: 2 gang convenience outlet • Mounting: Surface type							

• Compatibility: Universal							
15	pcs	Electrical, Utility Box, 2" x 4"(Surface Type), POLY Distribution DPBG c/o Noreen Kaye N. Aure (STF-2024-10-02604) - 50	50	50	2025-09-17 #: DR 56466, 56467, 56497, 56487, 56468/ CI 223853, 222978, 223852, 223862, 222980	0	Completed
Specification: None							
16	pcs	Electrical, male plug, 3 pin Distribution IHK c/o Marvin B. Bandalan (STF-2025-01-00016) - 10	10	10	2025-09-17 #: DR 56466, 56467, 56497, 56487, 56468/ CI 223853, 222978, 223852, 223862, 222980	0	Completed
Specification: - Heavy Duty - Good quality							
17	gallons	Epoxy Primer (Wood Primer), DAVIES Distribution DCE c/o Haide B. Cuevas (STF-2024-10-01876) - 12	12	12	2025-09-17 #: DR 56466, 56467, 56497, 56487, 56468/ CI 223853, 222978, 223852, 223862, 222980	0	Completed
Specification: Gray color epoxy primer with catalyst							
18	pcs	Extension cord, 3 universal outlets, 5 meters. Power capacity, at least 2200W, CUSTOM Distribution DTHM c/o Noessa C. David (STF-2024-10-02616) - 1	1	1	2025-09-17 #: DR 56466, 56467, 56497, 56487, 56468/ CI 223853, 222978, 223852, 223862, 222980	0	Completed
Specification:							

3 universal outlets, 5 meters.

Power capacity, at least 2200W

19	sheet	Formica sheets, (White), 4' x 8', Plain White Distribution DBS c/o Alma Gofredo (STF-2024-11-03192) - 3 DCE c/o Haide B. Cuevas (STF-2024-10-01880) - 20	23	23	2025-09-17 #: DR 56466, 56467, 56497, 56487, 56468/ CI 223853, 222978, 223852, 223862, 222980	0	Completed
----	-------	---	----	----	--	---	-----------

Specification:

Good Quality

20	piece	Garden Hedge Shears, at least 22", TRAMONTINA Distribution CAFS c/o Remenita J. Solis (STF-2024-10-02351) - 2	2	0		2	Undelivered
----	-------	--	---	---	--	---	-------------

Specification:

Length: atleast 22", Blade Length: atleast 2", Cutting Max: 10mm, Good Quality, Durable, Heavy Duty

21	pcs	LED bulb, 20 watts, At least 2000 Lumens (daylight), FIRELY EBI120DL Distribution CME c/o Geecel F. Galvez (STF-2024-10-02550) - 5 DFS c/o Erale Jane P. Manzano (STF-2024-10-02527) - 7 DFS c/o Erale Jane P. Manzano (STF-2024-10-02527) - 3 DFS c/o Erale Jane P. Manzano (STF-2024-10-02527) - 4	19	19	2025-09-17 #: DR 56466, 56467, 56497, 56487, 56468/ CI 223853, 222978, 223852, 223862, 222980	0	Completed
----	-----	---	----	----	--	---	-----------

Specification:

None

22	kl	Nails, Common Wire, 3" Distribution IHK c/o Marvin B. Bandalan (STF-2025-01-00017) - 3	3	3	2025-09-17 #: DR 56466, 56467, 56497, 56487, 56468/ CI 223853, 222978, 223852, 223862, 222980	0	Completed
----	----	---	---	---	--	---	-----------

Specification:

Smooth Shank

23	pcs	Paint Brush, 1", CHAMP Distribution DCE c/o Haide B. Cuevas (STF-2024-10-01876) - 10	10	10	2025-09-17 #: DR 56466, 56467, 56497, 56487, 56468/ CI 223853, 222978, 223852, 223862, 222980	0	Completed
Specification: None							
24	pail	Paint, Latex, Semi Gloss, White, at least 16 liters/pail, NATION NS-515 Distribution DBM c/o Shelllo G. Catorce (STF-2024-10-03022) - 5	5	5	2025-09-17 #: DR 56466, 56467, 56497, 56487, 56468/ CI 223853, 222978, 223852, 223862, 222980	0	Completed
Specification: Premium Quality Paint							
25	liter	Paint, water-based, enamel, 1-liter per can, dark choco brown or dark brown or maroon Distribution CET c/o Michelle A. Borleo (STF-2024-10-02134) - 5	5	0		5	Undelivered
Specification: None							
26	unit	Portable Electric Welding Machine, 300A Inverter, DAIDEN Distribution DCE c/o Haide B. Cuevas (STF-2024-10-01876) - 1	1	1	2025-09-17 #: DR 56466, 56467, 56497, 56487, 56468/ CI 223853, 222978, 223852, 223862, 222980	0	Completed
Specification: ?Phase: Single ?Max. No-Load Voltage: 60V ?Duty Cycle: 60% ?Rated output current : 300 Amperes ?Single phase, portable, fan cooled ?Low energy consumption, light in weight with handle for easy handling							

27	liter	Primer, Wood, water-based, quick dry, BOYSEN B-180 Distribution CET c/o Michelle A. Borleo (STF-2024-10-02134) - 2	2	2	2025-09-17 #: DR 56466, 56467, 56497, 56487, 56468/ CI 223853, 222978, 223852, 223862, 222980	0	Completed
Specification: None							
28	pcs	Receptacle Socket, 3" X 3", FIREFLY Distribution DA c/o Milesa C. Marsado (STF-2025-03-00408) - 60	60	60	2025-09-17 #: DR 56466, 56467, 56497, 56487, 56468/ CI 223853, 222978, 223852, 223862, 222980	0	Completed
Specification: None							
29	rolls	Teflon Tape, TOMBO Distribution DCE c/o Haide B. Cuevas (STF-2024-10-01880) - 4	4	4	2025-09-17 #: DR 56466, 56467, 56497, 56487, 56468/ CI 223853, 222978, 223852, 223862, 222980	0	Completed
Specification: White PTFE Tape 3/4"							
30	pcs	Universal Adaptor for Plug Outlet, ROYU REDPL105 Distribution DStat c/o Molley Venice Nuñez (STF-2024-10-01816) - 3	3	3	2025-09-17 #: DR 56466, 56467, 56497, 56487, 56468/ CI 223853, 222978, 223852, 223862, 222980	0	Completed
Specification: Universal Socket Adaptor Plug Outlet Adaptor-WUA-002							

31	can	Varnish, clear gloss, 500ml per can, BOYSENB-1250 Distribution CET c/o Michelle A. Borleo (STF-2024-10-02134) - 1	1	1	2025-09-17 #: DR 56466, 56467, 56497, 56487, 56468/ CI 223853, 222978, 223852, 223862, 222980	0	Completed
----	-----	---	---	---	--	---	-----------


Specification:
None

32	kl	Welding Rod, E-6012, 1/8", FUJIWELD Distribution DCE c/o Haide B. Cuevas (STF-2024-10-01880) - 16	16	16	2025-09-17 #: DR 56466, 56467, 56497, 56487, 56468/ CI 223853, 222978, 223852, 223862, 222980	0	Completed
----	----	---	----	----	--	---	-----------

Specification:
Premium Quality

33	btl	Wood glue, 500ml per bottle, STIKWELL Distribution CET c/o Michelle A. Borleo (STF-2024-10-02134) - 2	2	2	2025-09-17 #: DR 56466, 56467, 56497, 56487, 56468/ CI 223853, 222978, 223852, 223862, 222980	0	Completed
----	-----	---	---	---	--	---	-----------

Specification:
None

INSPECTION		ACCEPTANCE	
Date Inspected: 10/6/25		Date Recieved: 10/6/25	
☒ Inspected, verified and found in order as to quantity and specifications ☐ Others: _____ 		☐ Complete ☒ Partial	
 CLINT C. SARVIDA Inspector		 DOREEN B. ALBA Head, Supply & Property Management	