

Republic of the Philippines  
**VISAYAS STATE UNIVERSITY**  
Visca, Baybay City, Leyte  
**SUPPLY & PROPERTY MANAGEMENT**

## INSPECTION & ACCEPTANCE REPORT

Supplier: **PACIFICA AGRIVET SUPPLIES, INC.**  
P.O No.: **PO-TF-2025-09-0623**  
Office/Dept: **PCC**

IAR No: 25-11-1453  
Date: 2025-10-21  
**261,370.00** TF-2025-08-01049

| No. | UNIT   | DESCRIPTION   | Quantity |        | Date Received   | Balance | Remarks   |
|-----|--------|---|----------|--------|---|---------|-----------|
|     |        |   | Per P.O  | Actual |   |         |           |
| 1   | gallon | 10% Povidone-iodine Topical Solution for Animal Use | 10       | 9      | 2025-10-13<br>#: CI<br>062949,<br>062941/ DR<br>000939,<br>000938 | 1       | Completed |
|     |        |   |          | 1      | 2025-10-17<br>#: DR<br>000942/ CI<br>062966                       | 0       |           |

**Specification:**

good and acceptable quality

|   |        |   |    |   |   |   |           |
|---|--------|---|----|---|---|---|-----------|
| 2 | gallon | 10% Povidone-iodine Topical Solution for Animal Use | 10 | 9 | 2025-10-13<br>#: CI<br>062949,<br>062941/ DR<br>000939,<br>000938 | 1 | Completed |
|   |        |   |    | 1 | 2025-10-17<br>#: DR<br>000942/ CI<br>062966                       | 0 |           |

**Specification:**

good and acceptable quality

|   |    |   |    |    |   |   |           |
|---|----|---|----|----|---|---|-----------|
| 3 | bl | Dewormer, Albendazole 15% Oral Suspension, 1ltr, ALBENSON | 36 | 36 | 2025-10-13<br>#: CI<br>062949,<br>062941/ DR<br>000939,<br>000938 | 0 | Completed |
|---|----|---|----|----|---|---|-----------|

**Specification:**

- 15 % Oral Suspension Antiparasitic (Anthelmintic/Benzimidazole)
- Broad-spectrum Anthelmintic for Cattle, Carabao, Sheep, or Goat. For the control of roundworms, tapeworms, and fluke infestations in cattle, carabaos, and goats. It also reduces the output of viable worms and fluke eggs.
- **DOSAGE AND ADMINISTRATION**

- Cattle/Carabaos: 7.5 ml per 100kg body weight to be given as a single dose
- Goats/Sheep: 0.75ml per 10kg body weight
- **WITHDRAWAL PERIOD:**
- Withdraw medication 10days before slaughter for human consumption
- Cattle: 14 days
- Milk: 3 days
- Expiration date: at least 2 years from date of delivery

|   |           |  |    |    |   |   |           |
|---|-----------|--|----|----|---|---|-----------|
| 4 | 100ml/btl | Dewormer, Ivermectin 10mg/ml Solution for Injection (SC), IVOMEC | 12 | 12 | 2025-10-13<br>#: CI<br>062949,<br>062941/ DR<br>000939,<br>000938 | 0 | Completed |
|---|-----------|--|----|----|---|---|-----------|

**Specification:**

- **Net Content:** 100mL
- **Formulation:** Each mL contains Ivermectin 10mg
- **Dosage & Administration- Cattle:** 1 mL/50 kg BW which should be given only by subcutaneous injection under loose skin in front or behind the shoulder.
- **Indication:** Cattle/Bufalos - gastrointestinal roundworms (adults and 4th stage larvae), lungworms (adult and 4th stage larvae), cattle grubs (parasitic stages), mange mites, sucking lice.
- **At least 3 years expiry upon delivery.**

|   |     |                                    |   |   |   |   |           |
|---|-----|------------------------------------|---|---|---|---|-----------|
| 5 | btl | Dewormer, Triclabendazole, 1 liter | 4 | 4 | 2025-10-17<br>#: DR<br>000942/ CI<br>062966 | 0 | Completed |
|---|-----|------------------------------------|---|---|---|---|-----------|

**Specification:**

**Anthelmintic Oral Solution**

**Formulation:** Each mL contains: Triclabendazole 100g

**Indication:** Triclabendazole is a specific Fasciolocide indicated for the treatment and control of acute, subacute, and chronic fasciolosis in cattle.

**Dosage & Administration:** The recommended dose rate is 10 mg per kg body weight or 2 mL per 10 kg body weight OR as directed by the veterinarian.

Animal Weight                      Dose of Triclabendazole 50 mg

- 50 kg                                      6 mL
- 100 kg                                    12 mL
- 200 kg                                    24 mL
- 300 kg                                    36 mL
- 400 kg                                    48 mL

For each additional 50 kg              add 6 mL

Expiration Date: at least 2 years from date of delivery

|   |     |   |    |    |   |   |           |
|---|-----|---|----|----|---|---|-----------|
| 6 | bag | Feeds, Cattle Concentrate, 50 kgs, NEOVIA | 30 | 30 | 2025-10-13<br>#: CI<br>062949,<br>062941/ DR<br>000939,<br>000938 | 0 | Completed |
|---|-----|---|----|----|---|---|-----------|

**Specification:**

- Crude Protein: 16% Min.
- Crude Fat: 4% Min.
- Crude Fiber: 7 Max.
- Moisture: 12% Min.
- Calcium: 1.50 - 2.50 %
- Phosphorus: 0.7 % Min

Ingredients (May contain the following raw materials combinations)

- Corn, Wheat, Soybean Meal, Wheat, Pollard, Copra Meal, Corn Gluten Feed, Molasses, Limestone, Monocalcium, Dried Distillers Grains Solubles, Phosphate, Salt Choline Chloride, Vitamins, Minerals, Lysine, Threonine, Methionine, Tryptophan, Toxin Binder, Mold Inhibitor, , Anti-Oxydant.

|   |      |   |    |    |   |   |           |
|---|------|---|----|----|---|---|-----------|
| 7 | blfs | Vitamin Injection (IM) Vitamin B Complex + Liver Extract, BELAMYL | 52 | 52 | 2025-10-13<br>#: CI<br>062949,<br>062941/ DR<br>000939,<br>000938 | 0 | Completed |
|---|------|---|----|----|---|---|-----------|

**Specification:**

- For Veterinary Use Only
- Net Content: 100mL
- Indication: Dietary supplement for all animals with B complex deficiencies and anemia associated with lack of vitamin B12.
- Dosage: Small animals 0.25 ml to 0.50 ml: 2 times weekly or as indicated
- Large animals 1.0 ml to 5.0 ml: 2times weekly or as indicated
- At least 3 years expiry upon delivery.

|   |      |                           |   |   |   |   |           |
|---|------|---------------------------|---|---|---|---|-----------|
| 8 | tube | Wound Spray, COMBINEX 390 | 7 | 7 | 2025-10-13<br>#: CI<br>062949,<br>062941/ DR<br>000939,<br>000938 | 0 | Completed |
|---|------|---------------------------|---|---|---|---|-----------|

**Specification:**

- Dichlofenthion wound spray
- Broad spectrum antiseptic
- Larvicidal
- Fly repellent
- Astringent
- Colorant marker
- at least 86 grams/tube

INSPECTION

ACCEPTANCE

Inspected:

10/24/25

Date Recieved:

10/24/25

☒ Inspected, verified and found in order  
as to quantity and specifications

☒ Complete

☐ Others: \_\_\_\_\_

☐ Partial

\_\_\_\_\_

\_\_\_\_\_



*g* Mark Louis L. Garces  
Inspector



DOREEN B. ALBA  
Head, Supply & Property Management