

INSPECTION & ACCEPTANCE REPORT

IAR No: 25-09-1144
Date: 2025-09-15
142,964.40 Assorted PR's

No.	UNIT	DESCRIPTION	Quantity		Date Received	Balance	Remarks
			Per P.O	Actual			
1	pc	8-inch combination pliers, LCP200P 8 Distribution _____ <i>DME c/o Antonette S. Cruz (STF-2024-10-01921) - 10</i>	10	0		10	Undelivered
Specification: industry grade, CrV black finish, two-component plastic rubber handle							
2	L	Angle Bar, 1/4"(thickness) x 1-1/2" x 1-1/2" X 20 ', Standard, 4.5 mm/14.3 kls Distribution _____ <i>DABE c/o Lorbert G. Mazo (STF-2024-10-02256) - 10</i>	10	10	2025-09-12 #: CI-22410,22414	0	Completed
Specification: None							
3	pcs	Bulb, LED, 9W, daylight, OPPL Distribution _____ <i>IEO c/o Ma. Rachel Kim L. Aure (STF-2025-01-00001) - 10</i>	10	0		10	Undelivered
Specification: None							
4	btl	Cement, Rubber, Contact adhesive, APOLLO Distribution _____ <i>VIHS c/o Ashierah Rhyce B. Esco (STF-2024-11-03227) - 30</i>	30	30	2025-09-12 #: CI-22410,22414	0	Completed
Specification: Premium Quality, at least 300ml per bottle							
5	pc	Electrical PVC Clip, 20mm/ 1/2" diameter, OPPO Distribution _____ <i>DMath c/o Genalyn M. Apas (STF-2024-12-03284) - 200</i>	200	200	2025-09-05 #: CI-22411	0	Completed
Specification:							

None						
6	unit	Electrical Safety Breaker, 30A, KOTEN KSB-30A Distribution UR c/o Jannet Leslie Evelyn S. Codog (STF-2024-11-03247) - 1	1	1	2025-09-12 #: CI-22410,22414	0 Completed
Specification: • 2 Pole • Single Phase • 240VAC • Without Outlet • Box Type						
7	unit	Electrical Safety Breaker, 40A, KOTEN KSB-2P-40A Distribution UR c/o Jannet Leslie Evelyn S. Codog (STF-2024-11-03247) - 1	1	1	2025-09-12 #: CI-22410,22414	0 Completed
Specification: • 2 Pole • Single Phase • 240VAC • Without Outlet • Box Type						
8	unit	Electrical Safety Breaker, 60A, KOTEN KSB-2P-60A Distribution UR c/o Jannet Leslie Evelyn S. Codog (STF-2024-11-03247) - 1	1	1	2025-09-12 #: CI-22410,22414	0 Completed
Specification: • 2 Pole • Single Phase • 240VAC • Without Outlet • Box Type						
9	boxes	Electrical Wire, THHN / THWN, AWG 10 (5.5mm²), Stranded, 150 meters/box, PHELP DODGE Distribution DMath c/o Genalyn M. Apas (STF-2024-12-03284) - 1 ULC c/o Maegan Lou A. Aruta (STF-2024-10-02453) - 5	6	1	2025-09-05 #: CI-22411	5 Lacking
Specification: • Type: THHN/THWN, Building Wire • Gauge: AWG 10 (5.5mm²) • Stranding: Stranded with Nylon Insulation						

- Length: 150 meters/box - Certification: UL listed							
10	boxes	Electrical Wire, THHN / THWN, AWG 12 (3.5mm2), Stranded, 150 meters/box, PHELP DODGE Distribution DMeth c/o Genalyn M. Apas (STF-2024-12-03284) - 1 IHK c/o Marvin B. Bandalan (STF-2024-10-02971) - 1	2	1	2025-09-05 #: CI-22411	1	Lacking
Specification: - Type: THHN/THWN, Building Wire - Gauge: AWG 12 (3.5mm²) - Stranding: Stranded with Nylon Insulation - Length: 150 meters/box - Certification: UL listed							
11	length	Electrical, PVC Molding, 3/4", FUJIPIPE fire resistant Distribution IEO c/o Ma. Rachel Kim L. Aure (STF-2025-01-00001) - 10	10	0		10	Undelivered
Specification: None							
12	pcs	Extension Cord (8M), flatcord #16 + 3 gang outlet STO-00K-PK + reg. gang WRP-002-PK (Omni) Distribution UR c/o Jannet Leslie Evelyn S. Codog (STF-2024-11-03143) - 3	3	0		3	Undelivered
Specification: SPECS: - Power 220 - Cord Length 8m - Dimension (L x W x H) 22x20x8 - PS/ICC Number Q1558							
13	pcs	Flat Bar, 3/16"(thickness) x 1 1/2" x 20', 8kls Distribution DABE c/o Lorbert G. Mazo (STF-2024-10-02256) - 15	15	15	2025-09-12 #: CI-22410,22414	0	Completed

Specification: • Standard grade						
14	roll	Garden Hose, 1/2"Ø, at least 50 meters per roll, CROWN 1/2 + hose nozzle + hose coupling Distribution <i>ULC c/o Maegan Lou A. Aruta (STF-2024-10-02453) - 2</i>	2	0	2	Undelivered

Specification:



15	pc	Heavy Duty Angle Grinder, 4", MAKITA 9556HN Distribution <i>DME c/o Antonette S. Cruz (STF-2024-10-01921) - 1</i>	1	0	1	Undelivered
----	----	---	---	---	---	--------------------

Specification:

Specification:

- Continuous rating input: 840W
- Wheel Diameter: 100 mm (4")
- No Load Speed (RPM): 11,000
- Vibration Level: Surface Grinding: 7.5 m/s²
- Vibration K Factor: Surface Grinding: 1.5 m/s²
- Sound Pressure Level 85 dB(A)
- Sound Power Level: N/A dB(A)
- Noise K Factor: 3 dB(A)
- Dimensions (L x W x H): 273x118x97 mm (10-3/4"x4-5/8"x3-13/16")
- Net weight: 1.7 – 2.0 kg (3.7 – 4.5 lbs.)
- Power supply cord: 2.5 m (8.2 ft.)

16	kilos	Nails, Finishing 1-1/2" Distribution <i>DABE c/o Lorbert G. Mazo (STF-2024-10-02256) - 5</i>	5	5	2025-09-12 #: CI-22410,22414	0	Completed
----	-------	--	---	---	---------------------------------	---	------------------

Specification:

None

17	kl	Nails, Finishing, 1" Distribution <i>DABE c/o Rutchelle R. Mazo (STF-2024-10-02258) - 20</i>	20	20	2025-09-12 #: CI-22410,22414	0	Completed
Specification: Smooth Shank							
18	kl	Nails, Finishing, 2" Distribution <i>DABE c/o Rutchelle R. Mazo (STF-2024-10-02258) - 20</i>	20	20	2025-09-12 #: CI-22410,22414	0	Completed
Specification: Smooth Shank							
19	pcs	PVC Elbow 1-1/4, 40mm, POLY Blue Distribution <i>DMath c/o Genalyn M. Apas (STF-2024-12-03284) - 10</i>	10	10	2025-09-05 #: CI-22411	0	Completed
Specification: None							
20	pc	PVC Elbow 1/2, 20mm, POLY Blue Distribution <i>DMath c/o Genalyn M. Apas (STF-2024-12-03284) - 10</i>	10	10	2025-09-05 #: CI-22411	0	Completed
Specification: None							
21	gallon	Paint Thinner, GI Distribution <i>DABE c/o Rutchelle R. Mazo (STF-2024-10-02258) - 15</i>	15	15	2025-09-12 #: CI-22410,22414	0	Completed
Specification: Premium Quality							
22	pcs	Pin Light 12 watts, FSL LED surface - mounted square downlight 18W DL (FSM 18565) Distribution <i>IEO c/o Ma. Rachel Kim L. Aure (STF-2025-01-00001) - 6</i>	6	0		6	Undelivered
Specification: • 12 watts • surface Square Type • Day Light							
23	piece	Plywood, Marine, 1/2"(thickness) x 4' x 8', VENTURA 10mm Distribution <i>DABE c/o Rutchelle R. Mazo (STF-2024-10-02258) - 9</i>	9	9	2025-09-12 #: CI-22410,22414	0	Completed
Specification:							

Standard, Good Quality

24	piece	Plywood, Marine, 1/4"(thickness) x 4' x 8', VENTURA 5mm Distribution DABE c/o Rutchelle R. Mazo (STF-2024-10-02258) - 15	15	15	2025-09-12 #: CI- 22410,22414	0	Completed
----	-------	---	----	----	-------------------------------------	---	-----------

Specification:

Standard, Good Quality

25	piece	Plywood, Marine, 3/4"(thickness) x 4' x 8', VENTURA 18mm Distribution DABE c/o Rutchelle R. Mazo (STF-2024-10-02258) - 15	15	15	2025-09-05 #: CI-22411	0	Completed
----	-------	--	----	----	---------------------------	---	-----------

Specification:

Standard, Good Quality

26	piece	Safety Googles Eye Protection Distribution CN c/o Guada Fe D. Amihan (STF-2024-10-02685) - 5	5	5	2025-09-12 #: CI- 22410,22414	0	Completed
----	-------	---	---	---	-------------------------------------	---	-----------

Specification:

Comfort Features Adjustable Temples, Brow and nose bridge, Integrated sideshields, Polycarbonate lens

Eyewear Range Economy

Frame Material Plastic

Frame Style/Type Frameless

Lens Coating Anti-Fog

Lens Color Clear

Product Series Plus

Product Type Safety Glasses

27	set	Screw with tox, 5mm, black screw #1 with tox #5 Distribution IEO c/o Ma. Rachel Kim L. Aure (STF-2025-01-00008) - 1000	1000	0		1000	Undelivered
----	-----	---	------	---	--	------	-------------

Specification:

None

28	pieces	Square Box with Cover and Screw, Electrical, FUJIPIPE fire resistant Distribution UR c/o Jannet Leslie Evelyn S. Codog (STF-2024-11-03247) - 2	2	2	2025-09-12 #: CI- 22410,22414	0	Completed
----	--------	---	---	---	-------------------------------------	---	-----------

Specification:

None

29	pcs	Universal Outlet, 3 gang heavy duty, surface type, OMNI WSO-002-PK Distribution IEO c/o Ma. Rachel Kim L. Aure (STF-2025-01-00001) - 1	1	0		1	Undelivered
----	-----	---	---	---	--	---	--------------------

Specification:

None

INSPECTION

ACCEPTANCE

Date Inspected: *07/13/2025*

Date Received: *07/13/25*

☒ Inspected, verified and found in order as to quantity and specifications

☐ Complete

☐ Others: _____

☒ Partial

[Signature]
CLINT C. SARVIDA
Inspector

[Signature]
DOREEN B. ALBA
Head, Supply & Property Management