

Republic of the Philippines
VISAYAS STATE UNIVERSITY
 Visca, Baybay City, Leyte
SUPPLY & PROPERTY MANAGEMENT

INSPECTION & ACCEPTANCE REPORT

Supplier: **UNI-REAL TRADING CORPORATION**
 P.O No.: **VSU-GOODS-25-28-282-A (STF)**
 Office/Dept: **Assorted Depts/Offices**

IAR No: 25-11-1576
 Date: 2025-10-27
104,062.02

Assorted PR's

No.	UNIT	DESCRIPTION	Quantity		Date Received	Balance	Remarks
			Per P.O	Actual			
1	sheet	Abrasive Paper, Sandpaper, #180 , NIKKEN Distribution <i>DCE c/o Haide B. Cuevas (STF-2024-10-01880) - 20</i>	20	20	2025-11-07 #: DR 58433/ CI 223888	0	Completed
Specification: Fine, Premium Grade, Waterproof							
2	pc	Brush, 1 1/2 inch, GLOBE Distribution <i>CET c/o Michelle A. Borleo (STF-2024-10-02134) - 5</i>	5	5	2025-09-17 #: DR 56466, 56467, 56497, 56487, 56468/ CI 223853, 222978, 223852, 223862, 222980	0	Completed
Specification: None							
3	length	Cable Duct, Slotted PVC, 40mm x 40mm, MCGILL Distribution <i>CET c/o Michelle A. Borleo (STF-2024-10-02134) - 15</i>	15	15	2025-09-17 #: DR 56466, 56467, 56497, 56487, 56468/ CI 223853, 222978, 223852, 223862, 222980	0	Completed
Specification: <ul style="list-style-type: none"> • 40mm x 40mm x 2 meters • Used for cable management such as mechanical wiring, DATA Wiring, and Especially Electrical Panel Wiring 							

4	pc	Drawer handle, metal, antique color, PERFORMA PY-9110-96 Distribution <i>CET c/o Michelle A. Borleo (STF-2024-10-02134) - 13</i>	13	0		13	Undelivered
Specification: None							
5	pc	Electrical Circuit Breaker, 100A, 2-Pole(Plug-in), KOTEN Distribution <i>DFS c/o Eraie Jane P. Manzano (STF-2024-10-02527) - 2</i>	2	2	2025-09-17 #: DR 56466, 56467, 56497, 56487, 56468/ CI 223853, 222978, 223852, 223862, 222980	0	Completed
Specification: <ul style="list-style-type: none"> • Rating: 100A • Poles: 2-Pole (Plug-in) • Voltage: 220-240V • Quality: Heavy duty and good quality • Durability: Durable 							
6	pc	Electrical Outlet, 2 gang universal outlet with ground, (surface type), ROYU REDOU502 Distribution <i>CET c/o Michelle A. Borleo (STF-2024-10-02134) - 3</i>	3	3	2025-09-17 #: DR 56466, 56467, 56497, 56487, 56468/ CI 223853, 222978, 223852, 223862, 222980	0	Completed
Specification: None							
7	pcs	Electrical Outlet, 3 gang universal outlet with ground, (surface type), ROYU REDOU503 Distribution <i>IHK c/o Marvin B. Bandalan (STF-2025-01-00016) - 6</i>	6	6	2025-09-17 #: DR 56466, 56467, 56497, 56487, 56468/ CI 223853, 222978, 223852, 223862, 222980	0	Completed
Specification: <ul style="list-style-type: none"> • Current Rating: 10A • Voltage Rating: 250V • Features: <ul style="list-style-type: none"> ◦ Universal design ◦ Includes ground 							

- Heavy duty
- Durable construction
- **Type:** Surface mount

8	pcs	Electrical Square Box (PVC), 4" x 4", POLY 5"x5" Distribution <i>DOE c/o Carlito O. Suganob (STF-2024-10-02435) - 2</i>	2	2	2025-09-17 #: DR 56466, 56467, 56497, 56487, 56468/ CI 223853, 222978, 223852, 223862, 222980	0	Completed
---	-----	--	---	---	--	---	-----------

Specification:
None

9	rolls	Electrical Tape, Vinyl, 3m Distribution <i>IHK c/o Marvin B. Bandalan (STF-2025-01-00016) - 4</i>	4	4	2025-09-17 #: DR 56466, 56467, 56497, 56487, 56468/ CI 223853, 222978, 223852, 223862, 222980	0	Completed
---	-------	--	---	---	--	---	-----------

Specification:

- **Material:** Flexible PVC with aggressive rubber adhesive
- **Features:**
 - Flame retardant
 - Compatible with plastic cable and wire harness insulations
 - Primary electrical insulation for wire and cable splices rated up to 600 volts
- **Dimensions:** 19mm width x 16m length x 0.155mm thickness
- **Type:** Heavy Duty
- **Certification:** ASTM approved

10	meters	Electrical Wire, Royal Cord, AWG 10 (3 wire/core), PHILFLEX Distribution <i>CME c/o Geecel F. Galvez (STF-2024-10-02550) - 5</i>	5	5	2025-09-17 #: DR 56466, 56467, 56497, 56487, 56468/ CI 223853, 222978, 223852, 223862, 222980	0	Completed
----	--------	---	---	---	--	---	-----------

Specification:

- **Type:** Royal Cord, AWG 10 (3 wire/core)
- **Dimensions:** Royal Cord 10/3 (5.5mm x 3c)
- **Material:** Electrical stranded copper wires

• Length: 60 meters

11	meters	<p>Electrical Wire, THHN / THWN, AWG 12 (3.5mm2), Stranded, ROYU</p> <p>Distribution <i>CET c/o Michelle A. Borleo (STF-2024-10-02134) - 30</i></p>	30	30	<p>2025-09-17 #: DR 56466, 56467, 56497, 56487, 56468/ CI 223853, 222978, 223852, 223862, 222980</p>	0	Completed
----	--------	---	----	----	---	---	-----------

Specification:

None

12	meters	<p>Electrical Wire, THHN/THWN, AWG 6 (14 mm2), Stranded, ROYU</p> <p>Distribution <i>DOE c/o Carlito O. Suganob (STF-2024-10-02435) - 100</i></p>	100	100	<p>2025-09-17 #: DR 56466, 56467, 56497, 56487, 56468/ CI 223853, 222978, 223852, 223862, 222980</p>	0	Completed
----	--------	---	-----	-----	---	---	-----------

Specification:

- **Type:** THHN/THWN, Building Wire
- **Gauge:** AWG 6 (14 mm²)
- **Stranding:** Stranded with Nylon Insulation
- **Certification:** UL listed

13	set	<p>Electrical, 2 gang convenience outlet with ground (flush type), ROYU WD913</p> <p>Distribution <i>DPBG c/o Noreen Kaye N. Aure (STF-2024-10-02604) - 25</i></p>	25	25	<p>2025-09-17 #: DR 56466, 56467, 56497, 56487, 56468/ CI 223853, 222978, 223852, 223862, 222980</p>	0	Completed
----	-----	--	----	----	---	---	-----------

Specification:

None

14	pcs	<p>Electrical, 2 gang convenience outlet, (surface type) universal, ROYU REDOU103</p> <p>Distribution <i>DFS c/o Eraie Jane P. Manzano (STF-2024-10-02527) - 6</i> <i>DFS c/o Eraie Jane P. Manzano (STF-2024-10-02527) - 6</i></p>	12	12	<p>2025-10-03 #: DR 56500/ CI 222979</p>	0	Completed
----	-----	--	----	----	---	---	-----------

Specification:

Specifications:

- **Type:** 2 gang convenience outlet
- **Mounting:** Surface type

- Compatibility: Universal

15	pcs	Electrical, Utility Box, 2" x 4"(Surface Type), POLY Distribution <i>DPBG c/o Noreen Kaye N. Aure (STF-2024-10-02604) - 50</i>	50	50	2025-09-17 #: DR 56466, 56467, 56497, 56487, 56468/ CI 223853, 222978, 223852, 223862, 222980	0	Completed
----	-----	---	----	----	--	---	-----------

Specification:

None

16	pcs	Electrical, male plug, 3 pin Distribution <i>IHK c/o Marvin B. Bandalan (STF-2025-01-00016) - 10</i>	10	10	2025-09-17 #: DR 56466, 56467, 56497, 56487, 56468/ CI 223853, 222978, 223852, 223862, 222980	0	Completed
----	-----	---	----	----	--	---	-----------

Specification:

- Heavy Duty
- Good quality

17	gallons	Epoxy Primer (Wood Primer), DAVIES Distribution <i>DCE c/o Halde B. Cuevas (STF-2024-10-01876) - 12</i>	12	12	2025-09-17 #: DR 56466, 56467, 56497, 56487, 56468/ CI 223853, 222978, 223852, 223862, 222980	0	Completed
----	---------	--	----	----	--	---	-----------

Specification:

Gray color epoxy primer with catalyst

18	pcs	Extension cord, 3 universal outlets, 5 meters. Power capacity, at least 2200W, CUSTOM Distribution <i>DTHM c/o Noessa C. David (STF-2024-10-02616) - 1</i>	1	1	2025-09-17 #: DR 56466, 56467, 56497, 56487, 56468/ CI 223853, 222978, 223852, 223862, 222980	0	Completed
----	-----	---	---	---	--	---	-----------

Specification:

19	sheet	Formica sheets, (White), 4' x 8', Plain White Distribution <i>DBS c/o Alma Gofredo (STF-2024-11-03192) - 3</i> <i>DCE c/o Haide B. Cuevas (STF-2024-10-01880) - 20</i>	23	23	2025-09-17 #: DR 56466, 56467, 56497, 56487, 56468/ CI 223853, 222978, 223852, 223862, 222980	0	Completed
Specification: Good Quality							
20	piece	Garden Hedge Shears, at least 22", TRAMONTINA Distribution <i>CAFS c/o Remenita J. Solls (STF-2024-10-02351) - 2</i>	2	2	2025-10-24 #: DR 58417/ CI 223875	0	Completed
Specification: Length: atleast 22", Blade Length: atleast 2", Cutting Max: 10mm, Good Quality, Durable, Heavy Duty							
21	pcs	LED bulb, 20 watts, At least 2000 Lumens (daylight), FIRELY EBI120DL Distribution <i>CME c/o Geecel F. Galvez (STF-2024-10-02550) - 5</i> <i>DFS c/o Eraie Jane P. Manzano (STF-2024-10-02527) - 7</i> <i>DFS c/o Eraie Jane P. Manzano (STF-2024-10-02527) - 3</i> <i>DFS c/o Eraie Jane P. Manzano (STF-2024-10-02527) - 4</i>	19	19	2025-09-17 #: DR 56466, 56467, 56497, 56487, 56468/ CI 223853, 222978, 223852, 223862, 222980	0	Completed
Specification: None							
22	kl	Nails, Common Wire, 3" Distribution <i>IHK c/o Marvin B. Bandalan (STF-2025-01-00017) - 3</i>	3	3	2025-09-17 #: DR 56466, 56467, 56497, 56487, 56468/ CI 223853, 222978, 223852, 223862, 222980	0	Completed
Specification: Smooth Shank							

23	pcs	Paint Brush, 1", CHAMP Distribution <i>DCE c/o Halde B. Cuevas (STF-2024-10-01876) - 10</i>	10	10	2025-09-17 #: DR 56466, 56467, 56497, 56487, 56468/ CI 223853, 222978, 223852, 223862, 222980	0	Completed
Specification: None							
24	pail	Paint, Latex, Semi Gloss, White, at least 16 liters/pail, NATION NS-515 Distribution <i>DBM c/o Shelllo G. Catorce (STF-2024-10-03022) - 5</i>	5	5	2025-09-17 #: DR 56466, 56467, 56497, 56487, 56468/ CI 223853, 222978, 223852, 223862, 222980	0	Completed
Specification: Premium Quality Paint							
25	liter	Paint, water-based, enamel, 1-liter per can, dark choco brown or dark brown or maroon Distribution <i>CET c/o Michelle A. Borleo (STF-2024-10-02134) - 5</i>	5	0		5	Undelivered
Specification: None							
26	unit	Portable Electric Welding Machine, 300A Inverter, DAIDEN Distribution <i>DCE c/o Halde B. Cuevas (STF-2024-10-01876) - 1</i>	1	1	2025-09-17 #: DR 56466, 56467, 56497, 56487, 56468/ CI 223853, 222978, 223852, 223862, 222980	0	Completed
Specification:							
27	liter	Primer, Wood, water-based, quick dry, BOYSEN B-180 Distribution <i>CET c/o Michelle A. Borleo (STF-2024-10-02134) - 2</i>	2	2	2025-09-17 #: DR 56466, 56467, 56497, 56487, 56468/ CI 223853, 222978, 223852, 223862, 222980	0	Completed

Specification:

None

28	pcs	Receptacle Socket, 3" X 3", FIREFLY Distribution <i>DA c/o Milesa C. Marsado (STF-2025-03-00408) - 60</i>	60	60	2025-09-17 #: DR 56466, 56467, 56497, 56487, 56468/ CI 223853, 222978, 223852, 223862, 222980	0	Completed
----	-----	--	----	----	--	---	-----------

Specification:

None

29	rolls	Teflon Tape, TOMBO Distribution <i>DCE c/o Haide B. Cuevas (STF-2024-10-01880) - 4</i>	4	4	2025-09-17 #: DR 56466, 56467, 56497, 56487, 56468/ CI 223853, 222978, 223852, 223862, 222980	0	Completed
----	-------	---	---	---	--	---	-----------

Specification:

White PTFE Tape 3/4"

30	pcs	Universal Adaptor for Plug Outlet, ROYU REDPL105 Distribution <i>DStat c/o Molley Venice Nuñez (STF-2024-10-01816) - 3</i>	3	3	2025-09-17 #: DR 56466, 56467, 56497, 56487, 56468/ CI 223853, 222978, 223852, 223862, 222980	0	Completed
----	-----	---	---	---	--	---	-----------

Specification:

Universal Socket Adaptor Plug Outlet Adaptor-WUA-002

31	can	Varnish, clear gloss, 500ml per can, BOYSEN B-1250 Distribution <i>CET c/o Michelle A. Borleo (STF-2024-10-02134) - 1</i>	1	1	2025-09-17 #: DR 56466, 56467, 56497, 56487, 56468/ CI 223853, 222978, 223852, 223862, 222980	0	Completed
----	-----	--	---	---	--	---	-----------

Specification:



None

32	kl	Welding Rod, E-6012, 1/8", FUJIWELD Distribution <i>DCE c/o Halde B. Cuevas (STF-2024-10-01880) - 16</i>	16	16	2025-09-17 #: DR 56466, 56467, 56497, 56487, 56468/ CI 223853, 222978, 223852, 223862, 222980	0	Completed
----	----	---	----	----	--	---	-----------

Specification:
Premium Quality

33	btl	Wood glue, 500ml per bottle, STIKWELL Distribution <i>CET c/o Michelle A. Borleo (STF-2024-10-02134) - 2</i>	2	2	2025-09-17 #: DR 56466, 56467, 56497, 56487, 56468/ CI 223853, 222978, 223852, 223862, 222980	0	Completed
----	-----	---	---	---	--	---	-----------

Specification:
None

INSPECTION	ACCEPTANCE
Date Inspected: 10/27/25	Date Recieved: 10/27/25
<input checked="" type="checkbox"/> Inspected, verified and found in order as to quantity and specifications <input type="checkbox"/> Others: _____ _____ _____	<input type="radio"/> Complete <input checked="" type="radio"/> Partial
 CLINT C. SARVIDA Inspector	 DOREEN B. ALBA Head, Supply & Property Management