

Republic of the Philippines
VISAYAS STATE UNIVERSITY
Visca, Baybay City, Leyte
SUPPLY & PROPERTY MANAGEMENT

INSPECTION & ACCEPTANCE REPORT

Supplier: **UNI-REAL TRADING CORPORATION**
P.O No.: **VSU-GOODS-25-28-282 (STF)**
Office/Dept: **Assorted Depts/Offices**

IAR No: 25-10-1327
Date: 2025-10-06
133,919.83 Assorted PR's

No.	UNIT	DESCRIPTION	Quantity		Date Received	Balance	Remarks
			Per P.O	Actual			
1	set	Angle Grinder 4"Ø, Cordless, (Rechargeable), STANLEY SCG400 Distribution APARTELLE c/o Junrey L. Ventula (STF-2024-10-01998) - 1	1	0		1	Undelivered

Specification:

- Rechargeable Lithium-Ion Battery
- Heavy Duty and Durable Brushless DC motor
- Wheel Diameter: 100mm (4")
- No speed load: at least 8,500 rpm
- Dimension (mm): at least 362 x 117 x 146
- Carrying case

2	unit	Automatic Voltage Regulator(AVR) 3000WATTS with TIME DELAY, HIMARK Distribution IEO c/o Ma. Rachel Kim L. Aure (STF-2025-01-00001) - 2	2	0		2	Undelivered
---	------	---	---	---	--	---	-------------

Specification:

Key Features

- With thick and strong handle for easy handling
- Wattage: 3000 Watts with 3 Outlets
- 1.5m cord
- Color: Grey, Beige
- Material: Aluminum casing,
- Copper winding
- Outlets: 1 : 110V Multi-Purpose Outlet
- Outlets: 2 : 220V Multi-Purpose Outlet
- Dimension: 233 x 300 x 216mm
- Plug: N/A, cable wire only for tapping

- Voltage (V): 110 and 220 V
- Power (W): 3000W
- Frequency (Hz): 50/60 Hz
- Circuit Breaker: 16A
- Overload Protection: Circuit Breaker
- Motor: Servo
- Equipped with power on delay

Akari
Official Store



3	length	Cable Duct, Slotted PVC, 25x40mm, MCGILL Distribution IEO c/o Ma. Rachel Kim L. Aure (STF-2025-01-00001) - 1	1	1	2025-09-17 #: DR 56494/ CI 223859	0	Completed
---	--------	--	---	---	--	---	-----------

Specification:

- 25mm x 40mm x 2m (W x H x L)
- Cable management for mechanical wiring, DATA Wiring, and Especially Electrical Panel Wiring

4	length	Cable Duct, Slotted PVC, 60mm x 60mm, MCGILL Distribution _____ <i>IEO c/o Ma. Rachel Kim L. Aure (STF-2025-01-00001) - 8</i>	8	8	2025-09-17 #: DR 56494/ CI 223859	0	Completed
---	--------	--	---	---	--	---	-----------

Specification:

- 60mm x 60mm x 2 meters
- Used for cable management such as mechanical wiring, DATA Wiring, and Especially Electrical Panel Wiring

5	gallon	Cementitious waterproofing, (acrylic polymer), 4 lit/gal, BOYSEN B-7760 Distribution _____ <i>ULC c/o Maegan Lou A. Aruta (STF-2024-10-02468) - 4</i>	4	4	2025-10-03 #: DR 58403/ CI 223864	0	Completed
---	--------	--	---	---	--	---	-----------

Specification:

None

6	set	Cordless Circular Saw, Set, STANLEY FMCS500M1S Distribution _____ <i>APARTELLE c/o Junrey L. Ventula (STF-2024-10-01995) - 1</i>	1	0		1	Undelivered
---	-----	---	---	---	--	---	-------------

Specification:

- *Battery voltage, 18.0 v
- *Weight excl. Battery, 2.8 kg
- *Rechargeable
- *Saw Blade Diameter, 165 mm
- *Saw Blade Bore Diameter, 20 mm
- *No-load speed, 5000 rpm
- *Brushless Motor
- *Brake System

7	set	Drill bit set, Sizes Included: 1/16 inch to 1/2 inch, DORMER A19020 Distribution _____ <i>APARTELLE c/o Junrey L. Ventula (STF-2024-10-01995) - 1</i>	1	0		1	Undelivered
---	-----	--	---	---	--	---	-------------

Specification:

- Set consists of: 1/16 inch to 1/2 inch drill bits
- (A19020)

8	set	Electrical Aircon Outlet, 1 gang (flush type) Distribution _____ <i>ULC c/o Maegan Lou A. Aruta (STF-2024-10-02453) - 5</i>	5	5	2025-09-11 #: DR-56473,56474,56475/CI-222985,222986,222987,222986	0	Completed
---	-----	--	---	---	--	---	-----------

Specification:

None

9	pcs	Electrical Outlet, 3 gang universal outlet with ground, (surface type), ROYU REDOU503 Distribution _____ <i>IHK c/o Marvin B. Bandalan (STF-2024-10-02971) - 5</i>	5	5	2025-09-11 #: DR-56473,56474,56475/CI-222985,222986,222987,222986	0	Completed
---	-----	---	---	---	--	---	-----------

Specification:

- **Current Rating:** 10A
- **Voltage Rating:** 250V
- **Features:**
 - Universal design
 - Includes ground
 - Heavy duty
 - Durable construction
- **Type:** Surface mount

10	set	Electrical Outlet, Convenience 2 gang, (Flush type), ROYU WH113 Distribution _____ <i>OHIGP c/o Josefina L. Soria (STF-2025-03-00355) - 10</i>	10	10	2025-09-11 #: DR-56473,56474,56475/CI-222985,222986,222987,222986	0	Completed
----	-----	---	----	----	--	---	-----------

Specification:

Good Quality, Durable

11	pcs	Electrical Tape (Rubber), NITTO Distribution _____ <i>OHIGP c/o Josefina L. Soria (STF-2024-10-02278) - 5</i>	5	5	2025-09-11 #: DR-56473,56474,56475/CI-222985,222986,222987,222986	0	Completed
----	-----	--	---	---	--	---	-----------

Specification:

- **Type:** Rubber
- **Dimensions:** 0.8 x 19mm x 8m
- **Color:** Any color

12	rolls	Electrical Tape, Vinyl, 3m Distribution _____ <i>DMath c/o Genalyn M. Apas (STF-2024-12-03284) - 5</i> <i>OHIGP c/o Josefina L. Soria (STF-2024-10-02278) - 10</i>	15	15	2025-09-11 #: DR-56473,56474,56475/CI-222985,222986,222987,222986	0	Completed
----	-------	--	----	----	--	---	-----------

Specification:

17	unit	Emergency Lamp, FIREFLY FEL201L Distribution UR c/o Jannet Leslie Evelyn S. Codog (STF-2024-11-03143) - 2 UR c/o Jannet Leslie Evelyn S. Codog (STF-2024-11-03143) - 5	7	7	2025-09-11 #: DR-56473,56474,56475/CI-222985,222986,222987,222986	0	Completed
Specification: 							
18	unit	Fire Extinguisher, Dry Chemical (ABC), 10lbs Distribution IEO c/o Ma. Rachel Kim L. Aure (STF-2025-01-00001) - 1	1	1	2025-09-11 #: DR-56473,56474,56475/CI-222985,222986,222987,222986	0	Completed
Specification: 							
19	pc	Grass Cutter Aluminum Trimmer Head Nylon Holder Blade Fits 2 Stroke and 4 Stroke Grass Cutter Distribution DSO c/o Junard C. Gucela (STF-2024-10-03047) - 2	2	2	2025-09-17 #: DR-56494/ CI-223859	0	Completed
Specification: Grass Cutter Aluminum Trimmer Head Nylon Holder Blade Fits 2 Stroke and 4 Stroke Grass Cutter Size: 110mm outside diameter Hole diameter: 16mm material: Aluminum							
20	pcs	Heavy Duty Extension Wire 5m, CUSTOM Distribution DFST c/o Pearl P. Vistal (STF-2024-10-02218) - 1 DFST c/o Pearl P. Vistal (STF-2024-10-02218) - 1	2	0		2	Undelivered
Specification: - Length: 5 meters - Type: 5-gang universal extension cord with switch - Power Capacity: 2500W, 10A, 250V - Features: - Impact-resistant and highly conductive - Built-in safety circuit breaker - Lightning protector - Safety: Outlet enclosures made from fire-retardant materials							
21	pcs	Lavatory Faucets, Single, SHARK SF2401 Distribution IEO c/o Ma. Rachel Kim L. Aure (STF-2025-01-00001) - 5	5	5	2025-09-11 #: DR-56473,56474,56475/CI-222985,222986,222987,222986	0	Completed
Specification: None							

17	unit	Emergency Lamp, FIREFLY FEL201L Distribution UR c/o Jannet Leslie Evelyn S. Codog (STF-2024-11-03143) - 2 UR c/o Jannet Leslie Evelyn S. Codog (STF-2024-11-03143) - 5	7	7	2025-09-11 #: DR-56473,56474,56475/CI-222985,222986,222987,222986	0	Completed
Specification:							
18	unit	Fire Extinguisher, Dry Chemical (ABC), 10lbs Distribution IEO c/o Ma. Rachel Kim L. Aure (STF-2025-01-00001) - 1	1	1	2025-09-11 #: DR-56473,56474,56475/CI-222985,222986,222987,222986	0	Completed
Specification:							
19	pc	Grass Cutter Aluminum Trimmer Head Nylon Holder Blade Fits 2 Stroke and 4 Stroke Grass Cutter Distribution DSO c/o Junard C. Gucela (STF-2024-10-03047) - 2	2	2	2025-09-17 #: DR 56494/ CI 223859	0	Completed
Specification: Grass Cutter Aluminum Trimmer Head Nylon Holder Blade Fits 2 Stroke and 4 Stroke Grass Cutter Size: 110mm outside diameter Hole diameter: 16mm material: Aluminum							
20	pcs	Heavy Duty Extension Wire 5m, CUSTOM Distribution DFST c/o Pearl P. Vistal (STF-2024-10-02218) - 1 DFST c/o Pearl P. Vistal (STF-2024-10-02218) - 1	2	0		2	Undelivered
Specification: - Length: 5 meters - Type: 5-gang universal extension cord with switch - Power Capacity: 2500W, 10A, 250V - Features: - Impact-resistant and highly conductive - Built-in safety circuit breaker - Lightning protector - Safety: Outlet enclosures made from fire-retardant materials							
21	pcs	Lavatory Faucets, Single, SHARK SF2401 Distribution IEO c/o Ma. Rachel Kim L. Aure (STF-2025-01-00001) - 5	5	5	2025-09-11 #: DR-56473,56474,56475/CI-222985,222986,222987,222986	0	Completed
Specification: None							

22	pc	Male Electrical Plug with Clamp, Heavy Duty, ROYU REDPL202 Distribution IEO c/o Ma. Rachel Kim L. Aure (STF-2025-01-00001) - 50	50	50	2025-09-11 #: DR-56473,56474,56475/CI-222985,222986,222987,222986	0	Completed
----	----	--	----	----	--	---	-----------

Specification:

Rating: 15A, 250V

23	unit	Medium Size Chainsaw (20"), FUJI PLUS FPCS-50E Distribution OHIGP c/o Josefina L. Soria (STF-2024-10-02280) - 1	1	0		1	Undelivered
----	------	--	---	---	--	---	-------------

Specification:

Specifications:

- Displacement: 58cc, Gasoline
- Chain length: 20-inch chainsaw
- Rated output power: 2.4 kw Gasoline / 2-cycle
- Oil mixing ratio: 25 : 1
- Fuel tank capacity : at least 550ml
- Oil tank Capacity: at least 260ml
- Good quality

24	kl	Nylon, #400, for grass cutter, #300 Distribution DSO c/o Junard C. Gucela (STF-2024-10-03047) - 3	3	3	2025-09-11 #: DR-56473,56474,56475/CI-222985,222986,222987,222986	0	Completed
----	----	--	---	---	--	---	-----------

Specification:

Nylon, #400, for grass cutter

25	L	PVC PIPE 1-1/4, 40mm, BLUE UNIDEX Distribution DMath c/o Genalyn M. Apas (STF-2024-12-03284) - 30	30	30	2025-09-11 #: DR-56473,56474,56475/CI-222985,222986,222987,222986	0	Completed
----	---	--	----	----	--	---	-----------

Specification:

None

26	L	PVC PIPE 1/2, 20mm, BLUE UNIDEX (blue striped poly pipe, blue indicaing for potable water) Distribution DMath c/o Genalyn M. Apas (STF-2024-12-03284) - 30	30	30	2025-09-11 #: DR-56473,56474,56475/CI-222985,222986,222987,222986	0	Completed
----	---	---	----	----	--	---	-----------

Specification:

None

27	length	PVC Pipe, 1 1/4" x 10', Orange, POLY Distribution UR c/o Jannet Leslie Evelyn S. Codog (STF-2024-11-03247) - 15	15	15	2025-09-11 #: DR-56473,56474,56475/CI-222985,222986,222987,222986	0	Completed
Specification: • Electrical Use							
28	pcs	Paint Brush, 2", CHAMP Distribution DFS c/o Erale Jane P. Manzano (STF-2025-01-00032) - 3 DFS c/o Erale Jane P. Manzano (STF-2025-01-00032) - 2 OHIGP c/o Josefina L. Soria (STF-2024-10-02280) - 10 ULC c/o Maegan Lou A. Aruta (STF-2024-10-02468) - 10	25	25	2025-09-11 #: DR-56473,56474,56475/CI-222985,222986,222987,222986	0	Completed
Specification: ?Durable bristles ?Heavy duty metal ferrules							
29	piece	Paint Roller Tray Distribution DFS c/o Erale Jane P. Manzano (STF-2025-01-00031) - 3	3	3	2025-09-11 #: DR-56473,56474,56475/CI-222985,222986,222987,222986	0	Completed
Specification: ?Specification: ?6-1/2" Roller Compatible Mini Paint Roller Tray ?1 Pt Capacity, 7" Wide, Plastic							
30	pcs	Paint Roller with handle, 9", CHAMP 7" Distribution DFS c/o Erale Jane P. Manzano (STF-2025-01-00032) - 3 DFS c/o Erale Jane P. Manzano (STF-2025-01-00032) - 2	5	5	2025-09-11 #: DR-56473,56474,56475/CI-222985,222986,222987,222986	0	Completed
Specification: None							
31	can	Paint, Latex, Burnt Umber, 1/4 liter per can, BOYSEN B-1409 Distribution OHIGP c/o Josefina L. Soria (STF-2024-10-02280) - 15	15	15	2025-09-11 #: DR-56473,56474,56475/CI-222985,222986,222987,222986	0	Completed
Specification: None							

32	gal	Paint, Quick Dry Enamel, White, NATION NS-950 Distribution DABE c/o Lorbert G. Mazo (STF-2024-10-02256) - 19	19	19	2025-09-11 #: DR-56473,56474,56475/CI-222985,222986,222987,222986	0	Completed
Specification: None							
33	cans	Paint, TTC, Lamp Black, Oil-Based, 1/4 liter per can, BOYSEN Distribution OHIGP c/o Josefina L. Soria (STF-2024-10-02278) - 13	13	13	2025-09-11 #: DR-56473,56474,56475/CI-222985,222986,222987,222986	0	Completed
Specification: None							
34	cans	Paint, TTC, Raw Sienna, Latex, 1/4 liter per can, BOYSEN Distribution OHIGP c/o Josefina L. Soria (STF-2024-10-02278) - 18	18	18	2025-09-11 #: DR-56473,56474,56475/CI-222985,222986,222987,222986	0	Completed
Specification: None							
35	cans	Paint, TTC, Raw Sienna, Latex, 1/4 liter per can, BOYSEN Distribution DFS c/o Erale Jane P. Manzano (STF-2025-01-00031) - 4	4	4	2025-09-11 #: DR-56473,56474,56475/CI-222985,222986,222987,222986	0	Completed
Specification: None							
36	cans	Paint, TTC, Toluidine Red, Latex, 1/4 liter per can, BOYSEN Distribution OHIGP c/o Josefina L. Soria (STF-2024-10-02278) - 10	10	10	2025-09-11 #: DR-56473,56474,56475/CI-222985,222986,222987,222986	0	Completed
Specification: None							
37	pcs	Safety Breaker 30 amperes single phase, KOTEN Distribution ULC c/o Maegan Lou A. Aruta (STF-2024-10-02453) - 3	3	3	2025-09-11 #: DR-56473,56474,56475/CI-222985,222986,222987,222986	0	Completed
Specification: None							
38	pcs	Steel Conduit saddle clamp/U clamp 1 1/4" double hole Distribution DMath c/o Genalyn M. Apas (STF-2024-12-03284) - 50	50	50	2025-10-03 #: DR-58403/ CI-223864	0	Completed

Specification: None						
39	sets	Track Light 3 bulbs, ECOSHIFT	1	0	1	Undelivered
Distribution IEO c/o Ma. Rachel Kim L. Aure (STF-2025-01-00001) - 1						

Specification:						
SPECIFICATION Wattage 7 x 1W Luminous Flux 700 lm Light Source High bright LED SMD Color Temperature Daylight Warm White Material Aluminum Housing + PC Lens Body Color Black Beam Angle 30°, 90°Degrees Working Voltage AC 85-265V, 50/60Hz IP Rating IP 40						

40	pcs	Universal Adaptor for Plug Outlet, ROYU REDPL 105	3	3	2025-09-11 #: DR-56473,56474,56475/CI-222985,222986,222987,222986	0	Completed
Distribution BuO c/o Mona Nena B. Geraldo (STF-2024-10-01958) - 3							

Specification:							
Universal Socket Adaptor Plug Outlet Adaptor-WUA-002							

INSPECTION				ACCEPTANCE			
Date Inspected: 10/6/25				Date Recieved: 10/6/25			
☒ Inspected, verified and found in order as to quantity and specifications				☐ Complete			
☐ Others: _____				☒ Partial			
CLINT C. SARVIDA Inspector				DOREEN B. ALBA Head, Supply & Property Management			