

## INSPECTION & ACCEPTANCE REPORT

No.	UNIT	DESCRIPTION	Quantity		Date Received	Balance	Remarks
			Per P.O	Actual			
1	piece	<b>1TB, Hard disk Drive, 7200rpm, for desktop, SEAGATE</b>  <div> <b>Distribution</b>  <i>OVPAP c/o Jerimi Ann B. Satuita (STF-2025-05-00622) - 4</i> </div>	4	0		4	Undelivered

- **Capacity:** 1TB
- **Speed:** 7200 RPM
- **Interface:** SATA 6Gb/s
- **Cache:** 64MB
- **Average Data Rate:** 156 MB/s (Read/Write)
- **Max Sustained Data Rate:** 210 MB/s (OD Read)
- **Cache Type:** Multisegmented

2	pc	2.5" Internal Solid State Drive, LEXAR NS100	5	0	5	Undelivered
---	----	--	---	---	---	-------------

- 2.5" SATA III SSD
- 512 GB Internal Solid State Drive
- Internal Solid State Drive for Desktop UP To Read Write 550MB/s

3	piece	<b>All-in-One Ink Tank Printer with ADF, EPSON L5290</b>  <div> <b>Distribution</b>  <i>OVPAF c/o Jerimi Ann B. Satuita (STF-2025-05-00622) - 15</i> </div>	15	15	2025-10-17 #: CI 226986, 226984	0	Completed
---	-------	---	----	----	--	---	-----------

## None

4	unit	<b>Computer Printer, All-in-One/Multifunction Colored-Ink Tank, EPSON L5290</b> <div> Distribution  SPO c/o Doreen B. Alba (STF-2025-06-00690) - 6 </div>	6	6	2025-10-17 #: CI 226986, 226984	0	Completed
---	------	--	---	---	------------------------------------	---	-----------

**Specification:**

- **Type:** All-in-One/Multifunction Colored-Ink Tank
- **Functions:** Print, Copy, Scan
- **Printing Technology:** Dye Ink
- **Print Resolution:** 5,760 x 1,440 DPI
- **Nozzle Configuration:** 180 Nozzles Black, 59 Nozzles per Color
- **Minimum Droplet Size:** 3 pl with Variable-Sized Droplet Technology
- **Ink Technology:** Dye Ink
- **Ultra-Low-Cost Printing:**
  - **Black:** Up to 4,500 pages
  - **Color:** Up to 7,500 pages
- **Ink Filling System:** Next-generation ink bottles for hassle and mess-free refills
- **Connectivity:**
  - **Wi-Fi**
  - **Wi-Fi Direct**
  - **Mobile Printing Apps**
- **Special Features:** Borderless photo printing

5	set	<b>Desktop Computer, assembled, CLONE</b> <div> Distribution  SPM c/o Kybee M. Cayone (STF-2025-06-00701) - 1 </div>	1	1	2025-10-17 #: CI 226997	0	Completed
---	-----	---	---	---	----------------------------	---	-----------

**Specification:**

**Motherboard:**

Gigabyte B550M DS3H AC

Socket AM4, DDR4, ATX

Built-in WiFi

**Processor (CPU):**

AMD Ryzen 5 5600G

4.4GHz, 6 Cores

Includes Wraith Stealth Cooler CPU Fan

**Solid State Drive (SSD):**

TEAMGROUP CX2

2.5" SATA

512GB Capacity

**Memory (RAM):**

TEAMGROUP VULCAN Z

16GB (2x8GB) DDR4

3200 MHz

**Operating System:**

Microsoft Windows 11 Home 64-bit

English, DSP OEI version

**Keyboard & Mouse Combo:**

RAPOO NX1600

Wired USB Keyboard and Mouse

**Mouse Pad:**

Microsoft Ordinary

Model: LKSM-F3/X3

**Power Supply Unit (PSU):**

ACE Power 550W

80 Plus Bronze Certified

**Computer Case:**

Frontier Cronus CR19-A

ATX Gaming Case with RGB Fans

**Monitor:**

Nvision S2515 IPS

25-inch Display

Built-in Speakers

**AVR (Automatic Voltage Regulator):**

Secure Computer AVR

500W, 220V

With Overload Protection

**Headset:**

Rapoo VH310

USB 7.1 Virtual Surround Channel

With Microphone and Noise Cancellation

6	pc	<b>HDMI Splitter, 4 Ports, PHILIP</b> <div>Distribution IEO c/o Ma. Rachel Kim L. Aure (STF-2025-01-00004) - 1</div>	1	1	2025-10-17 #: CI 226997	0	Completed
---	----	---	---	---	----------------------------	---	-----------

**Specification:**

- **Device Type:** Splitter
- **Video Connection Type:** HDMI
- **Number of Ports:** 4
- **Number of Video Outputs:** 4
- **Number of Video Inputs:** 1
- **Maximum Resolution:** 1920 x 1080 (Full HD)
- **Audio Connection Type:** HDMI

7	piece	<b>HDMI to HDMI cable, UGREEN</b> <div>Distribution OVPAF c/o Jerimi Ann B. Satuita (STF-2025-05-00622) - 17</div>	17	0		17	Undelivered
---	-------	---	----	---	--	----	-------------

**Specification:**

- **Length:** 2 meters
- **Resolution:** Supports 4K at 60Hz, 4K at 30Hz, and 1080P at 60Hz
- **Version:** HDMI 2.0
- **Connectors:** HDMI male
- **Connector Plating:** Gold plated
- **Cable Jacket:** PVC

8	pc	<b>Heavy Duty Printer, Scanner, and Photocopier, EPSON L6490</b> <div>Distribution SPM c/o Kybee M. Cayone (STF-2025-06-00702) - 1</div>	1	0		1	Undelivered
---	----	---	---	---	--	---	-------------

**Specification:**

**Printer Type:**

- Print, Scan, Copy, Fax with ADF

**Printing Technology:**

- **Print Method:** PrecisionCore Printhead
- **Printer Language:** ESC/P-R, ESC/P Raster
- **Nozzle Configuration:** 400 x 1 nozzles (Black), 128 x 1 nozzles per Colour (Cyan, Magenta, Yellow)
- **Maximum Resolution:** 4800 x 1200 dpi
- **Automatic 2-sided Printing:** Yes

**Print Speed:**

- **Draft, A4 (Black / Colour):** Up to 37.0 ppm / 23.0 ppm

- ISO 24734, A4 Simplex (Black / Colour): Up to 17.0 ipm / 9.5 ipm
- ISO 24734, A4 Duplex (Black / Colour): Up to 7.5 ipm / 5.0 ipm
- First Page Out Time from Ready Mode (Black / Colour): Up to 7.0 sec / 11.0 sec

#### Copy Function:

- Reduction / Enlargement: 25 - 400%
- Maximum Copy Size: Legal
- Copy Resolution: 600 x 600 dpi
- Max Copies: 99 copies
- Copying:
  - ISO 29183, A4 Simplex Flatbed (Black / Colour): Up to 12.0 ipm / 6.0 ipm
  - ISO 24735, A4 Simplex ADF (Black / Colour): Up to 10.0 ipm / 4.5 ipm

#### Scanning:

- Scanner Type: Flatbed colour image scanner
- Sensor Type: CIS
- Optical Resolution: 1200 x 2400 dpi
- Maximum Scan Area: 216 x 297 mm
- Scanner Bit Depth (Colour): 48-bit input, 24-bit output
- Scanner Bit Depth (Grayscale): 16-bit input, 8-bit output
- Scanner Bit Depth (Black & White): 16-bit input, 1-bit output
- Scan Speed:
  - Flatbed (Black / Colour): 200dpi: 12 sec / 27 sec
  - ADF Monochrome (Simplex / Duplex): 200dpi: 6.0 ipm
  - ADF Colour (Simplex / Duplex): 200dpi: 5.0 ipm
- ADF Specifications:
  - Support Paper Thickness: 64-95 g/m<sup>2</sup>
  - Paper Capacity: 35 sheets (A4 Paper), 10 sheets (Legal)

#### Fax Function:

- Type Of Fax: Walk-up B/W and Colour Fax Capability
- Receive Memory / Page Memory: 2MB, Page memory up to 180 pages
- Error Correction Mode: ITU-T T.30
- Fax Speed (Data Transfer Rate): Up to 33.6 kbps, Approx. 3 sec/page
- Fax Resolution: Up to 200 x 200 dpi
- Transmission Paper Size (Flatbed): Letter, A4
- Transmission Paper Size (ADF): Letter, A4, 8.5 x 13", Legal
- Receiving Paper Size: Letter, A4, Legal
- Speed Dial / Group Dial: Up to 100 numbers, 99 groups
- Fax Features: PC Fax (Transmission / Receive), Automatic Redial, Address book, Broadcast Fax (Mono Only), Transmit Reservation, Polling Reception

9	btl	<b>Ink, Epson 003,Genuine Black 65mL</b> <div>           Distribution            OVPAF c/o Jerimi Ann B. Satuita (STF-2025-05-00622) - 5         </div>	5	5	2025-10-17 #: CI 226986, 226984	0	Completed
---	-----	--	---	---	--	---	-----------

#### Specification:

None



	unit	LCD Projector, 3LCD Technology, EPSON EBE-12  Distribution OVPAF c/o Jerimi Ann B. Satuita (STF-2025-05-00622) - 6	6	6	2025-10-17 #: CI 226986, 226984	0	Completed
--	------	---	---	---	--	---	-----------

**Specification:**

**Projection System Technology:**

- **Type:** RGB Liquid Crystal Shutter Projection System (3LCD), 3-chip technology

**Light Output:**

- **White Light Output (Normal/Eco):** 3,600 lm
- **Colour Light Output:** 3,600 lm

**Resolution:**

- **Native Resolution:** XGA (1024 x 768)
- **Aspect Ratio:** 4:3

**LCD Panel:**

- **Size:** 0.55" (C2fine)

**Light Source:**

- **Type:** 210W UHE
- **Life (Normal / Eco):** 6,000 / 12,000 hours

**Inputs:**

- **Analog Input:** D-Sub 15pin (1)
- **Digital Input:** HDMI (1)

**USB Interface:**

- **Type:** USB Type B (1) – For Firmware Update, Copy OSD Settings

11	unit	Portable Trolley 15" Speaker with wireless microphone, CROWN PRO-5008R  Distribution CME c/o Geecel F. Galvez (STF-2024-10-02565) - 1 LDHRAO c/o Jonathan Eduard S. Cabal (STF-2024-10-02526) - 1	2	2	2025-10-17 #: CI 226986, 226984	0	Completed
----	------	---	---	---	--	---	-----------

**Specification:**

- **Speaker Type:** 15" 2-Way Powered Portable Sound System
- **Power Output:** 480 Watts
- **Cabinet Material:** Plastic
- **Power Supply:**
  - **AC:** 220V
  - **DC:** 12V (Built-in Rechargeable Batteries)
- **Wireless Microphones:** 2 included
- **Microphone Inputs:**
  - **XLR:** 1

- PL55: 1
- **Additional Inputs:**
  - **Guitar Input:** Shares with Mic 2 input
  - **FM Radio**
  - **Bluetooth**
  - **USB Port**
  - **SD Port**
  - **Aux / Line In**
  - **Line Out**
- **Features:**
  - **5 Band Equalizer**
  - **LCD Display**
  - **Remote Control**
  - **Handle and Wheel** for portability

12	unit	Printer, Tank Ink System, 3 in 1 (Print, Scan, Copy), EPSON L3210	1	1	2025-10-17 #: CI 226986, 226984	0	Completed
		Distribution FMO c/o Glen Agnes Baroro (STF-2025-05-00676) - 1					

**Specification:**

**Printer Specifications:**

**Printer Type:**

- Print, Scan, and Copy

**Tank Ink System:**

- Yes

**Scanner Type:**

- Flatbed Color Image Scanner

**Sensor Type:**

- CIS

**Optical Resolution:**

- 600 x 1200 dpi

**Copy Speed:**

- Maximum Copies from Standalone: 20 copies

**Maximum Copy Size:**

- A4, Letter

**ISO 29183 (A4 Simplex Flatbed):**

- Black: Up to 7.0 ipm

Colour: Up to 1.7 ipm

**imum Copy Resolution:**

- 300 x 300 dpi

**Paper Handling:**

- Up to 20 Sheets Premium Glossy Photo Paper
- 10 Sheets Envelope
- 30 Sheets Postcard

**Output Capacity:**

- Up to 30 sheets

**Paper Input Capacity:**

- A4 Plain Paper: Up to 20 sheets
- Premium Glossy Photo Paper: Up to 20 sheets

**Maximum Paper Size:**

- 215.9 x 1200 mm (8.5 x 47.24")

**Nozzle Configuration:**

- 180 x 1 Nozzles Black
- 59 x 1 Nozzles per Colour (Cyan, Magenta, Yellow)

**Print Direction:**

- Bi-directional Printing

**Maximum Print Resolution:**

- 5760 x 1440 dpi (with Variable-Sized Droplet Technology)

**Minimum Ink Droplet Size:**



- 3 pl

13	unit	<b>Snake Audio Cable, 8+4 Channels, SNAKE AUDIO CABLE</b> <div>Distribution IEO c/o Ma. Rachel Kim L. Aure (STF-2025-01-00002) - 2</div>	2	1	2025-10-17 #: CI 226986, 226984	1	Lacking
----	------	---	---	---	--	---	---------

**Specification:**

- Snake Cable 8+4 (30M)
- Sends: 8 XLR Male Connectors - Returns: 4 XLR Female Connectors
- Meters: 30 Meters
- Stage box is numerically labeled with a white surface for self-labeling each channel
- High quality XLR connectors
- Heavy Duty Strain Relief on both ends
- 100% shielded individually shielded pairs
- Steel Stage box



• High quality wire							
14	pcs	Wireless Mouse, rechargeable, A4 TECH FG20 <div>Distribution OVPAF c/o Jerimi Ann B. Satuita (STF-2025-05-00622) - 32</div>	32	32	2025-10-17 #: CI 226986, 226984	0	Completed
<p>Specification:</p> <ul style="list-style-type: none"><li>• <b>Wireless Technology:</b> 2.4 GHz</li><li>• <b>Rechargeable:</b> Yes</li><li>• <b>Connector Type:</b> USB Type-C</li><li>• <b>Battery:</b> Built-in rechargeable battery</li><li>• <b>Connectivity:</b> Wireless with USB receiver and/or Type-C charging</li><li>• <b>Additional Features:</b> Likely includes adjustable DPI, ergonomic design, and customizable buttons (common in this type of mouse)</li></ul>							
INSPECTION				ACCEPTANCE			
Date Inspected: 10/21/25				Date Recieved: 10/21/25			
<input checked="" type="checkbox"/> Inspected, verified and found in order as to quantity and specifications				<input type="radio"/> Complete			
<input type="checkbox"/> Others: _____				<input checked="" type="radio"/> Partial			
<div> JUDE B. ROLA Inspector</div>				<div> DOREEN B. ALBA Head, Supply &amp; Property Management</div>			