



**VISAYAS**  
STATE UNIVERSITY

OFFICE OF THE  
**PRESIDENT**



Management  
System  
ISO 9001:2015  
  
www.tuv.com  
ID 9108658749

**MEMORANDUM CIRCULAR NO. 72**  
Series of 2025

**TO: All VSU Staff Housing Residents and Other University Employees**

**RE: Implementation of Regular Dengue Prevention Activities**

**FROM: DR. PROSE IVY G. YEPES**  
University President

**DATE: February 27, 2025**

In response to the recommendation of the University Health Services (UHS), and in compliance with the Department of Health's Memorandum Circular No. 67, s. 2024, which urges all government offices and employees to participate in eliminating mosquito breeding grounds, you are hereby directed to conduct regular activities to identify and destroy these sites starting February 28, 2025 at 4:00 PM. This action is imperative due to the recent report of UHS of 10 confirmed dengue cases, particularly within housing areas where potential breeding sites have been identified.

Everyone is expected to participate in the clean-up activities and ensure their areas are free from potential mosquito breeding sites. Residents should regularly inspect and maintain cleanliness in and around their residences to prevent mosquito breeding. The VSU Housing Commission will coordinate and oversee the implementation of these activities, providing guidance and resources as needed.

Preventive measures include regularly emptying and cleaning water containers, properly disposing of unused tires, bottles, and other items that can collect water, ensuring gutters and drainage systems are free from obstructions, and other initiatives that eliminate mosquito breeding sites.

For your information and strict compliance.

cc: UHS  
VPAF

**OFFICE OF THE PRESIDENT**

2/F Administration Building, Visayas State University  
PQWW+RJM, Baybay City, Leyte, Philippines 6521  
Email: [op@vsu.edu.ph](mailto:op@vsu.edu.ph) | Website: [www.vsu.edu.ph](http://www.vsu.edu.ph)  
Phone: +63 53 565 0600 Local 1000



Page 1 of 1  
**FM-OOP-02**  
V06 01-23-2025  
No. **25-72**