
☑ Original PPMP
Revised (Changed items, same budget)
Supplemental





## PROJECT PROCUREMENT MANAGEMENT PLAN (PPMP) CY 2024

END-USER/UNIT: Plant Disease Diagnostic Laboratory

CHARGED TO STF

Project, Programs and Activities(PPAs):

To be placed at PCR Room

PPMP #: **PPMP-2024-100824-0515**Project Code: **PDDL STF #4020 199 00** 

Code	General Description	Quantity / Size	Estimated Budget	Mode of Procurement	Schedule/Milestone of Activities (in quantities)											
					Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
	Office Equipment and Appliances															
	Aircon Split Type (2 HP)	1 unit	45,000.00	NP - Small Value Procurement				P						1		
	Sub-Total		45,000.00													
	TOTAL BUDGET:		45,000.00					L	l					L		

Note: Technical Specifications for each Item/Project being proposed shall be submitted as part of the PPMP

Prepared by:

MARIEL L. LEBIOS

Submitted by:

ROBELYN T. PIAMONTE Unit Head/Project Leader 10/08/2024





## **PLANT DISEASE DIAGNOSTIC** LABORATORY

09 October 2024

Dr. Prose Ivy G. Yepes President Visayas State University Visca, Baybay City,6521 Leyte

> Through: Atty. Rysan C. Guinocor **BAC Chairman**

Dear Dr. Yepes,

Good day!

I would like to request the item (Air Conditioner Split type 2HP) to be purchased through Negotiated Procurement-Small Value Procurement (NP-SVP). The item will serve as replacement for the laboratory's defective air conditioner. Please see the attached approved PPMP for the office Split type Aircon amounted to PhP 45, 000.00, PPMP No. PPMP-2024-100824-0515.

Thank you very much.

Very truly yours,

ROBELÝN T. PIAMONT

Head PDDL

Recommending Approval:

RYSAN C. GUINOCOR BAC Chairman

Approved:

PROSE IVY G. YEPES

President



PLANT DISEASE DIAGNOSTIC LABORATORY Visayas State University, Baybay City, Leyte Email: pddl@vsu.edu.ph Website: www.vsu.edu.ph Phone: +63 53 565 0600 Local 1110





