



Republic of the Philippines
VISAYAS STATE UNIVERSITY
Visca, Baybay City, Leyte

8 E. 29

PURCHASE REQUEST

Section/End-User: Mariles V. Bulawan Dept./Office: PCC PPMP No.: **PPMP-2025-071825-1319** Eunding Source: Trust Fund ω N Specification: Mineral Block (4pcs per Box) Specification: Wound Spray Specification: Feeds, Cattle Concentrate, 50 kgs 10% Povidone-iodine Topical Solution for Animal Use Specification: good and acceptable quality Mineral Salt Block for Goats/cattle and Ruminants-4 pcs (5kgs) Red Astringent Fly repellant Larvicidal Dichlofenthion wound spray Colorant marker Broad spectrum antiseptic Calcium: 1.50 - 2.50 % Moisture: 12% Min. Crude Fiber: 7 Max. Crude Fat: 4% Min. at least 86 grams/tube Phosphorus: 0.7 % Min Crude Protein: 16% Min Item Description gallon boxes tube Unit bag Qty 14 30 10 7 Supplies/Livestock (Second Tranche) Project Title/Code: PCC-407CCDP Baybay-Ormoc Agricultural/Farm Category: PR No.: TF-2025-08-01049 **Unit Cost** 2,000.00 3,750.00 2,300.00 400.00 PAR/ICS Date: 08-15-2025 **Total Cost** 69,000.00 20,000.00 52,500.00 2,800.00

*

Ingredients (May contain the following raw materials combinations)

Distillers Grains Solubles, Phosphate, Salt Choline Chloride, Vitamins, Minerals, Lysine, Threonine, Methionine Corn, Wheat, Soybean Meal, Wheat, Pollard, Copra Meal, Corn Gluten Feed, Molasses, Limestone, Monodicalcium, Dried Tryptophan, Toxin Binder, Mold Inhibitor, , Anti-Oxydant

CI Dewormer, Triclabendazole, 1 liter btls 9,000.00

36,000.00

Specification:

Anthelmintic Oral Solution

Formulation: Each mL contains: Triclabendazole 100g

fascioliosis in cattle Indication: Triclabendazole is a specific Fasciolocide indicated for the treatment and control of acute, subacute, and chronic

directed by the veterinarian. Dosage & Administration: The recommended dose rate is 10 mg per kg body weight or 2 mL per 10 kg body weight OR as

Animal Weight Dose of Triclabendazole 50 mg

200 kg 50 kg 100 kg 12 mL 6 mL

300 kg 400 kg 24 mL 36 mL 48 mL

For each additional 50 kg add 6 mL

Expiration Date: at least 2 years from date of delivery

-	
	თ
	Dewormer, Ivermectin 10mg/ml Solution for Injection (SC)
	100ml/btl
	12
	2,500.00
	30,000.00

Specification:

- Net Content: 100mL
- Formulation: Each mL contains Ivermectin 10mg
- in front or behind the shoulder. Dosage & Administration- Cattle: 1 mL/50 kg BW which should be given only by subcutaneous injection under loose skin
- larvae), cattle grubs (parasitic stages), mange mites, sucking lice Indication: Cattle/Buffalos - gastrointestinal roundworms (adults and 4th stage larvae), lungworms (adult and 4th stage
- At least 3 years expiry upon delivery.

	r	-		-
1				١
i		- 1		ı
j		7		
į				
		-		
1		B000 F		1
į		ludy.		ı
j		773		
		3		
		Annual III		
j		2		
		70		
1		-		
1		0		
ı		m		
1				
į		den		
١		0		
į		9		
į		3		
		Inn		
1		- CT (
1				
į				
į				
ı				
į				
į				
į				
ļ				
				1
Ì				
į			į	
-				
		C		
J		btls		
1		S		
1				ı
į		***********	i	
1				
Ì				ı
				ı
ł				
ı		75		
į		Oi		١
Ì				
Ì				١
į				ı
			į	ı
Į				ı
ı				ı
1				ı
j				ı
į				
ı				ı
				ı
		-		l
		4		ı
		10		ı
		,200		
		0		ı
		0		ı
		THE REAL PROPERTY.	Ì	
				1
				1
				I
				1
				1
				1
				1
				1
				1
				1
				1
				1
				1
				ĺ
				1
		oninger/reviou	ļ	ı
				1
				1
			ĺ	l
				1
		(0		1
		0		ĺ
		-		1
		0,00		
				1
				ı
		O		
		O	VARIATION DESCRIPTION OF THE PERSON NAMED IN	

Specification:

- Net Content: 100mL
- Recommended Dosage: Cattle: Calves 1/2 to 1mL; Dairy Cows 2 to 3mL; Breeding Cattle 2 to 4mL Horses: Colts -1/2 to 1mL; Yearlings - 1 to 2mL; Adult - 2 to 4 mL
- Indications: A stable parenteral solution intended to provide the full preventive and therapeutic effects of Vitamin A D and E in swine, cattle and horses
- For animal health services

8

	œ	
Specification:	Vitamin Injection (IM) Vitamin B Complex + Liver Extract	 At least 3 years expiry upon delivery.
	btls	ivery.
	52	
	1,900.00	
	98,800.00	

- For Veterinary Use Only
- Net Content: 100mL
- Indication: Dietary supplement for all animals with B complex deficiencies and anemia associated with lack of vitamin B12.
- Dosage: Small animals 0.25 ml to 0.50 ml: 2 times weekly or as indicated
- Large animals 1.0 ml to 5.0 ml: 2times weekly or as indicated
- At least 3 years expiry upon delivery.

	9
Spacification:	Dewormer, Albendazole 15% Oral Suspension, 1ltr
	btl
	36
	2,500.00
	90,000.00

Specification:

- 15 % Oral Suspension Antiparasitic (Anthelmintic/Benzimidazole)
- infestations in cattle, carabaos, and goats. It also reduces the output of viable worms and fluke eggs. Broad-spectrum Anthelmintic for Cattle, Carabao, Sheep, or Goat. For the control of roundworms, tapeworms, and fluke
- DOSAGE AND ADMINISTRATION
- Cattle/Carabaos: 7.5 ml per 100kg body weight to be given as a single dose
- Goats/Sheep: 0.75ml per 10kg body weight
- WITHDRAWAL PERIOD:
- Withdraw medication 10days before slaughter for human consumption
- Cattle: 14 days
- Milk: 3 days
- Expiration date: at least 2 years from date of delivery

PRESIDENT, VSU	UNIT HEAD, PROJECT LEADER	UNIT HEAL	1 0		Designation:
PROSE IVY G. YEPES	FE-M. LOPEZ	IVY	MARILES V. BULAWAN		Printed Name:
			The state of the s		Signature:
Approved by:		Noted by:	ıy:	Prepared by:	
HEAD, ACCOUNTING OFFICE	HEAD, ACC	'estock	TWG / Agricuttural/Farm Supplies/Livestock	WG / Agrical	
NICK FREDDY R. BELLO	NICK FRE	00	MICHAEL DOMINIC W. GARRIDO	MICHAEL	
2	37		(M. J.)	1	nder de verges et de la mente de la companya de la
	Funds Available:		1 / 11.		Checked by:
)	services of buffalc	Purpose: For food supplement and animal health services of buffalo	food suppler	Purpose: Fo
489,100.00				TOTAL	
			AND ADDRESS OF THE PARTY OF THE PROPERTY OF THE PARTY OF	ANNALES MANAGEMENT AND AN ARTHUR PROPERTY AND AN ARTHUR PROPERTY.	NAME AND ADDRESS OF THE PARTY O