


6895

SCAN HERE



PR-2024-1115-235271



Republic of the Philippines
VISAYAS STATE UNIVERSITY
Visca, Baybay City, Leyte

PURCHASE REQUEST

PPMP No. : **PPMP-2025-111124-0787**

Dept./Office: **UR**

PR No.: **STF-2024-11-03144**

Date: **11-19-2024**

Section/End-User: **Jannet Leslie Evelyn S. Codog**

Category: **Office Equipment**

Funding Source: **Special Trust Fund**

Project Title/Code: **STF-Registration Fee**

Item #	Item Description	Unit	Qty	Unit Cost	PAR/ICS	Total Cost
1	2 Line VOIP Phone	unit	2	7,500.00	RAYMUND M. IGCASAMA	15,000.00

Specification:

Phone Features

- 2 VoIP accounts
- Call hold, mute, DND
- One-touch speed dial, hotline
- Call forward, call waiting, call transfer
- Group listening, SMS, emergency call
- Redial, call return, auto answer
- Local 5-way conferencing
- Direct IP call without SIP proxy
- Ring tone selection/import/delete
- Set date time manually or automatically
- Dial plan
- XML Browser, action URL/URI
- Integrated screenshots
- RTCP-XR, VQ-RTCPXR
- Enhanced DSS Key Directory
- Loal phonebook up to 1000 entries
- Black list
- XML/LDAP remote phonebook

- Smart dialing
 - Phonebook search/import/export
 - Call history: dialed/received/missed/forwarded IP-PBX Features
 - Busy Lamp Field (BLF), Bridged Line Appearance (BLA)
 - Anonymous call, anonymous call rejection
 - Hot-desking, voice mail
 - Flexible seating
 - Call park, call pickup
 - Executive and Assistant
 - Centralized call recording
 - Visual voice mail
 - Call recording
- Display and Indicator**
- 2.3" 132x64-pixel graphical LCD with backlight
 - LED for call and message waiting indication
 - Dual-color (red or green) illuminated LEDs for line status information
 - Intuitive user interface with icons and soft keys
 - Multilingual user interface
 - Caller ID with name and number
 - Power saving Feature keys
 - 2 line keys with LED
 - 6 features keys: transfer, message, headset, redial, mute, hands-free speakerphone
 - 5 navigation keys
 - Volume control keys Interface
 - 2 x RJ45 10/100M Ethernet ports
 - Power over Ethernet (IEEE 802.3af), class 1*
 - 1 x RJ9 (4P4C) handset port
 - 1 x RJ9 (4P4C) headset port

Other Physical Features

- Color: Classic Grey
- Wall mountable
- External Yealink AC adapter AC 100-240 V input and DC 5 V/0.6 A output
- Power consumption (PSU): 2-3 W
- Power consumption (PoE): 3-4 W
- Dimension (W x D x H x T): 188 x 189 x 162 x 50 mm
- Operating humidity: 10-95%
- Operating temperature: -10 to +45°C (+14 to 113°F)
- Storage temperature: -30 to +70°C (-22 to +158°F)

Management

- Configuration: browser/phone/auto-provision
- Auto provision via FTP/FTP/HTTP/HTTPS for mass deploy
- Auto-provision with PnP
- Zero-sp-touch, TR-069
- Phone lock for personal privacy protection
- Reset to factory, reboot
- Package tracing export, system log

Network and Security

- SIP v1 (RFC2543), v2 (RFC3261)
- Call server redundancy supported
- NAT traversal: STUN mode
- Proxy mode and peer-to-peer SIP link mode
- IP assignment: static/DHCP
- HTTP/HTTPS web server
- Time and date synchronization using SNTP
- UDP/TCP/DNS-SRV (RFC 3263)
- QoS: 802.1p/Q tagging (VLAN), Layer 3 ToS DSCP
- SRTP for voice
- Transport Layer Security (TLS 1.3)

<ul style="list-style-type: none"> • HTTPS certificate manager • AES encryption for configuration file (AES256) • Digest authentication • OpenVPN, IEEEE802.1X, L2TP VPN • IPv6 • LLDP/CDP/DHCP VLAN • ICE • WPA2/WPA3 • Secure boot • GARP (Generic Attribute Registration Protocol) <p>Should be compatible with Yeastar S300 Server and existing fleet of VoIP phones</p>				2	unit	2	18,000.00	36,000.00	
<p>Specification:</p> <ul style="list-style-type: none"> • Model: SigLite LCD 1x5 • Type: Low-cost, pressure-sensitive electronic signature capture pad • Display: Transflective LCD that shows "electronic ink" under the pen tip during signing • Features: <ul style="list-style-type: none"> ◦ High-quality biometric and forensic capture techniques ◦ Low-cost touchpad and stylus instead of rugged digitizing pen ◦ Inert tempered glass surface from SignatureGem tablet series ◦ LCD touchpad displays the signature on both the signature pad and the computer screen ◦ Bundled secure software APIs for interactive text, graphics, pen-tap hotspots, and checkboxes • Dimensions: 6.00" x 3.80" x 1.40" • Signing Area: 4.40" x 1.30" <p>Should be compatible with existing fleet of Signature pad and Existing Atella ID Software</p>									
<p>Specification:</p> <ul style="list-style-type: none"> • Length: 20 meters • Type: HDMI Male to HDMI Male • Transfer Speed: Up to 10.2 Gbps • Construction: <ul style="list-style-type: none"> ◦ High Quality Pure Copper ◦ Gold-plated 19-pin HDMI connectors ◦ Oxygen-free copper cable ◦ PVC jacket with high visibility nylon braiding 				3	HDMI to HDMI cable, 20 meters	pcs	2	1,000.00	2,000.00
<p>Specification:</p>									
<p>Specification:</p>				4	HDMI to HDMI cable, 2M	piece	4	250.00	1,000.00

- **Brightness:** 250 nits
- **Finish:** Anti-glare

Touchscreen: None

Optical Drive: None

Media Reader:

- **Type:** 4-in-1 Card Reader

Ethernet: None

Connectivity:

- **WLAN:** Yes
- **Bluetooth:** Yes

Camera:

- **Resolution:** At least 720p

Microphone:

- **Type:** At least 2x Array

Operating System:

- **Type:** Licensed Windows 10 Home or Pro

Bundled Software:

- **Software:** Microsoft Office Perpetual License

Warranty:

- **Duration:** At least 3 years
- **Repair and Replacement:** Should be at most 3 months from returning the unit

Free Accessories:

- **Item:** Backpack

7	Mouse (USB Type)	pcs	10	1,000.00	10,000.00
---	-------------------------	-----	----	----------	-----------

Specification:

- Wired mouse with right and left click buttons and a scroll wheel
- Optical sensor with 1000 dpi resolution for precise and flowing cursor control
- 5.9' long integrated USB cable
- Connects to any computer via the USB connection
- Striking blue light on sides and scroll wheel
- Rubber side surfaces and rubber scroll wheel offer improved grip
- Symmetrical design suitable for left- and right-handed operation

8	Mouse Pad	pcs	20	500.00	10,000.00
---	------------------	-----	----	--------	-----------

Specification:

<ul style="list-style-type: none"> • Desk mat • Height: 300 mm • Width: 700 mm • Thickness: 2 mm • Weight: 286 g • Technical Specifications • Materials • 100% RECYCLED POLYESTER • Surface & Inner Layer 116% of total weight • ANTI-SLIP BASE • 72% Natural rubber 2Products containing natural rubber latex may cause allergic reactions in some individuals. • ANTI-FRAYING STITCHES • Nylon + Polyester • Color plane black 	9	Power Supply for CPU	unit	20	4,000.00	80,000.00
Specification:						
SPECS:						
<ul style="list-style-type: none"> • Compatible Devices: Computer • Connector Type: ATX • Output Wattage: 800 Watts • Form Factor: ATX • Wattage: 800 watts • Cooling Method: Air • Item dimensions: L x W x H . 5.5 x 5.91 x 3.4 inches • 8 pins • 6-7 SATA connectors 						
10	Printer, Wireless All-In-One, Smart Ink Tank	unit	1	12,000.00	12,000.00	12,000.00
Specification:						
<ul style="list-style-type: none"> • Printer Type: Wireless All-In-One Smart Ink Tank • Connectivity Ports: <ul style="list-style-type: none"> ◦ Hi-Speed USB 2.0 ◦ Wi-Fi ◦ Bluetooth LE • Wireless Capability: Built-in Wi-Fi 802.11b/g/n • Copier Settings: <ul style="list-style-type: none"> ◦ Number of Copies ◦ Resize ◦ Quality ◦ Lighter/Darker ◦ Paper Size ◦ Paper Type ◦ ID Copy ◦ Enhancement • Color Copy Capability: Yes 						

- **Maximum Number of Copies:** Up to 99 copies
- **Copy Resolution:** Up to 600 dpi
- **Acoustic Power Emissions (Active, Printing):** 6.5 B(A)
- **Acoustic Pressure Emissions:** 51 dB
- **Recommended Operating Humidity Range:** 20 to 80% RH
- **Memory:**
 - Integrated Memory: 256 MB
 - Maximum Memory: 256 MB
- **Memory Card Compatibility:** No
- **Network Protocols Supported:**
 - 9100
 - SNMP
 - SLP
 - IPP
 - WS-Print
 - Wireless
 - LPR
- **Print Technology:** Thermal Inkjet
- **Print Resolution (Best):** Up to 1200 x 1200 rendered dpi

11	SSD (Internal/External)	pcs	10	4,000.00	40,000.00
----	-------------------------	-----	----	----------	-----------

Specification:

SPECS:

- Internal/External
- Internal
- Storage Capacity
- 1TB
- Ports/ Interface
- SATA III
- SSD Form Factor
- 2.5"
- 1 year warranty

12	UPS (6 socket)	unit	5	5,000.00	25,000.00
----	----------------	------	---	----------	-----------

Specification:

UPS (6 Socket) Specifications

Ratings:

- **VA:** 1500 VA
- **Watt:** 900 W

Battery:

- **Type:** 2 x 12V/8Ah

Interface:

- **Sockets:** 6 x Universal Socket

Form Factor: Tower

Dimensions:

- **Size:** 90 x 305 x 165 mm

Weight: 10.7 kg

Design: Compact Design

Features:

- Automatic Voltage Regulation (AVR)
- Selectable LED or LCD display
- Microprocessor-based digital control
- Auto-sensing frequency
- Wide input voltage range
- Auto restart when mains power is restored
- Auto track mains phase to ensure inverter output voltage matches utility voltage, reducing transfer time and peak surge

Battery Management:

- Intelligent battery management with battery temperature compensation to extend battery life
- Three-stage charging to shorten recharge time

Protections:

- Short circuit protection
- Battery overcharge/overdischarge protection
- Overload protection
- Surge protection

Additional Features:

- Automatic charging in OFF mode
- Cold start capability
- Optional USB & RJ45 ports
- Unattended safety shutdown with system alarm
- Auto Power-On/Off via USB interface communication with PC

13	USB Type Keyboard	pcs	10	1,000.00	10,000.00
----	--------------------------	-----	----	----------	-----------

Specification:

- Cable length: atleast 150 cm
- Technical Specifications
- Keyboard
- Spill-resistant design 1 Tested under limited conditions (maximum of 60 ml liquid spillage). Do not immerse the keyboard in

liquid.

- 10-Key Number pad
- Caps lock indicator light
- Num lock indicator light
- Up to 10 million keystrokes (excludes number lock key)
- Key type: Deep profile
- Sustainability
- Black plastics: 51% post-consumer recycled material 2Excludes plastic in packaging.
- Product carbon footprint: 4.02 kg CO2e
- Certified carbon neutral
- USB type






14	YMCKOK Ribbon Kit for Smart 51 ID Machine	boxes	12	6,800.00	81,600.00
----	--	-------	----	----------	-----------

Specification:

Refill for Smart 51 ID Machine

TOTAL					552,600.00
--------------	--	--	--	--	-------------------

Purpose: for daily operation of the office

Checked by:	 NORMAN O. VILLAS TWG - Office Equipment	Funds Available:	 ALICIA M. FLORES HEAD, BUDGET OFFICE
Signature:		Noted by:	 RAYMUND M. IGCASAMA UNIT HEAD, PROJECT LEADER
Printed Name:	JANNET LESLIE EVELYN S. CODOG	Approved by:	 PROSE IVY G. YEPES PRESIDENT, VSU
Designation:			