



Republic of the Philippines
VISAYAS STATE UNIVERSITY
 Visca, Baybay City, Leyte

PURCHASE REQUEST

PPMP No. : 131-1-1957-2023-2-0-6

Dept./Office: **MMDC - AMARANTH**

PR No.: **STF-2023-04-00616**

Date: **04-11-2023**

Section/End-User: **Liza Ann C. Jagonos**

Category: **Office Equipment**

Funding Source: **Special Trust Fund**

Project Title/Code: **AMARANTH 2023 CP**

Item #	Item Description	Unit	Qty	Unit Cost	PAR/ICS	Total Cost
1	Air Conditon, Split type, Inverter, 1.5 HP	set	1	45,000.00		45,000.00
Specification: <ul style="list-style-type: none"> • Cooling capacity: at least 12,500 kj/hr • wall mounted • EER rating above 10 • with remote control • with one year warranty on parts and services • with free installation 						
2	Hot & Cold water dispenser	unit	1	9,000.00		9,000.00
Specification: <ul style="list-style-type: none"> ?Bottom load water dispenser ?3 Faucets: Hot, Cold and Normal water function ?3-Push Button dispensing control ?Anti-scald safety lock switch ?Child Lock Safety feature on Hot Water Faucet ?Floater indicator to avoid water overflow ?Capacity: Hot - 1.2 Liters, Cold - 3.5 liters, Power Rating: Hot - 420 watts, Cold - 100 watts, R134a 						
3	Mobile LED lights kit	set	1	40,000.00		40,000.00

Specification:

- Two 660 RGB LED Video Light Panels; Aluminum (Housing)
- Color Temperature from 3200 to 5600K
- Color Mode RGB
- Color Accuracy Standard CRI 97
- Two Diffusers, Two 6.5' Light Stands
- Two Power Adapters 12 to 15 VDC, 50 W
- Two light stands 6.5' (H); 5/8" Receiver (Via Yoke Mount)
- Battery port for Sony L-Series / NP-F
- Kit Carrying Cases
- Smartphone Control

4	Professional Boom microphonekit	set	1	40,000.00		40,000.00
---	---------------------------------	-----	---	-----------	--	-----------

Specification:

- Moisture-Resistant Shotgun Microphone
- Phantom Powered 48V
- Capsule: Condenser
- Diaphragm: 0.5" / 12.70 mm
- Polar Pattern: Supercardioid
- Frequency Range: 40 Hz to 20 kHz
- Color: Black
- Mounting: Mic Clip/Stand Adapter (with Included Hardware)
- Mounting Thread Size: 5/8"-27 Female (3/8"-16 Female with Included Adapter)
- Included Case: Pouch, Transport Tube
- With Compatible Boom Pole
- Three Sections Smoothly Extend to 6.3?
- Precision Balanced and Lightweight
- Anodized Aluminum Construction
- Intuitive Lock and Release System
- Ergonomic Grip Handle






5	Tripod	unit	4	10,000.00		40,000.00
---	--------	------	---	-----------	--	-----------

Specification:

- 5.5 lb Capacity Flat Base Tripod Head
- Aluminum 4-Section Tripod Legs
- Fully Convertible to a Monopod
- 21.3 to 65" Height Range
- Independent Pan and Tilt Locks
- Rubber and Spiked Feet
- Left/Right Pan Bar Rosette Mounts
- Carry Case Included
- Maximum Working Height: 65" / 165.1 cm

	TOTAL					174,000.00
--	--------------	--	--	--	--	-------------------

Purpose: For Amaranth use

Checked by:  LEO A. MAMOLO		Funds Available:  ALICIA M. FLORES 9 FF24	
TWG - Office Equipment		HEAD, BUDGET OFFICE	
Signature:	Requested by: 	Noted by: 	Approved by: 
Printed Name:	LIZA ANN C. JAGONOS	JED ASAPH D. CORTES	EDGARDO E. TULIN
Designation:	END USER	UNIT HEAD, PROJECT LEADER	PRESIDENT, VSU