

SCAN HERE



PR-2024-1104-232789



Republic of the Philippines
VISAYAS STATE UNIVERSITY
 Visca, Baybay City, Leyte

PURCHASE REQUEST






PPMP No. : **PPMP-2025-092524-0084**PR No.: **GF-2024-11-03080**Date: **11-04-2024**Dept./Office: **ICTMC**

Category: **Construction
and Electrical Supplies**

Section/End-User: **ELVIE D. BALBARINO**Funding Source: **General Fund - MOOE**Project Title/Code: **MIS 2025**

| Item # | Item Description | Unit | Qty | Unit Cost | PAR/ICS | Total Cost |
|---|---|-------|-----|-----------|---------|------------|
| 1 | 8m Tape Measure | pcs | 2 | 500.00 | | 1,000.00 |
| Specification: <ul style="list-style-type: none"> • 8m (26 feet), Heavy duty Matte-finish blade with 3-rivet corrosion-resistant hook; • ergonomic bi-material cushioned grip with belt clip on the back | | | | | | |
| 2 | Cutting Disc, 4" (Super Thin) | pc | 30 | 100.00 | | 3,000.00 |
| 3 | Electrical Outlet, 3 gang universal outlet with ground, (surface type) | pcs | 10 | 150.00 | | 1,500.00 |
| Specification: <ul style="list-style-type: none"> • Current Rating: 10A • Voltage Rating: 250V • Features: <ul style="list-style-type: none"> ◦ Universal design ◦ Includes ground ◦ Heavy duty ◦ Durable construction • Type: Surface mount | | | | | | |
| 4 | Electrical Outlet, Convenience 2 gang, with ground(Flush type) | set | 10 | 200.00 | | 2,000.00 |
| Specification: <p>-high quality</p> | | | | | | |
| 5 | Electrical PVC Pipe, #3/4, 3 meters | pcs | 30 | 160.00 | | 4,800.00 |
| 6 | Electrical Tape, Vinyl | rolls | 50 | 75.00 | | 3,750.00 |
| Specification: <ul style="list-style-type: none"> • Material: Flexible PVC with aggressive rubber adhesive • Features: <ul style="list-style-type: none"> ◦ Flame retardant ◦ Compatible with plastic cable and wire harness insulations ◦ Primary electrical insulation for wire and cable splices rated up to 600 volts • Dimensions: 19mm width x 16m length x 0.155mm thickness • Type: Heavy Duty | | | | | | |

| | | | | | | |
|---|---|-------|----|-----------|--|-----------|
| • Certification: ASTM approved | | | | | | |
| 7 | Electrical, Junction Box (Octagonal) with cover, PVC | pcs | 50 | 60.00 | | 3,000.00 |
| 8 | Electrical, male plug, 3 pin | pcs | 30 | 65.00 | | 1,950.00 |
| Specification: <ul style="list-style-type: none"> • Heavy Duty • Good quality | | | | | | |
| 9 | Makita GA5093X03 Angle Grinder 5" (Variable Speed) [Paddle Switch] 1900W (Same Fleet with existing t | set | 1 | 15,500.00 | | 15,500.00 |
| Specification: <ul style="list-style-type: none"> • Same Fleet with existing tools and accessories • 125 mm (5") 1,900 W SJS II AFT Variable Speed Angle Grinder, Anti-Restart Function, Soft Start, Mechanical Brake, Paddle Switch • Improved power consumption and durability, and are equipped with AFT (Active Feedback sensing Technology) for kickback reduction • Easy-to-grip paddle switch achieved by reducing the size of the grip portion of the back of the machine • AFT (Active Feedback sensing Technology) for kickback reduction automatically shuts off the power supply to motor in the case of a sudden drastic decrease in wheel speed • Bevel can be adjusted and removed by sliding the lever • Variable speed control dial enables user to match the speed to the application • SJS II (Super Joint System II) provides increased machine durability by absorbing vibration • Soft start suppresses start-up reaction for smooth start-ups and longer gear life • Constant speed control automatically applies additional power to the motor to maintain speed under load • Current limiter • Anti-restart function minimizes accidental start-up even if the tool is plugged to power source with the switch <div> <div>Continuous rating Input</div> <div>1,900W</div> </div> <div> <div>Wheel diameter</div> <div>125 mm (5")</div> </div> <div> <div>No load speed (RPM)</div> <div>2,800 - 11,500</div> </div> <div> <div>Dimensions at grip portion (W x H)</div> <div>66 x 59 mm (2-5/8 x 2-5/16")</div> </div> <div> <div>Circumference of grip portion</div> <div>207mm (8-1/8")</div> </div> <div> <div>Sound pressure level</div> <div>91 dB(A)</div> </div> <div> <div>Sound power level</div> <div>99 dB(A)</div> </div> <div> <div>Vibration level</div> <div>8.9 m/s2</div> </div> <div> <div>Dimensions</div> <div>349 x 140 x 129 mm</div> </div> <div>with 1 year warranty</div> | | | | | | |
| 10 | Mild Steel Plate, 6mm(thickness) x 4' x 8' | piece | 1 | 12,500.00 | | 12,500.00 |
| Specification: | | | | | | |

| | | | | | | |
|---|--|---|----|---|--|------------------|
| Steel Plate, (4' x 8' x 1/4" size) | | | | | | |
| 11 | Multi-Purpose Penetrating Oil, 382mL | btl | 10 | 650.00 | | 6,500.00 |
| Specification: <ul style="list-style-type: none"> • Volume: 382 mL • Product Uses: <ul style="list-style-type: none"> ◦ Lubricant ◦ Penetrant ◦ Drives Out Moisture ◦ Removes and Protects Surfaces From Corrosion | | | | | | |
| 12 | P.E. Pipe 1", 100 meter per spool, SDR11 | spool | 1 | 8,500.00 | | 8,500.00 |
| Specification: <ul style="list-style-type: none"> • Size/Diameter: 1 Inch • Roll Length: 100 meters • Color: Black • Shape: Round • Material: HDPE (High-Density Polyethylene) • SDR (Standard Dimension Ratio): SDR11 | | | | | | |
| 13 | Square Box with Cover and Screw, Electrical | pieces | 40 | 100.00 | | 4,000.00 |
| TOTAL | | | | | | 68,000.00 |
| Purpose: FOR MIS 2025 | | | | | | |
| Checked by: <div style="text-align: center;"> MARCHO P. BANDALAN</div> | | | | Funds Available: <div style="text-align: center;"> ALICIA M. FLORES <i>mic-25</i></div> | | |
| TWG - Construction and Electrical Supplies | | | | HEAD, BUDGET OFFICE | | |
| Signature: | Prepared by: | Noted by: | | | Approved by: | |
| Printed Name: |  ELVIE D. BALBARINO |  SEAN O. VILLAGONZALO | | |  PROSE IVY G. YEPES | |
| Designation: | | UNIT HEAD, PROJECT LEADER | | | PRESIDENT, VSU | |