



Republic of the Philippines
VISAYAS STATE UNIVERSITY
Visca, Baybay City, Leyte

SCAN HERE



PR-2023-0720-132369

PURCHASE REQUEST

PPMP No. : 2-1-2093-2023-6-0-4

PR No.: STF-2023-07-01245

Date: 07-20-2023

Dept./Office: **DAS**

Category: **IT Supplies and Equipment**

Section/End-User: **Poca Joe A. Didal**

Funding Source: **Special Trust Fund**

Project Title/Code: **DAS-Gestetner c/o OVPAATuition**

Item #	Item Description	Unit	Qty	Unit Cost	PAR/ICS	Total Cost
1	Automatic Voltage Regulator, 5000 VA, Servo-motor controlled	pcs	1	8,000.00		8,000.00

Specification:

- Capacity: 5000 VA
- Input Voltage: 160-240 V
- Output Voltage: 110/220 V
- Phase: Single
- Control System: Servo-Motor Control
- Response Time: within 4sec against 10%, Input Fluctuation
- Overload Protection
- Time Delay Function
- Analog Volt Meter and Ammeter

2	Gestetner DX 2430 B4 Digital Duplicator	unit	1	100,000.00		100,000.00
---	--	------	---	------------	--	------------

Specification:

Model Name/Number	DX 2430
Print Speed	60 - 90 Sheets Per Minute (2 Steps)
Resolution	300 x 300 dpi
Brand	Gestetner
Printing Process	Fully Automatic One Drum Stencil System
Minimum Print Paper Size	90 x 140 mm
Maximum Print Paper Size	275 x 395 mm
Print Paper Weight	35.0-127.9 g/m2
Print Area	Maximum 250 x 355 mm
First Print Speed	Less Than 40 Seconds

Features:

- Auto background correction, auto cycle, photo/letter mode, tint mode, SP mode (for technical service use only), combine

two originals, spot colour printing with optional colour drum units.

Options

- USB controller printer unit type VC-20
- Interface board type 20
- Colour drum type 20 (B4)
- Cabinet

Consumables

- Priport™ master type DX 2430M (100 masters per roll, B4)
- Priport™ black ink type DX 2430 (500 ml)
- Digital Duplicator colour ink type II (600 ml): red, blue, yellow, green, purple, navy, brown, maroon, orange, teal
- CM ink (custom-made colours, 500 ml)

Specifications:

Image modes	Letter mode, Photo mode, Photo/Letter mode
Image position	Vertical: ± 10 mm Horizontal: ± 10 mm
Reproduction ratios	Pre-set enlargement: 115, 122, 141% Pre-set reduction: 71, 82, 87, 93%
Zoom	No
Colour printing	By replacing colour drum
Paper feed/delivery table capacity	500 sheets (80 g/m ²)
Power source	220-240 V, 50 – 60 Hz
Power consumption	Maximum: Master making: less than 175 W Printing: Less than 175 W (at 90 sheets per minute) Standby: 35 W
Dimensions (W x D x H)	1,232 x 672 x 519 mm
Weight	55 kg

	TOTAL						108,000.00
Purpose: Test Paper production							

Checked by:  DIONESIO I. ESTUPA		Funds Available:  ALICIA M. FLORES HEAD, BUDGET OFFICE
TWG - IT Supplies and Equipment		
Signature:	Requested by:  POCA JOE A. DIDAL	Noted by:  MANUEL D. GACUTAN JR.
Printed Name:	POCA JOE A. DIDAL	MANUEL D. GACUTAN JR.
Designation:	END USER	UNIT HEAD, PROJECT LEADER
		Approved by:  EDGARDO E. TULINO PRESIDENT, VSU