

Republic of the Philippines VISAYAS STATE UNIVERSITY

Visca, Baybay City, Leyte

PURCHASE REQUEST

PR No.: TF-2022-03-00178

Date: 03-05-2022

Category: Construction and Electrical Supplies

Duration: 2021-12-01

to

Section/End-User: Catherine C. Arradaza

Project Title/Code: 20201050-1.95

2022-11-30

Funding Source: Trust Fund

Dept./Office: DOH

item #	Item Description	Unit	Qty	Unit Cost	PAR/ICS	Total Cost
1	Ceiling Socket, 4" x 4"	pcs	10	60.00		600.00
2	Electrical Panel Board Dead Front 2 poles, (bolt on type)	set	1	20,000.00		20,000.00

Specification:

Panel Board Dead front 2 poles, copper busbar, bolt on type metal enclosed to consist of the following:

- 1. 100 amperes 2 poles 240 volts, molded, center main
- 2. 8 pcs 30 amperes 2 poles 240 volts, bolt on type, molded

3	Electrical Tape, Vinyl	rolls	8	70.00	560.00
	Specification:	4276		3,000,000	300.00
	?Flame retardant and compatible with p ?Flexible PVC with aggressive rubber a ?Primary electrical insulation for all wire ?19mm x 16m x 0.155mm ?Heavy Duty ?ASTM approved	dhesive			
4	Electrical Wire, THHN / THWN, AWG 10 (5.5mm2), Stranded, 150 meters/box	box	4	6,200.00	24,800.00
	Specification: ?Building Wire ?Stranded with Nylon Insulation	(A)			
	?Gauge 10 ?UL listed				
5	Electrical Wire, THHN / THWN, AWG 12 (3.5mm2), Stranded, 150 meters/box	box	4	6,000.00	24,000.00

1	Stranded with Nylon Insulation			The the description of the tra-	
	Gauge 12				
1	PUL listed				
10	Electrical Wire, THHN/THWN AWG b(8.0 mm2), Stranded copper wire 600 volts	box	1	9,000.00	9,000.0
4	Electrical, Aircon 1 gang outlet (flush type)	set	4	250.00	1,000.0
4	Electrical, 2 gang convenience outlet with ground (flush type)	set	16	300.00	4,800.0
9	Electrical, Junction box with cover, 4" x 4" Specification:	pcs	10	50.00	500.0
	Heat resistant ?Waterproof ?UL certified				
10	Electrical, THHN/THWN, AWG 14 (2.0mm2), Stranded, 150m/box	box	3	3,350.00	10,050.00
11	Electrical, Utility Box, 2" x 4", Orange Specification:	piece	30	30.00	900.0
	PVC				
12	Fire Extinguisher, Dry Chemical (ABC), 10lbs Specification:	unit	1	3,000.00	3,000.0
	Fire Extinguisher, Dry Chemical (ABC), 10lbs Specification: • ISO Certified • Dry Chemical recommended for Non Toxic • Non Conducting and Non Corrections	r all classe	s of fires	3,000.00	3,000.0
13	Fire Extinguisher, Dry Chemical (ABC), 10lbs Specification: • ISO Certified • Dry Chemical recommended for ending and Non Correct Non Conducting and Non Correct LED Bulb, 15 watts	r all classe	s of fires	3,000.00	
	Fire Extinguisher, Dry Chemical (ABC), 10lbs Specification: • ISO Certified • Dry Chemical recommended for Non Toxic • Non Conducting and Non Correct LED Bulb, 15 watts LED Bulb, 9 watts LED Tube with housing (T8), 18	pcs	s of fires nical 15	300.00 150.00	4,500.0 1,500.0
13 14 15	Fire Extinguisher, Dry Chemical (ABC), 10lbs Specification: • ISO Certified • Dry Chemical recommended for 10 Non Toxic • Non Conducting and Non Correct LED Bulb, 15 watts LED Bulb, 9 watts LED Tube with housing (T8), 18 watts, 4ft (Daylight)	pcs pcs set	s of fires nical 15 10	300.00 150.00 500.00	4,500.0 1,500.0
13 14 15	Fire Extinguisher, Dry Chemical (ABC), 10lbs Specification: • ISO Certified • Dry Chemical recommended for end of the Non Toxic • Non Conducting and Non Correct LED Bulb, 15 watts LED Bulb, 9 watts LED Tube with housing (T8), 18 watts, 4ft (Daylight) Sand, Washed	pcs pcs set cu.m.	15 10 10 45	300.00 150.00 500.00	4,500.0 1,500.0 5,000.0
14 15	Fire Extinguisher, Dry Chemical (ABC), 10lbs Specification: • ISO Certified • Dry Chemical recommended for end of the Non Toxic • Non Conducting and Non Correct LED Bulb, 15 watts LED Bulb, 9 watts LED Tube with housing (T8), 18 watts, 4ft (Daylight) Sand, Washed Slotted Angle Bar Specification:	pcs pcs set cu.m. length	15 10 10 45 10	300.00 150.00 500.00 1,500.00 750.00	4,500.0 1,500.0 5,000.0 67,500.0
13 14 15	Fire Extinguisher, Dry Chemical (ABC), 10lbs Specification: ISO Certified Dry Chemical recommended for Non Toxic Non Conducting and Non Correct LED Bulb, 15 watts LED Bulb, 9 watts LED Tube with housing (T8), 18 watts, 4ft (Daylight) Sand, Washed Slotted Angle Bar Specification: 1½" X 1½" X 3 m , 2mm thk, including the content of the conte	pcs pcs pcs set cu.m. length	15 10 10 45 10	300.00 150.00 500.00 1,500.00 750.00	4,500.00 1,500.00 5,000.00 67,500.00
13 14 15	Fire Extinguisher, Dry Chemical (ABC), 10lbs Specification: • ISO Certified • Dry Chemical recommended for end of the Non Toxic • Non Conducting and Non Correct LED Bulb, 15 watts LED Bulb, 9 watts LED Tube with housing (T8), 18 watts, 4ft (Daylight) Sand, Washed Slotted Angle Bar Specification: 1 ½" X 1 ½" X 3 m , 2mm thk, including the second of the se	pcs pcs pcs set cu.m. length	15 10 10 45 10	300.00 150.00 500.00 1,500.00 750.00	4,500.00 1,500.00 5,000.00 67,500.00 7,500.00

Checked by: Funds Available: TWG - Construction and Electrical Supplies HEAD, ACCOUNTING OFFICE Requested by: Noted by: Approved by: Signature: Printed Name: CATHERINE C. ARRADAZA DEDGARDO E. TULIN CATHERINE C. ARRADAZA Designation: END USER UNIT HEAD, PROJECT LEADER PRESIDENT, VS