



Republic of the Philippines
VISAYAS STATE UNIVERSITY
Visca, Baybay City, Leyte

TO: NARC 043121-A

SCAN HERE

7.F.34

PR-2024-0724-211954

PURCHASE REQUEST

PPMP No. : 22-4-636-2024-0-0-0

Dept./Office: NARC

Section/End-User: Cielo F. Señara

Funding Source: Trust Fund

PR No.: TF-2024-07-01415

Category: Laboratory Equipment

Project Title/Code: ACEF R&D Grant

Date: 07-24-2024

Item #	Item Description	Unit	Qty	Unit Cost	PAR/ICS	Total Cost
1	Laboratory side bench table	unit	3	185,000.00	ROMEL B. ARMECIN	555,000.00
Specification: 200cm*70cm*90cm Frame: steel structure; Cabinet:use high quality galvanized steel sheet,surface coated with epoxy powder; Table top: made of 12.7 mm thickness corrosion-resistant black phenolic resin board,with 25.4mm thickness edge sealing; Hinges: open type high quality hinges, self-closing. Handle: aluminum dark type handle;with 3 pcs sockets and covers, 220V.						
2	Laboratory tables with sink	unit	2	58,000.00	ROMEL B. ARMECIN	116,000.00
Specification: 124cm*70cm*90cm Frame: steel structure; Cabinet:use high quality galvanized steel sheet,surface coated with epoxy powder; Table top: made of 12.7 mm thickness corrosion-resistant black phenolic resin board,with 25.4mm thickness edge sealing; Slideway: three section slide rail, no noise; Hinges: open type high quality hinges, self-closing. Handle: sink: 55cm x 45cm						
3	Laboratory working tables with reagent rack	unit	2	210,000.00	ROMEL B. ARMECIN	420,000.00
Specification:						

200cm*124cm*90cm

Frame: steel structure; Cabinet: use high quality galvanized steel

sheet, surface coated with epoxy powder; Table top: made of 12.7

mm thickness corrosion-resistant black phenolic resin board, with

25.4mm thickness edge sealing; Slideway: three section slide rail,

no noise; Hinges: open type high quality hinges, self-closing.

Handle: aluminum dark type handle; with reagent rack shelf and

top cupboards;

4	Water Distillation	unit	3	70,000.00	ROMEL B. ARMECIN	210,000.00
---	--------------------	------	---	-----------	------------------	------------

Specification:

- Water Distillation Unit with minimum output of 4 liters per hour.
- Distilled water is produced through a power input of 3 KW by a Chromium Plated heater housed in a horizontal Borosilicate Glass Doiler (Pyrex Brand Borosilicate Glass).
- With high efficiency condenser and can produce distillate temperature that ranges from 25°C- 40°C under room temperature.
- Provided with materials for wall mounting, ideal for general laboratory use and capable of producing pyrogen free water.

	TOTAL					1,301,000.00
--	-------	--	--	--	--	--------------

Purpose: for laboratory use

Checked by: <div>Genesis E. Albarico</div>		Funds Available: <div>NICK FREDDY R. BELLO</div>	
TWG - Laboratory Equipment		(OIC) HEAD, ACCOUNTING OFFICE	
Signature:	Prepared by: <div>CIELO F. SEÑARA</div>	Noted by: <div>ROMEL B. ARMECIN</div>	Approved by: <div>PROSE IVY G. YEPES</div>
Printed Name:			
Designation:		UNIT HEAD, PROJECT LEADER	PRESIDENT, VSU