

Republic of the Philippines VISAYAS STATE UNIVERSITY

Visca, Baybay City, Leyte

PURCHASE REQUEST

PPMP No.: PPMP-2025-092524-0566

PR No.: GF-2024-10-02800

Date: 10-09-2024

Dept./Office: CAS

Item

1

Category: Office

Section/End-User: Clarisa I. Visca

Equipment and Appliances

Funding Source: General Fund - MOOE

Project Title/Code: FACULTY OF NATURAL AND **MATHEMATICAL SCIENCES-2025**

Item Description	Unit	Qty	Unit Cost	PAR/ICS	Total Cost
Aircon Split Type (2 HP)	unit	1	45,000.00		45,000.00

Specification:

General Specifications

· Capacity: 2 HP

. Cooling Capacity: 18,000 BTU/h

Power Supply: 220V-230V, 60Hz, Single Phase

 Refrigerant Type: R32 Compressor Type: Rotary Application Area: 23-33 sqm

Indoor Unit

Dimension (W x D x H): 965 x 203 x 323 mm

· Weight (Gross): 10.9 kg

 Air Flow (Hi/Mi/Lo): 848 / 796 / 626 m³/h Noise Level (Hi/Mi/Lo): 45 / 39 / 33 dB(A)

Outdoor Unit

Dimension (W x D x H): 914 x 343 x 546 mm

· Weight (Gross): 31.7 kg

Performance

 Cooling Input: 1552 W Cooling Current: 6.75 A

Energy Efficiency Ratio (EER): 12.24

Accessories

. Included: None (Breaker, bracket, and copper tubing are not included)

Warranty

Parts and Service: 1 year

Compressor: 1 year

with free installation

44							_
	2	Telephone	рс	1	15,000.00	15,000.0	00

Specification:

Features

. Display: White backlit, greyscale, 3.5-inch (396x162 pixels) display

- Call Appearance: 16 voice lines
- Fixed Feature Buttons: Messaging, Service, Directory, Hold/Resume, Transfer, Conference, Volume Control,
 Speakerphone, Headset, and Mute
- · Navigation Keys: Two-way navigation and select keys
- Programmable Line/Feature Keys: 16 programmable keys that support either lines (such as directory numbers), or call
 features (such as speed dialing).
- · Programmable Softkeys: 4 buttons
- Button Module Expansion: No
- · Speakerphone: Includes high-quality, 2-way speakerphone
- · Audio: Wideband audio enhances clarity with the handset, speaker, or headset
- Wall-Mountable: Yes, requires optional Cisco 7800 Series Wall Mount Kit (CP-7800-WMK=)
- Ethernet Connectivity: Dual Ethernet (10/100) line interface (PC Pass Through & Network Connection)
- · Headset Port: Includes RJ9 headset port with EHS support
- . Message Waiting Indicator: Yes
- Adjustable Tilt Display: No
- Network Security: Certificates, Image authentication, Device authentication, File authentication, Signaling authentication,
 Media encryption using Secure Real-Time Transfer Protocol (SRTP) using AES-128, Signaling encryption using Transport
 Layer Security (TLS) Protocol using AES-128 or AES-256, Encrypted configuration files, 802.1X authentication,
 Cryptography

POWER REQUIREMENTS

- Supports 802.3af Power-over-ethernet (PoE)
- Can also be powered via optional power adapter if PoE is not available on your network (power supply sold separately see accessories above)

System Compatibility

- Cisco Unified Communications Manager 8.5.1, 8.6.2, 9.1.2, or 10.x and later. Requires Basic User Connect License (UCL).
- Cisco Business Edition 6000 8.6.2, 9.1.2, 10.x and later
- Cisco Hosted Collaboration Solution 8.6.2 and later (using supported UCM versions above)
- Cisco Unified Survivable Remote Site Telephony 8,x and later

TOTAL 60,000.00 Purpose: FOR OFFICE SUPPLIES Funds Available: Checked by: NORMAN D. VILLAS ALICIA M. FLORES HEAD, BUDGET OFFICE TWG - Office Equipment and Appliances Prepared by: Noted by: Approved by: CLARISA I. VISCA Signature: PROSE IVY G. Y GLENN G PAJARES Printed Name: UNIT HEAD, PROJECT LEADER Designation: