

SCAN HERE



PR-2024-0115-169544

1/15/24 *[Signature]*



Republic of the Philippines
VISAYAS STATE UNIVERSITY
 Visca, Baybay City, Leyte

PURCHASE REQUEST

PPMP No. : **131-2-1544-2024-10-0-0**

PR No.: **GF-2024-01-00045**

Date: **01-15-2024**

Dept./Office: **MMDC**

Category: **IT Supplies and Equipment**

Section/End-User: **Windy O. Tuyan**

Funding Source: **General Fund - CO**

Project Title/Code: **UIMC-2024**

Item #	Item Description	Unit	Qty	Unit Cost	PAR/ICS	Total Cost
1	LED Video Wall, Outdoor	lot	1	2,500,000.00		2,500,000.00

Specification:

OUTDOOR LED WALL SPECIFICATIONS:

PIXEL: 4.44

APPLICATION: OUTDOOR

LED TYPE SMD 3N1

INSTALLATION: FIXED

TECHNICAL SPECIFICATIONS

MAX BRIGHTNESS: 5,000 – 7,500

SCREEN RESOLUTION: 577*865

PIXEL DENSITY: 50,726 (STANDARD)

CABINET MATERIAL: ALUMINUM

CABINET WEIGHT: 27KG

POWER CONSUMPTION: 800W

INTEGRATED CIRCUIT: ICN2153/MB1512

POWER SUPPLY: 5V60A MEGMEET,CE

CONTROL SYSTEM: NOVASTAR TECHNOLOGY

MENTAINANCE: REAR and FRONT

SUPPLY AND ISTALLATION OF LED VIDEO WALL

ALUMINUM

MODEL: P4.44

MODULE: ALUMINUM

TYPE: OUTDOOR FIX SET

IED LAMP: CHUANGLIAN SAMSUNG P4.44

RECIVING CARD: A55 PLUS (6)

INCLUSION

STEEL FRAME (4 UNITS) FREE

1 UTC P4.44 OUTDOOR LED SCREEN 500X500MM ALUMINUM	PH 4.44mm outdoor, screen 1 sets of 9x12FT	
	Driver IC INDCD2153 /MB15124	
	Refresh rate 3,840hz	
	Grey scale 16 bits	40
	PANEL SIZE	PCS
	BRIGHTNES: 6000CD	
	500X500mm	
	Water and heat proof IP65, Rear and front maintenance	
	Height 9.5FT	X1
	Width 13.5FT	X1
CONTROL SYTEM	PROCESSOR: NOVA STAR VX400	1
	RECEIVING CARDS	40
	SENDING CARD: TB30 P4	1
	TRAVEL CASE	4
	RJ45 CONNECTORS	40
POWER DISTRIBUTION	30 METERS SIGNAL CAT 6	2
	POWER SUPPLY CHORD	40
	2.5KW,380 VAC INPUT 220 AC OUTPUT	1
SPARE PARTS	MAIN LINE	2
	SPARE RECIVING CARDS	9
	SPARE POWER SUPPLY MODULE	9
	SPARE ALUMINUM MODULE (125MM)	10
	WARRANTY ON PARTS (2 YEARS) INCLUDING RECEIVING CARDS AND LAMP	

Inclusion: to maximize and fix all concerns for sound system and lightings set up that is already installed at the venue:

2	LED Wall Indoor	lot	1	4,500,000.00		4,500,000.00
---	-----------------	-----	---	--------------	--	--------------

Specification:

TECHNICAL SPECIFICATIONS

MAX BRIGHTNESS: 5,000 – 7,500

SCREEN RESOLUTION: 640* 102

PIXEL DENSITY: 65,410 (STANDARD)

CABINET MATERIAL: DIE CASTING MAGNETIC

CABINET WEIGHT: 24 KG

POWER CONSUMPTION: 600W

INTEGRATED CIRCUIT: CHIPONE

POWER SUPPLY: CHUANGLIAN

CONTROL SYSTEM: NOVASTAR TECHNOLOGY

MENTAINANCE: REAR ONLY

SUPPLY AND ISTALLATION OF LED VIDEO WALL

MODEL: P3.91

MODULE: MAGNETIC TYPE

TYPE: INDOOR AND OUTDOOR FIX SET (FINE VIEWING)

IED LAMP: CHUANGLIAN SAMSUNG (200-240) V

RECIVING CARD: NOVASTAR 208-1

INCLUSION

STEEL FRAME (4 UNITS)

PURE
MAGNET
IC

	SUPPORT AND FULL TESTING WITH TRAINING ON STAFF	
	PVC PIPE LAYING AND MOULDING + DATA CABLING (OPTIONAL)	
	PH.391mm outdoor, screen 3 sets of 9x12FT	
	Driver IC INDCD2153	
P3.91 OUTDOOR LED SCREEN	Refresh rate 3,840hz	
500X500MM DIE CASTING	Grey scale 16 bits	80 PCS
MAGNETIC CABINET	PANEL SIZE	
	500X500mm	
	Water and heat proof IP65, Rear maintenance	
	Height 9.5FT	X2
	Width 13.5FT	X2
	PROCESSOR: NOVA STAR VX600X	1
CONTROL SYTEM	RECEIVING CARDS	80
	SENDING CARD MSD/MRV 300	1
	TRAVEL CASE	8
	RJ45 CONNECTORS	80
	30 METERS SIGNAL CAT 6	4
POWER DISTRIBUTION	POWER SUPPLY CHORD	80
	2.5KW,380 VAC INPUT 220 AC OUTPUT	1
	MAIN LINE	4
SPARE PARTS	SPARE RECIVING CARDS	18
	SPARE POWER SUPPLY MODULE	18
	SPARE MAGNETIC MODULE (125MM)	20
	WARRANTY ON PARTS (2 YEARS) INCLUDING RECEIVING CARDS AND LAMP	

1 SET WIRELESS COMMUNICATION SET

Wi talk WT55 single -ear full- Duplex wireless intercom headset system 400mm 1 master & 4 remote team communication single ear headset for communication

9 chargers

1 travel case

ADDITIONAL

1 SET

1 unit 55 inches tv for live stream monitoring

Inclusion: to maximize and fix all concerns for sound system and lightings set up that is already installed at the venue:

TOTAL

7,000,000.00

Purpose: For University uses.

Checked by:

DIONESIO I. ESTUPA

Funds Available:

ALICIA M. FLORES

TWG - IT Supplies and Equipment

HEAD, BUDGET OFFICE

Signature:

Printed Name:

WINDY O. TUYAN

Designation:

END USER

Noted by:

ULDERICO B. ALVIOLA

UNIT HEAD, PROJECT LEADER

Approved by:

DANIEL LESLIE S. TAN

OIC-PRESIDENT, VSU

SCAN HERE



PR-2024-0115-169544



Republic of the Philippines
VISAYAS STATE UNIVERSITY
 Visca, Baybay City, Leyte

PURCHASE REQUEST

PPMP No. : **131-2-1544-2024-10-0-0**

PR No.: **GF-2024-01-00045**

Date: **01-15-2024**

Dept./Office: **MMDC**

Category: **IT Supplies and Equipment**

Section/End-User: **Windy O. Tuyan**

Funding Source: **General Fund - CO**

Project Title/Code: **UIMC-2024**

Item #	Item Description	Unit	Qty	Unit Cost	PAR/ICS	Total Cost
1	LED Video Wall, Outdoor	lot	1	2,500,000.00		2,500,000.00

Specification:

OUTDOOR LED WALL SPECIFICATIONS:

PIXEL: 4.44

APPLICATION: OUTDOOR

LED TYPE SMD 3N1

INSTALLATION: FIXED

TECHNICAL SPECIFICATIONS

MAX BRIGHTNESS: 5,000 – 7,500

SCREEN RESOLUTION: 577*865

PIXEL DENSITY: 50,726 (STANDARD)

CABINET MATERIAL: ALUMINUM

CABINET WEIGHT: 27KG

POWER CONSUMPTION: 800W

INTEGRATED CIRCUIT: ICN2153/MB1512

POWER SUPPLY: 5V60A MEGMEET,CE

CONTROL SYSTEM: NOVASTAR TECHNOLOGY

MENTAINANCE: REAR and FRONT

SUPPLY AND ISTALLATION OF LED VIDEO WALL

ALUMINUM

MODEL: P4.44

MODULE: ALUMINUM

TYPE: OUTDOOR FIX SET

IED LAMP: CHUANGLIAN SAMSUNG P4.44

RECIVING CARD: A55 PLUS (6)

INCLUSION

STEEL FRAME (4 UNITS) FREE

1 UTC P4.44 OUTDOOR LED SCREEN 500X500MM ALUMINUM	PH 4.44mm outdoor, screen 1 sets of 9x12FT	
	Driver IC INDCD2153 /MB15124	
	Refresh rate 3,840hz	
	Grey scale 16 bits	40
	PANEL SIZE	PCS
	BRIGHTNES: 6000CD	
	500X500mm	
	Water and heat proof IP65, Rear and front maintenance	
	Height 9.5FT	X1
	Width 13.5FT	X1
CONTROL SYTEM	PROCESSOR: NOVA STAR VX400	1
	RECEIVING CARDS	40
	SENDING CARD: TB30 P4	1
	TRAVEL CASE	4
	RJ45 CONNECTORS	40
POWER DISTRIBUTION	30 METERS SIGNAL CAT 6	2
	POWER SUPPLY CHORD	40
	2.5KW,380 VAC INPUT 220 AC OUTPUT	1
SPARE PARTS	MAIN LINE	2
	SPARE RECIVING CARDS	9
	SPARE POWER SUPPLY MODULE	9
	SPARE ALUMINUM MODULE (125MM)	10
	WARRANTY ON PARTS (2 YEARS) INCLUDING RECEIVING CARDS AND LAMP	

Inclusion: to maximize and fix all concerns for sound system and lightings set up that is already installed at the venue:

2	LED Wall Indoor	lot	1	4,500,000.00		4,500,000.00
---	-----------------	-----	---	--------------	--	--------------

Specification:

TECHNICAL SPECIFICATIONS

MAX BRIGHTNESS: 5,000 – 7,500

SCREEN RESOLUTION: 640* 102

PIXEL DENSITY: 65,410 (STANDARD)

CABINET MATERIAL: DIE CASTING MAGNETIC

CABINET WEIGHT: 24 KG

POWER CONSUMPTION: 600W

INTEGRATED CIRCUIT: CHIPONE

POWER SUPPLY: CHUANGLIAN

CONTROL SYSTEM: NOVASTAR TECHNOLOGY

MENTAINANCE: REAR ONLY

SUPPLY AND ISTALLATION OF LED VIDEO WALL

MODEL: P3.91

MODULE: MAGNETIC TYPE

TYPE: INDOOR AND OUTDOOR FIX SET (FINE VIEWING)

IED LAMP: CHUANGLIAN SAMSUNG (200-240) V

RECIVING CARD: NOVASTAR 208-1

INCLUSION

STEEL FRAME (4 UNITS)

PURE
MAGNET
IC